

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012401395  
**DATE** : 27.03.2024  
**REQ No** : 1012401246  
**REQ TITLE** : Spares 1012401246  
**DELIVERY LOCATION** : 0017 - L STORE-SPAR&CHE  
**CLOSING DATE** : 02.04.2024  
**CLOSING TIME** : 10:00:00

| SL NO | ITEM CODE  | SERVICE ID | DESCRIPTION  | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|-------------|
| 1     | 2700103120 |            | TRANSMITTER_PRESSURE; INPUT RANGE: -393 TO 1000IN H2O; SUPPLY RATING:10.5 TO 42.4VDC; OUTPUT RATING: 4 TO 20MA; SIZE/CONNECTION: FLANGED;TYPE: COPLANAR, GAUGE; CONNECTION MATERIAL: SS; MATERIAL: PU COVERED AL;ELECTRICAL CONNECTION: 1/2IN-14 NPT; COMMUNICATION P R OTOCOL: DIGITALHART; ENCLOSURE: NEMA 4X, IP65/66/68; MFR: ROSEMOUNT INC: MPN:3051CG3A22A1AB4K5SL4M5Q4: ADDITIONAL INFO: BOLTING M AT ERIAL: AUSTENITIC316 SS BOLTS; DISPLAY: LCD; MOUNTING BRACKET: COPLANAR FLANGE BRACKETFOR 2IN PIPE OR PANEL MOUNTING; O-RING: GL ASS FILLED PTFE; PRODUCTCERTIFICATIONS: FM EXPLOSION-PROOF; SENSOR FILL FLUID: SILICONE;ISOLATING DIAPHRAGM: 316L SS; ALL SS; AND DIVIS ION 2; DUSTIGNITION-PROOF; INTRINSICALLY SAFE; W/CALIBRATION CERTIFICATE;APPLICATION: DFO SYSTEM JAFZA | 2   | EA  |              |          |            |             |
| 2     | 2700103122 |            | TRANSMITTER_DIFFERENTIAL PRESSURE; INPUT   | 2   | EA  |              |          |            |             |

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012401395  
**DATE** : 27.03.2024  
**REQ No** : 1012401246  
**REQ TITLE** : Spares 1012401246  
**DELIVERY LOCATION** : 0017 - L STORE-SPAR&CHE  
**CLOSING DATE** : 02.04.2024  
**CLOSING TIME** : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION   | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|-------------|
|       |           |            | <p>RANGE: (-250 TO 250IN H2O),(-621.6 TO 621.6MBAR);<br/> SUPPLY RATING: 10.5 TO 42.4VDC; OUTPUT RATING: 4TO 20MA; SIZE/CONNECTION: FLANGED;<br/> TYPE: COPLANAR; CONNECTION MATERIAL:SS;<br/> ELECTRICAL CONNECTION: 1/2IN-14 NPT;<br/> COMMUNICAT I<br/> ON PROTOCOL:DIGITAL HART; TEMPERATURE RATING: -40 TO 85DEG C; MATERIAL: PU COVEREDAL; ENCLOSURE: NEMA 4X, IP65/66/68;<br/> MFR: ROSEMO UN<br/> T INC: MPN:3051CD2A22A1AB4K5L4M5Q4:<br/> ADDITIONAL INFO: DISPLAY: LCD;<br/> ISOLATINGDIAPHRAGM: 316L SS; MOUNTING BRACKET: COPLANAR FLANG E B<br/> RACKET FOR 2INPIPE OR PANEL MOUNTING;<br/> O-RING: GLASS FILLED PTFE;<br/> PRODUCTCERTIFICATIONS: FM<br/> EXPLOSION-PROOF; SENSOR FILL FLUID: SILIC ONE; BOLTMATERIAL: AUSTENITIC 316 SS BOLTS;<br/> ALL SS; AND DIVISION 2; DUSTIGNITION-PROOF;<br/> INTRINSICALLY SAFE; W/CALIBRATION CER TIFICA TE;APPLICATION: DFO SYSTEM JAFZA</p> |     |     |              |          |            |             |

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012401395  
**DATE** : 27.03.2024  
**REQ No** : 1012401246  
**REQ TITLE** : Spares 1012401246  
**DELIVERY LOCATION** : 0017 - L STORE-SPAR&CHE  
**CLOSING DATE** : 02.04.2024  
**CLOSING TIME** : 10:00:00

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

**SPECIAL NOTES / INSTRUCTIONS:**

Spares

**STANDARD TERMS & CONDITIONS**

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**