

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401577
DATE : 15.04.2024
REQ No : 1012401359
REQ TITLE : Spares 1012401359
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 29.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700112105		DP TRANSMITTER, MAKE: ROSEMOUNT, MODEL: 3051S1CD5A2A10A1BN1M5P1Q4Q8, SR.NO: 09892905, WITH DISPLAY, RANGE: 0 TO 50BAR, MANIFOLD MOD EL:AIM03AL47010156, USED IN GT NATURAL GAS SYSTEM MEXT.	2	EA				
2	2700117313		DP TRANSMITTER, MAKE: ROSEMOUNT, MODEL: 3051CD1A02A1BM5SKQ4Q8CTA9258,WITH DISPLAY, RANGE: 0 TO 10MBAR, USED IN AIR INTAKE SYSTEM ME XT	2	EA				
3	2100010162		PRESSURE TRANSMITTER, MAKE: ROSEMOUNT, MODEL: 3051TG3A2C21BB4N1M5P1Q4Q8,RANGE: 0 TO 16BAR, SUPPLY: 10.5...55 VDC, OUTPUT 4 -- 20 MA , FLANGE:316L SST, DIAPHRAM: 316L SST, USED GT FUEL OIL SYSTEM MEXT	2	EA				
4	2100010163		PRESSURE TRANSMITTER, MAKE: ROSEMOUNT, MODEL: 3051TG3A2C21BB4N1M5P1Q4Q8,RANGE: 0 TO 160BAR, SUPPLY: 10.5...55 VDC, OUTPUT 4 -- 20 M A, FLANGE:316L SST, DIAPHRAM: 316L SST, USED GT FUEL OIL SYSTEM MEXT	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401577
DATE : 15.04.2024
REQ No : 1012401359
REQ TITLE : Spares 1012401359
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 29.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
5	2700132782		TRANSMITTER DP; MFR: ROSEMOUNT; MODEL: 2051CD3A02A1BSKK1M5Q4Q8Q15A1042; RANGE: 0 TO 1BAR; SUPPLY: 10.5 TO 30.0VDC; OUTPUT: 4 TO 20MA HART; MAX.WP: 3626PSI/250BAR; EX IA IIC T4 GA (-60 DEG C <TA< 70 DEG C) ; IP66/68 BASEFA08ATEX0129X..EX II 1G CE 1180 UI=30VDS; ; I I=200MA..PI=1.0W; INSTRUMENT CONNECTIONS: 2 X 1/2" NPT (F); ELECTRICAL CONNECTIONS: M 20X1.5; WITH MOUNTING BRACKETS; CERTIFICATES : 3.1MATERIAL; NACE MR0175; CALIBRATION; ATEX; MANIFOLD MFR; SCHNEIDER; W5AASA-N4TD-A-420 BAR @38 DEG C ; TEMP; 232 DEG C ; 316L; I EC; USED INFG COMP JAMEX. KKS: 71EKH41CP020; 71EKX61CP024	2	EA				
6	2700132783		TRANSMITTER DP; MFR: ROSEMOUNT; MODEL: 2051CD4A22A1BK1M5DFD5Q4Q8Q15A1042; RANGE: 0 TO 5BAR; SUPPLY: 10.5 TO 30.0VDC; OUTPUT: 4 TO 20 M A HART; MAX.WP: 3626PSI/250BAR; EX IA IIC T4GA (-60 DEG C <TA< 70 DEG C) ; IP 66/68 BASEFA08ATEX0129X..EX II 1G CE1180 UI=30VDS; ;	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401577
DATE : 15.04.2024
REQ No : 1012401359
REQ TITLE : Spares 1012401359
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 29.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			II=200MA..PI=1.0W; INSTRUMENT CONNECTIONS: 2 X 1/2"NPT (F); ELECTRICAL CONNECTIONS: M 20X1.5; WITH MOUNTING BRACKETS; CERTIFICATES: 3.1 MATERIAL; NACE MR0175; CALIBRATION; ATEX; MANIFOLD MFR; SCHNEIDER; W5AASA-N4TD-A-420 BAR @38 DEG C ; TEMP; 232 DEG C ; 316L; IEC ; USED IN FG COMP JAMEX. KKS: 71EKH41CP050						
7	2700132784		TRANSMITTER PRESSURE; MFR: ROSEMOUNT; MODEL: 2051TG3A2C21BK1M5Q4Q8Q15; RANGE: 0 TO 40BARG; SUPPLY: 10.5 TO 30.0VDC; OUTPUT: 4 TO 20M A HART; MAX.WP: 800PSI/55.2BAR; EX IA IIC T4 GA (-60 DEG C <TA< 70 DEG C) ; IP66/68 BASEFA08ATEX0129X..EX II 1G CE 1180 UI=30VDS; ; II=200MA..PI=1.0W; INSTRUMENT CONNECTIONS: G 1/2 (M); ELECTRICAL CONNECTIONS: M 20X1.5; 2-VALVE MANIFOLD OUTLET: G 1/2 (F); INLET: G 1/2 (M); TEST & VENT: 1/4"NPT WITH PLUG; WITH MOUNTING BRACKETS; CERTIFICATES: 3.1 MATERIAL; NACEMR0175; CALIBRATION; ATEX; MANIFOL	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401577
DATE : 15.04.2024
REQ No : 1012401359
REQ TITLE : Spares 1012401359
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 29.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			D DATA: MFR; SCHNEIDER;SAMDSA-G4G4-A; F316/F316L; 420 BAR @38 DEG C; TEMP; 232 DEG C ; IEC.USED IN FG COMP JAMEX. KKS: 71EKH41 CP030 ; 71EKH41CP040						
8	2700132785		TRANSMITTER PRESSURE; MFR: ROSEMOUNT; MODEL: 2051TG2A2C21BK1M5Q4Q8;RANGE: 0 TO 4BARG; SUPPLY: 10.5 TO 30.0VDC; OUTPUT: 4 TO 20MA HA RT;MAX.WP: 150PSI/10.3BAR; EX IA IIC T4 GA (-60 DEG C <TA< 70 DEG C) ; IP66/68 BASEFA08ATEX0129X..EX II 1G CE 1180 UI=30VDS; ; II=2 00MA..PI=1.0W; INSTRUMENT CONNECTIONS: G 1/2 (M); ELECTRICALCONNECTIONS: M 20X1.5; 2-VALVE MANIFOLD OUTLET: G 1/2 (F); INLET: G 1 /2 (M); TEST & VENT: 1/4" NPT WITH PLUG; WITH MOUNTING BRACKETS;CERTIFICATES: 3.1 MATERIAL; NACE MR0175; CALIBRATION; ATEX; MANIFOL DDA TA: MFR; PYABSA-N4G4-A; 316/316L420@38 DEG C ; MAX TEMP232 DEG C. USEDIN FG COMP SEAL GAS JAMEX. KKS: 71EKX61CP031; 71EKH41CP06 1;71 EKH41CP062; 71EKH41CP063;	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401577
DATE : 15.04.2024
REQ No : 1012401359
REQ TITLE : Spares 1012401359
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 29.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			71EKX61CP04171EKH41CP071; 71EKH41CP072;71EKH41CP073						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Spares

STANDARD TERMS & CONDITIONS

- Prices should be 'DDP' delivery duty paid at DEWA stores.
- Quotation to be submitted only in local currency U.A.E Dirhams
- DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401577
DATE : 15.04.2024
REQ No : 1012401359
REQ TITLE : Spares 1012401359
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 29.04.2024
CLOSING TIME : 10:00:00

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP