

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401684
DATE : 22.04.2024
REQ No : 1012401550
REQ TITLE : INSURANCE SPARES
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 30.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700132786		TRANSMITTER PRESSURE; MFR: ROSEMOUNT; MODEL: 2051TG2A2C21BK1M5Q4Q8;RANGE: 0 TO 10BARG; SUPPLY: 10.5 TO 30.0VDC; OUTPUT: 4 TO 20MA H ART;MAX.WP: 150PSI/10.3BAR; EX IA IIC T4 GA (-60 DEG C <TA< 70 DEG C) ; IP66/68 BASEFA08ATEX0129X..EX II 1G CE 1180 UI=30VDS; ; II= 200MA..PI=1.0W; INSTRUMENT CONNECTIONS: G 1/2 (M); ELECTRICALCONNECTIONS: M 20X1.5; 2-VALVE MANIFOLD OUTLET: G 1/2 (F); INLET: G 1/2 (M); TEST & VENT: 1/4" NPT WITH PLUG; WITH MOUNTING BRACKETS;CERTIFICATES: 3.1 MATERIAL; NACE MR0175; CALIBRATION; ATEX; MANIFO LDDA TA: MFR; PYABSA-N4G4-A; 316/316L420@38 DEG C ; MAX TEMP232 DEG C. USEDIN FG COMP JAMEX. KKS: 71EKX61CP021; 71EKX61CP022; 71EKX 61CP0 23	2	EA				
2	2700132787		TRANSMITTER PRESSURE; MFR: ROSEMOUNT; MODEL: 2051TG1A2C21BK1M5Q4Q8;RANGE: 0 TO 0.6BARG; SUPPLY: 10.5 TO 30.0VDC; OUTPUT: 4 TO 20MA H	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401684
DATE : 22.04.2024
REQ No : 1012401550
REQ TITLE : INSURANCE SPARES
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 30.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ART;MAX.WP: 30PSI/2.07BAR; EX IA IIC T4 GA (-60 DEG C <TA< 70 DEG C) ; IP66/68 BASEFA08ATEX0129X..EX II 1G CE 1180 UI=30VDS; ; II=2 00MA..PI=1.0W; INSTRUMENT CONNECTIONS: G 1/2 (M); ELECTRICALCONNECTIONS: M 20X1.5; 2-VALVE MANIFOLD OUTLET: G 1/2 (F); INLET: G 1/2 (M); TEST & VENT: 1/4" NPT WITH PLUG; WITH MOUNTING BRACKETS;CERTIFICATES: 3.1 MATERIAL; NACE MR0175; CALIBRATION; ATEX; MANIFO LDDAT A: MFR; PYABSA-N4G4-A; 316/316L420@38 DEG C ; MAX TEMP232 DEG C. USEDIN FG COMP JAMEX. KKS: 71EKX61CP032; 71EKX61CP042						
3	2700132788		TRANSMITTER DP; MFR: ROSEMOUNT; MODEL: 2051CD1A33A1BI1M5D4V5Q4Q8Q15;RANGE: 0 TO 2.5MBAR; SUPPLY: 10.5 TO 30.0VDC; OUTPUT: 4 TO 20MA HART;MAX.WP: 2000PSI/138BAR; EX IA IIC T4 GA (-60 DEG C <TA< 70 DEG C) ; IP66/68 BASEFA08ATEX0129X..EX II 1G CE 1180 UI=30VDS; ; I I=200MA..PI=1.0W; INSTRUMENT CONNECTIONS:	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401684
DATE : 22.04.2024
REQ No : 1012401550
REQ TITLE : INSURANCE SPARES
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 30.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			OVAL FLANGE; ELECTRICALCONNECTIONS: M 20X1.5; 5-VALVE MANIFOLD; OUTLET: OVAL FLANGE ACC . DINEN 61518; INLET: 2 X 1/2" NPT (F) TEST & VENT: 2 X 1/4" NPT WITH PLUG;WITH MOUNTING BRACKETS; CERTIFICATES: 3.1 MATERIAL; N ACE MR0175;CALIBRATION; ATEX; MANIFOLD MFR; SCHNEIDER; W5AASA-N4TD-A-420 BAR @38DEG C ; TEMP; 232 DEG C ; 316L; IEC; USED IN FG CO MP J AMEX. KKS:71EKH11CP052						
4	2700132789		TRANSMITTER DP; MFR: ROSEMOUNT; MODEL: 2051CD1A33A1BI1M5D4V5Q4Q8Q15;RANGE: 0 TO 20MBAR; POWER SUPPLY: 10.5 TO 30.0VDC; OUTPUT: 4 TO 20MAHART; MAX W.P: 138 BAR; EX IA IIC T4 GA (-60 DEG C <TA< 70 DEG C); IP66/68; BASEFA08ATEX0129X..EX II 1G CE 1180 UI=30VDS; ;II= 200MA..PI=1.0W.INSTRUMENT CONNECTIONS: OVAL FLANGE; ELECTRICALCONNECTIONS: M 20X1.5; 5-VALVE MANIFOLD; OUTLET: OVAL FLANGE ACC. DIN EN61518; INLET: 2 X 1/2" NPT (F) TEST & VENT: 2 X	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401684
DATE : 22.04.2024
REQ No : 1012401550
REQ TITLE : INSURANCE SPARES
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 30.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			1/4" NPT WITH PLUG; WITH MOUNTING BRACKETS; CERTIFICATES: 3.1 MATERIAL; NAC E MR0 175; CALIBRATION; ATEX; MANIFOLD MFR; SCHNEIDER; W5AASA-N4TD-A-420 BAR @38DEG C ; TEMP; 232 DEG C ; 316L; IEC; . USED IN FG CO MP JAM EX. KKS:71EKH11CP051						
5	2700132790		TRANSMITTER PRESSURE; MFR: ROSEMOUNT; MODEL: 2088G4S33B2M5D4K1Q4C4Q15; RANGE: 0 TO 60BARG; OUTPUT: 4 TO 20MA HART; MAX W.P. 4000PSI/ 276BARGSUPPLY; 10.5 TO 42.4 VDC; .FM APPROVED 82234 CE EAC; EX II 1 D; EX IIICT95 T500 105 DA; EX D II C; EX II 1 D; EX II 1 / 2G; EX II 1G; IP66/68; BASEEFA08ATEX030X; BASEEFA08ATEX0129X; KEMA08ATEX0080X.T4 GC(-40 TAMB 70); T5 GA/GB(-50 TAMB 65). INSTRUMENT CONNECTIONS: G 1/2 (M); ELECTRICAL CONNECTIONS: M 20X1.5; 2-VALVE MANIFOLD O UTL	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401684
DATE : 22.04.2024
REQ No : 1012401550
REQ TITLE : INSURANCE SPARES
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 30.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ET: G 1/2 (F);INLET: G 1/2 (M); TEST & VENT: 1/4" NPT WITH PLUG; WITH MOUNTINGBRACKETS; CERTIFICATES: 3.1 MATERIAL; NACE MR0175 ; CA LIBRATION; ATEX;MANIFOLD DATA; MFR: SCHNEIDER; MODEL: DUPLEX S31803; SAFDFA-H4G4-A; 420BAR@38 DEGREE C .MAX. TEMP: 232 DEGREE C. USE D IN FUEL GAS SUPPLY SYSTEMJAMEX. KKS: 71EKG10CP001; 71EKG10CP002; 71EKG10CP003; 71EKG11CP004;71EKG12CP004; 71EKD11CP004; 71 EKD11CP 001; 71EKD11CP002; 71EKD11CP003;71EKD12CP010; 71EKD12CP011; 71EKD12CP00471EKD12CP001; 71EKD12CP002;71EKD12CP003; 71EKD13CP0 04; 71EK D13CP001; 71EKD13CP002; 71EKD13CP003;71EKG70CP001; 71EKD81CP001; 71EKD82CP005; 71EKD82CP006;71EKD82CP00170EKF11CP001; 70EK F11CP002; 70EKF11CP003; 70EKF11CP005;70EKF11CP006; 70EKF11CP007; 70EKF12CP001; 70EKF12CP002; 70EKF12CP003;70EKF12CP005; 70EKF12CP0 06;						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401684
DATE : 22.04.2024
REQ No : 1012401550
REQ TITLE : INSURANCE SPARES
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 30.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			70EKF1 2CP00771EKD61CP002; 71EKD61CP003;71EKD61CP004; 71EKD62CP002; 71EKD62CP003; 71EKD62CP004; 71EKC10CP001;71EKC10CP002; 71EK C10CP003.						
6	2700132791		TRANSMITTER PRESSURE; MFR: ROSEMOUNT; MODEL: 2088G2S33B2M5D4K1Q4C4Q15;RANGE: 0 TO 10BARG; OUTPUT: 4 TO 20MA HART; MAX W.P. 150PSI/1 0.3BARGSUPPLY; 10.5 TO 42.4 VDC; .FM APPROVED 82234 CE EAC; EX II 1 D; EX IIICT95Â## T500 105Â## DA; EX D II C; EX II 1 D; EX II 1 / 2G; EX II 1G; IP66/68; BASEEFA08ATEX030X; BASEEFA08ATEX0129X; KEMA08ATEX0080X.T4 GC(-40Â##Â#TAMBÂ#70Â##); T5 GA/GB(-50Â##Â#TAM BÂ #80Â##); T6GA/GB(-50Â##Â#TAMBÂ#65Â##). INSTRUMENT CONNECTIONS: G 1/2 (M);ELECTRICAL CONNECTIONS: M 20X1.5; 2-VALVE MANIFOLD O UTL ET: G 1/2 (F);INLET: G 1/2 (M); TEST & VENT: 1/4" NPT WITH PLUG; WITH MOUNTINGBRACKETS; CERTIFICATES: 3.1 MATERIAL; NACE MR0175 ; CA	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401684
DATE : 22.04.2024
REQ No : 1012401550
REQ TITLE : INSURANCE SPARES
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 30.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			LIBRATION; ATEX;MANIFOLD DATA; MFR: SCHNEIDER; MODEL: DUPLEX S31803; SAFDFA-H4G4-A; 420BAR@38 DEGREE C .MAX. TEMP: 232 DEGREE C.USED IN FUEL GAS SUPPLY SYSTEMJAMEX. KKS: 71EKD81CP002; 71EKD81CP003; 71EKD81CP004;71EKD82CP00271EKD82CP003; 71EKD82CP004; 70EKF 11CP012 ; 70EKF11CP011;70EKF11CP010; 70EKF12CP004; 70EKF12CP012; 70EKF12CP011; 70EKF12CP010.						
7	2700132792		TRANSMITTER PRESSURE; MFR: ROSEMOUNT; MODEL: 2088G4S33B2M5D4K1Q4C4Q15;RANGE: 0 TO 100BARG; OUTPUT: 4 TO 20MA HART; MAX W.P. 4000PSI /276BARGSUPPLY; 10.5 TO 42.4 VDC; .FM APPROVED 82234 CE EAC; EX II 1 D; EX IICT95Â## T500 105Â## DA; EX D II C; EX II 1 D; EX II 1/ 2G; EX II 1G; IP66/68; BASEEFA08ATEX030X; BASEEFA08ATEX0129X; KEMA08ATEX0080X.T4 GC(-40Â##Â#TAMBÂ#70Â##); T5 GA/GB(-50Â##Â#TA MBÂ #80Â##); T6GA/GB(-50Â##Â#TAMBÂ#65Â##). INSTRUMENT CONNECTIONS: G 1/2	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401684
DATE : 22.04.2024
REQ No : 1012401550
REQ TITLE : INSURANCE SPARES
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 30.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			(M);ELECTRICAL CONNECTIONS: M 20X1.5; 2-VALVE MANIFOLD OUTLE T: G 1/2 (F);INLET: G 1/2 (M); TEST & VENT: 1/4" NPT WITH PLUG; WITH MOUNTINGBRACKETS; CERTIFICATES: 3.1 MATERIAL; NACE MR017 5; CAL IBRATION; ATEX;MANIFOLD DATA; MFR: SCHNEIDER; MODEL: DUPLEX S31803; SAFDFA-H4G4-A; 420BAR@38 DEGREE C .MAX. TEMP: 232 DEGREE C.USED IN FUEL GAS SUPPLY SYSTEMJAMEX. KKS: 71EKD61CP001; 71EKD62CP001; 71EKD62CP005; 71EKD62CP006;71EKD70CP001						
8	2700132793		TRANSMITTER PRESSURE; MFR: ROSEMOUNT; MODEL: 2088G1S33B2M5D4K1Q4C4Q15;RANGE: 0 TO 2BARG; OUTPUT: 4 TO 20MA HART; MAX W.P. 150PSI/10 .3BARGSUPPLY; 10.5 TO 42.4 VDC; .FM APPROVED 82234 CE EAC; EX II 1 D; EX IICT95Â## T500 105Â## DA; EX D II C; EX II 1 D; EX II 1/ 2 G; EX II 1G; IP66/68; BASEEFA08ATEX030X; BASEEFA08ATEX0129X; KEMA08ATEX0080X.T4 GC(-40Â##Â#TAMBA#70Â##); T5 GA/GB(-50Â##Â#TAMBA Â#	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401684
DATE : 22.04.2024
REQ No : 1012401550
REQ TITLE : INSURANCE SPARES
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 30.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			80A##); T6GA/GB(-50A##A#TAMBÂ#65A##). INSTRUMENT CONNECTIONS: G 1/2 (M);ELECTRICAL CONNECTIONS: M 20X1.5; 2-VALVE MANIFOLD OUTLET T: G 1/2 (F);INLET: G 1/2 (M); TEST & VENT: 1/4" NPT WITH PLUG; WITH MOUNTINGBRACKETS; CERTIFICATES: 3.1 MATERIAL; NACE MR0175; CAL IBRATION; ATEX;MANIFOLD DATA; MFR: SCHNEIDER; MODEL: DUPLEX S31803; SAFDFA-H4G4-A; 420BAR@38 DEGREE C .MAX. TEMP: 232 DEGREE C .USED IN FUEL GAS SUPPLY SYSTEMJAMEX.KKS: 70EKG90CP001; 70EKG90CP002; 70EKG90CP00370EKG95CP001;70EKG95CP002; 70EKG95CP003						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

INSURANCE SPARES

STANDARD TERMS & CONDITIONS

1) Prices should be 'DDP' delivery duty paid at DEWA stores.

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012401684
DATE	: 22.04.2024
REQ No	: 1012401550
REQ TITLE	: INSURANCE SPARES
DELIVERY LOCATION	: 0022 - M STORE
CLOSING DATE	: 30.04.2024
CLOSING TIME	: 10:00:00

- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP