

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|-------------|
| 1 | 3600022550 | | GASKET_SPIRAL WOUND; PIPE SIZE: 16IN; SIZE: 400MM ID, 514MM OD; WINDINGMATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERIAL: 316LSS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; ADDITIONALINFO: INNER RING SIZE: 422MM OD; OUTER RING SIZE: 464 MM ID; WINDINGSIZE: 422MM ID; 464MM OD; APPLICATION: FLANGE CONNECTION | 20 | EA | | | | |
| 2 | 2300037874 | | GASKET_SPIRAL WOUND; PIPE SIZE: 8IN; PRESSURE RATING: 300LB; WINDINGMATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERIAL: 316LSS; OUTER RING MATERIAL: 316L SS; STANDARD: ANSI/ASME B16.20 | 40 | EA | | | | |
| 3 | 2300036684 | | GASKET_SPIRAL WOUND; PRESSURE RATING: 600LB; SIZE: 255MM ID, 400MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 255MM ID; 275MM OD; OUTER RING SIZE: 318MM ID; WINDING SIZE: 275MM ID; | 40 | EA | | | | |

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|-------------|
| | | | 318MM OD; APPLICATION: FLANGE; 10IN | | | | | | |
| 4 | 2300014078 | | GASKET_SPIRAL WOUND; PIPE SIZE: 12IN; PRESSURE RATING: 300LB; WINDINGMATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATER IAL: 316LSS; OUTER RING MATERIAL: 316L SS; STANDARD: ANSI/ASME B16.20 | 40 | EA | | | | |
| 5 | 2300012631 | | GASKET_SPIRAL WOUND; PIPE SIZE: 16IN; PRESSURE RATING: 300LB; SIZE:400MM ID, 540MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL:GR APHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS;STANDARD: ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 422MM O D;OUTER RING SIZE: 464MM ID; WINDING SIZE: 422MM ID; 464MM OD;APPLICATION: FLANGE CONNECTION | 20 | EA | | | | |
| 6 | 2300009491 | | GASKET_SPIRAL WOUND; PIPE SIZE: 18IN; PRESSURE RATING: 150LB; SIZE:449MM ID, 549MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL:GR APHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS;STANDARD: ANSI/ASME B16.20; | 20 | EA | | | | |

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|-------------|
| | | | ADDITIONAL INFO: INNER RING SIZE: 475MM O D; OUTER RING SIZE: 527MM ID; WINDING SIZE: 475MM ID; 527MM OD; APPLICATION: FLANGE CONNECTION | | | | | | |
| 7 | 2300009483 | | GASKET_SPIRAL WOUND; PIPE SIZE: 2IN; PRESSURE RATING: 300/600LB; SIZE:56MM ID, 111MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL :GRAPHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 70M M OD; OUTER RING SIZE: 86MM ID; WINDING SIZE: 70MM ID; 86MM OD; APPLICATION: FLANGE CONNECTION | 40 | EA | | | | |
| 8 | 2300009242 | | GASKET_SPIRAL WOUND; PIPE SIZE: 10IN; PRESSURE RATING: 150LB; SIZE:268MM ID, 340MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GR APHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 287MM O D; OUTER RING SIZE: 318MM ID; WINDING SIZE: 287MM ID; 318MM OD; APPLICATION: FLANGE | 40 | EA | | | | |

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|-------------|
| | | | CONNECTION | | | | | | |
| 9 | 2300008203 | | GASKET_SPIRAL WOUND; PIPE SIZE: 4IN; PRESSURE RATING: 600LB; WINDINGMATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERI AL: 316LSS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; APPLICATION:FLANGE CONNECTION | 40 | EA | | | | |
| 10 | 3600022666 | | GASKET_SPIRAL WOUND; PIPE SIZE: 8IN; PRESSURE RATING: 600LB; SIZE: (206X 226MM) ID, (264 X 321MM) OD; WINDING MATERIAL: 316L SS; FI LLERMATERIAL: GRAPHITE; INNER RING MATERIAL: 316 SS; OUTER RING MATERIAL:316 SS; STANDARD: ANSI/ASME B16.20; APPLICATION: FLANGE | 40 | EA | | | | |
| 11 | 3600022551 | | GASKET_SPIRAL WOUND; PIPE SIZE: 20IN; SIZE: 500MM ID, 607MM OD; WINDINGMATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MAT ERIAL: 316LSS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; ADDITIONALINFO: INNER RING SIZE: 526MM OD; OUTER RING SIZE: 57 8 MM ID; WINDINGSIZE: 526MM ID; 578MM OD; APPLICATION: FLANGE CONNECTION | 50 | EA | | | | |

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|-------------|
| 12 | 2300009490 | | GASKET_SPIRAL WOUND; PIPE SIZE: 6IN; PRESSURE RATING: 300LB; SIZE: 157MMID, 251MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: G RAPHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 183MM OD ; OUTER RINGSIZE: 210MM ID; WINDING SIZE: 183MM ID; 210MM OD; APPLICATION: FLANGECONNECTION | 40 | EA | | | | |
| 13 | 2300009489 | | GASKET_SPIRAL WOUND; PIPE SIZE: 4IN; PRESSURE RATING: 300LB; SIZE: 107MMID, 181MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: G RAPHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 127MM OD ; OUTER RINGSIZE: 149MM ID; WINDING SIZE: 127MM ID; 149MM OD; APPLICATION: FLANGECONNECTION | 40 | EA | | | | |
| 14 | 2300009488 | | GASKET_SPIRAL WOUND; PIPE SIZE: 4IN; PRESSURE RATING: 150LB; SIZE: 106MMID, 175MM OD; WINDING MATERIAL: 316L SS; FILLER | 40 | EA | | | | |

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|-------------|
| | | | MATERIAL: G RAPHITE;INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD:ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 127MM OD ; OUTER RINGSIZE: 149MM ID; WINDING SIZE: 127MM ID; 149MM OD; APPLICATION: FLANGECONNECTION | | | | | | |
| 15 | 2300009486 | | GASKET_SPIRAL WOUND; PIPE SIZE: 3IN; PRESSURE RATING: 300LB; SIZE: 81MMID, 149MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GR APHITE;INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD:ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 102MM O D ; OUTERRING SIZE: 121MM ID; WINDING SIZE: 102MM ID; 121MM OD; APPLICATION:FLANGE CONNECTION | 20 | EA | | | | |
| 16 | 2300009485 | | GASKET_SPIRAL WOUND; PIPE SIZE: 3IN; PRESSURE RATING: 150LB; SIZE: 81MMID, 137MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GR APHITE;INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD:ANSI/ASME B16.20; | 20 | EA | | | | |

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|-------------|
| | | | ADDITIONAL INFO: INNER RING SIZE: 102MM O D ; OUTERRING SIZE: 121MM ID; WINDING SIZE: 102MM ID; 121MM OD; APPLICATION:FLANGE CONNECTION | | | | | | |
| 17 | 2300009484 | | GASKET_SPIRAL WOUND; PIPE SIZE: 2IN; PRESSURE RATING: 150LB; SIZE: 56MMID, 105MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GR APHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD:ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 70MM OD ; OUTER RINGSIZE: 86MM ID; WINDING SIZE: 70MM ID; 86MM OD; APPLICATION: FLANGECONNECTION | 40 | EA | | | | |
| 18 | 2300009481 | | GASKET_SPIRAL WOUND; PIPE SIZE: 1IN; PRESSURE RATING: 300/600LB; SIZE:27MM ID, 73MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: PTFE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD:ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 32MM OD; OUTER RINGSIZE: 48MM ID; WINDING SIZE: 32MM ID; 48MM OD; APPLICATION: FLANGECONNECTION | 100 | EA | | | | |
| 19 | 2300009480 | | GASKET_SPIRAL WOUND; PIPE SIZE: 1/2IN; | 100 | EA | | | | |

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|-------------|
| | | | PRESSURE RATING: 300/600LB; SIZE:14MM ID, 54MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRAPHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD:ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 19 MM OD; OUTER RINGSIZE: 32MM ID; WINDING SIZE: 19MM ID; 32MM OD; APPLICATION: FLANGECONNECTION | | | | | | |
| 20 | 2300009448 | | GASKET_SPIRAL WOUND; PIPE SIZE: 6IN; PRESSURE RATING: 600LB; SIZE: (155X 175MM) ID, (210 X 267MM) OD; WINDING MATERIAL: 316L SS; FILLERMATERIAL: GRAPHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL:CS; STANDARD: ANSI/ASME B16.20; APPLICATION: SUIT FLANGE | 40 | EA | | | | |
| 21 | 2300009243 | | GASKET_SPIRAL WOUND; PIPE SIZE: 12IN; PRESSURE RATING: 150LB; SIZE:318MM ID, 410MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL:GR APHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS;STANDARD: ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 340MM O D;OUTER RING SIZE: 375MM ID; WINDING SIZE: 340MM ID; 375MM OD;APPLICATION: FLANGE | 40 | EA | | | | |

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|-------------|
| | | | CONNECTION | | | | | | |
| 22 | 2300009241 | | GASKET_SPIRAL WOUND; PIPE SIZE: 8IN; PRESSURE RATING: 150LB; SIZE: 216MMID, 279MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: G RAPHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 233MM OD ; OUTER RINGSIZE: 264MM ID; WINDING SIZE: 233MM ID; 264MM OD; APPLICATION: FLANGECONNECTION | 40 | EA | | | | |
| 23 | 2300009240 | | GASKET_SPIRAL WOUND; PIPE SIZE: 6IN; PRESSURE RATING: 150LB; SIZE: 157MMID, 222MM OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: G RAPHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 183MM OD ; OUTER RINGSIZE: 210MM ID; WINDING SIZE: 183MM ID; 210MM OD; APPLICATION: FLANGECONNECTION | 40 | EA | | | | |
| 24 | 2300009237 | | GASKET_SPIRAL WOUND; PIPE SIZE: 1IN; PRESSURE RATING: 150LB; SIZE: 27MMID, 67MM | 100 | EA | | | | |

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|-------------|
| | | | OD; WINDING MATERIAL: 316L SS; FILLER MATERIAL: GRA PHITE; INNER RING MATERIAL: 316L SS; OUTER RING MATERIAL: CS; STANDARD: ANSI/ASME B16.20; ADDITIONAL INFO: INNER RING SIZE: 32MM OD; OUTER RINGSIZE: 48MM ID; WINDING SIZE: 32MM ID; 48MM OD; APPLICATION: FLANGE CONNECTION | | | | | | |
| 25 | 2300007987 | | GASKET_SPIRAL WOUND; PIPE SIZE: 24IN; PRESSURE RATING: 150LB; SIZE: 600MM ID, 715MM OD, 4.5MM THK; WINDING MATERIAL: SUS304 SS; FILLERMATERIAL: GRAPHITE; ADDITIONAL INFO: INNER RING SIZE: 626MM OD; OUTERRING SIZE: 683MM ID; WINDING SIZE: 626MM ID; 683MM OD; W/IN NER AND OUTER RING; APPLICATION: HRSG DEAEERATOR AND BLOW DOWN TANKS | 50 | EA | | | | |

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

GSKT_SPRL WND; 24IN; 150LB; 600MM ID; Contact Person: Alvin Escala Cruto /

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012400804
DATE : 16.02.2024
REQ No : 1012400765
REQ TITLE : GSKT_SPRL
DELIVERY LOCATION : 0018 - LII STORE
CLOSING DATE : 22.02.2024
CLOSING TIME : 10:00:00

alvin.cruto@dewa.gov.ae / 04-80-44492 / +971508369382

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP