

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401586
DATE : 15.04.2024
REQ No : 1012401418
REQ TITLE : Spares 1012401418
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 19.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700129912		SOLENOID VALVE COMPLETE WITH COIL, MAKE: IMI NORGREN, INDIRECT SOLENOIDACTUATED SPOOL VALVES, MODEL NUMBER: 2636247, 5/2 WAY VALVE, PORT SIZE:G 1/4, D-CODE: B6184, P: 1 TO 10BAR, COIL VOLTAGE: 24VDC, ID NUMBER:9933111, D-CODE B6146, COIL ID NUMBER: 4210, 4260, D-CODE B6194, KEMA 98ATEX 4452 X IECEX KEM 09.0068X, EX II 2G EX E MB IIC, II 2D EX TB IIICT130DEGC DB IP66, 24V, 162MA, 3.9W, T4- 40< TA<80DEGC, USED FOR FG BUFFERCOMPRESSOR IN MEXT.	2	EA				
2	2700132732		VALVE MANUAL & MECHANICAL ACTUATED; 3/2 MANUAL BUT TO N OPERATED SPRINGRETURN VALVES; MFR: NORGREN IMI HERION; MODEL: 03040502; DIMENSION NO:33; OPERATING FORCE: 31N; OPERATING PRESSURE: -0.9 TO 10BAR; COLOR:GREEN; BODY: PA6; ACTUATION: BUT TO N/SPRING; PORT SI Z E: G1/8 INCH;SPARES KIT: 03840802; VALVE CABINET V3 PNEUMATIC CIRCUIT IDENT NUMBER:2-01-22015; POSITION: 1.4; USED FOR FIRE SHU T O	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401586
DATE : 15.04.2024
REQ No : 1012401418
REQ TITLE : Spares 1012401418
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 19.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FF VALVE SOV CABINET INJAMEX.KKS: 71EKG70; 71QFB70; 72EKG70; 72QFB70.						
3	2700132733		SOLENOID VALVE COMPLETE WITH COIL; DIRECT SOLENOID ACTUATED POPPET VALVEWITH COIL; MFR: NORGREN IMI HERION; MODEL: 2401103; SOLENOI D GROUP:A+B; DRAWING NO: 1; HOUSING: BRASS; MATERIAL SEAT SEAL: NBR; OPERATINGPRESSURE: 0 TO 10BAR; ORIFICE: 5MM; PORT SIZE: G1/4 IN CH; SOLENOID COIL;MODEL: 4260; SOLENOID GROUP B; POWER CONSUMPTION 24VDC: 3.9W; RATEDCURRENT 24VDC: 162MA; PROTECTION CLASS: IP6 6 (WITH CABLE GLAND);EX-PROTECTION (ATEX-CATEGORY): II 2 G EX E MB IIC T4/T6 GB II 2 D EX TBIIC T130DEGC DB IP66; ELECTRICAL CONN ECTI ONS: M20 X 1.5; DRAWING NO:6; CIRCUIT DIAGRAM NO: 4; VALVE CABINET V3 PNEUMATIC CIRCUIT IDENTNUMBER: 2-01-22015; POSITION: 1.5 ; 1.6 ; 1.7; Y01; Y02; USED FOR FIRESHU TO FF VALVE SOV CABINET IN JAMEX.KKS: QFB70AA153;	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401586
DATE : 15.04.2024
REQ No : 1012401418
REQ TITLE : Spares 1012401418
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 19.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			QFB70AA154.						
4	2700132734		VALVE; DIRECT SOLENOID ACTUATED POPPET VALVE WITHOUT COIL; MFR: NORGRENIMI HERION; MODEL: 2401103; SOLENOID GROUP: A+B; DRAWING NO: 1; HOUSING: BRASS; MATERIAL SEAT SEAL: NBR; OPERATING PRESSURE: 0 TO 10BAR; ORIFICE: 5MM; PORT SIZE: G1/4 INCH; VALVE CABINET V3 PN E UMATIC CIRCUIT IDENT NUMBER: 2-01-22015; POSITION: 1.5; USED FOR FIRE SHU TO FF VALVESOV CABINET IN JAMEX.KKS: QFB70AA153; QFB70AA 15 4.	2	EA				
5	2700132735		SOLENOID COIL ONLY; MFR: NORGREN IMI HERION; MODEL: 4260; SOLENOID GROUPB; POWER CONSUMPTION 24VDC: 3.9W; RATED CURRENT 24VDC: 162M A; PROTECTION CLASS: IP66 (WITH CABLE GLAND); EX-PROTECTION (ATEX-CATEGORY): II 2 G EX E MB IIC T4/T6 GB II 2 D EX TB IIIC T130DEGCDB IP66; ELECTRICAL CONNECTIONS: M20 X 1.5; DRAWING NO: 6; CIRCUIT DIAGRAM NO: 4; USED FOR DIRECT SOLENOID ACTUATED POPPET VALVE	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401586
DATE : 15.04.2024
REQ No : 1012401418
REQ TITLE : Spares 1012401418
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 19.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			WIT HOU TCOIL; MODEL: 2401103; SOLENOID GROUP: A+B; DRAWING NO: 1; HOUSING:BRASS; MATERIAL SEAT SEAL: NBR; OPERATING PRESSURE: 0 TO 10B AR;O RIFICE: 5MM; PORT SIZE: G1/4 INCH; VALVE CABINET V3 PNEUMATIC CIRCUITIDENT NUMBER: 2-01-22015; POSITION: 1.6; Y01; Y02; USED F OR FI RE SHU TOFF VALVE SOV CABINET IN JAMEX.KKS: QFB70AA153; QFB70AA154.						
6	2700132736		VALVE SHUTTLE VALVE OR LOGIC FUNCTION T65; MFR: NORGREN IMI HERION;MODEL: T65C1800; PORT SIZE: G1/8 INCH; VALVE CABINET V3 PNEUMATI CCIRCUIT IDENT NUMBER: 2-01-22015; POSITION: 1.8; USED FOR FIRE SHU TO FFVALVE SOV CABINET IN JAMEX.71EKG70; 71QFB70; 72EKG70; 72Q F B70.	2	EA				
7	2700132742		VALVE; DIRECT SOLENOID ACTUATED POPPET VALVE 3/2 WITHOUT COIL; MFR:NORGREN IMI HERION; MODEL: 9600340; SOLENOID GROUP: 13D; DIMENSI ON NO:1; HOUSING: BRASS; MATERIAL SEAT SEAL:	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401586
DATE : 15.04.2024
REQ No : 1012401418
REQ TITLE : Spares 1012401418
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 19.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			NBR; OPERATING PRESSURE: 0 TO14BAR; ORIFICE: 3MM; PORT SIZE: G1/4 INCH; VALVE CABINET V2 PNEUMATICCIRCUIT IDENT NUMBER: 2-01-21864; POSITION: 1.5; USED FOR FGS VALVE CABINET VERSION2 71EKG70; 72EKG70; 70EKF20; SOV KK S: 71QFB70AA153A & B; 72QFB70AA153A & B; 70QFB47AA702A & B; 70QFB48AA702A & B; 70QFB50AA702A & B.						
8	2700132743		SOLENOID COIL ONLY; MFR: NORGREN IMI HERION; MODEL: 4230; SOLENOIDSGROUP 13D; POWER CONSUMPTION 24VDC: 11.4W; RATED CURRENT 24VDC: 4 75MA;PROTECTION CLASS: IP66 (WITH CABLE GLAND); EX-PROTECTION(ATEX-CATEGORY): II 2 G EX E MB IIC T4/T6 GB II 2 D EX TB IIIC T130D EG CDB IP66; ELECTRICAL CONNECTIONS: M20 X 1.5; DRAWING NO: 6; CIRCUITDIAGRAM NO: 4; USED FOR DIRECT SOLENOID ACTUATED POPPET VALVE 3/ 2WITHOUT COIL; MFR: NORGREN IMI HERION; MODEL: 9600340; SOLENOID GROUP:13D; DIMENSION NO: 1; HOUSING: BRASS; MATERIAL SEAT SEAL : NB	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401586
DATE : 15.04.2024
REQ No : 1012401418
REQ TITLE : Spares 1012401418
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 19.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			R;OPERATING PRESSURE: 0 TO 14BAR; ORIFICE: 3MM; PORT SIZE: G1/4 INCH;VALVE CABINET V2 PNEUMATIC CIRCUIT IDENT NUMBER: 2-01-218 64; POSITION:1.6; Y01; Y02; USED FOR FGS VALVE CABINET VERSION2 71EKG70; 72EKG70;70EKF20; SOV KKS: 71QFB70AA153A & B; 72QFB70AA153 A & B; 70QFB47AA702A &B; 70QFB48AA702A & B; 70QFB50AA702A & B.						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Spares

STANDARD TERMS & CONDITIONS

- Prices should be 'DDP' delivery duty paid at DEWA stores.
- Quotation to be submitted only in local currency U.A.E Dirhams
- DEWA Standard payment terms is '30 days credit' from the date of acceptance of material

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401586
DATE : 15.04.2024
REQ No : 1012401418
REQ TITLE : Spares 1012401418
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 19.04.2024
CLOSING TIME : 10:00:00

4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP