

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012401588  
**DATE** : 15.04.2024  
**REQ No** : 1012401360  
**REQ TITLE** : Spares 1012401360  
**DELIVERY LOCATION** : 0022 - M STORE  
**CLOSING DATE** : 19.04.2024  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700127679		POSITION MONITOR SWITCH FOR DRAIN VALVES,MAKE:WESTLOCK CONTROLSCORPORATION,TYPE: SILVER BULLET 316SB,MODEL NUMBER:8W10035, SPDT TUNG STEN REED CONTACTS,PRODUCT CERTIFICATION:ITS 10ATEX16970X,EX II 2GD EXD IIC T* GB,EX TB IIIC T* DB IP6X,IECEX ITS 10.0020X,EX D II C T* GB,EXTB IIIC T* DB IP6X,TA = -20Â°C TO 84Â°C T5 AND -20Â°C TO +69Â°C T6,EXPLOSIONPROOF LINEAR POSITION SWITCH - ATEX/IEC/NEC/I N METRO,INGRESS PROTECTION:IP66/67,SUPPLIED BY: ROTORING-HISCHE GMBH,USED INFUEL GAS SYSTEM JAMEX.	2	EA				
2	2700132730		POSITION MONITOR ROTARY ACCUTRAK; MFR: WESTLOCK CONTROLS, MODEL NUMBER:2247ABYN00062DWA-AR1; CONDUIT ENTRY: A= 3/4INCH NPT, B= 3/4INCH NPT,ATEX & IECEX CERTIFICATION; WITH INDUCTIVE PROXIMITY SENSORS:NBB2-V3-E2-3G-3D; IP 66/67, EX RATED AS: II 2 GD EX TB IIIC T DB IP6XTAMB ITS 12 ATEX 17472X, WITH BEACON;	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012401588  
**DATE** : 15.04.2024  
**REQ No** : 1012401360  
**REQ TITLE** : Spares 1012401360  
**DELIVERY LOCATION** : 0022 - M STORE  
**CLOSING DATE** : 19.04.2024  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			USED FOR GT PURGE / SEAL AIRVALVES IN JAMEX.						
3	2700132802		POSITION SWITCH WITH BOX FOR VALVES; MFR: TOPWORX; MPN: DXP-M41GNMB; SWITCH DATA: SPDT 15A / 125VAC, 250VAC; SERIAL NUMBER: 15111712 0709; ENCLOSURE: TROPICALIZED ALUMINUM; SENSOR: M4 (04 MECHANICAL SPDT SWITCHES); AREA CLASSIFICATION: EXPLOSION PROOF / FLAME PROOF (DXP/SONLY), CLASS I DIV 1, GROUPS C, D; CLASS I DIV 2, GROUPS A, B, C, D. (GROUPS A & B MUST BE HERMETICALLY SEALED) TYPE 4, 4X, - A TEX/IECEX ZONE1 II2G, II2GD, T6/T4/T3 EX D IIB+H2 EX TB IIIC IP66/67 (O-RINGS MUST BE FOR DUST CERTIFICATION); VISUAL DISPLAY: G ( STANDARD 90DEG, GREEN OPEN, RED CLOSED; SHAFT: NAMUR 304 STAINLESS STEEL; CONDUIT ENTRIES: M(2X M20); TROPICALIZED ALUMINUM; FLA MEPRO OF/EXPLOSIONPROOF/INTRINSICALLY SAFE: CLASS I, DIV 1 & 2, CLASS II, DIV 1 & 2, EX IAIIC T6/T4, EX D IIB+H2 OR IIC T6/T5/T4/T3 , TAMB -60Â°C UP TO +175Â°C, EX TB IIIC TAMB -50Â°C UP	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012401588  
**DATE** : 15.04.2024  
**REQ No** : 1012401360  
**REQ TITLE** : Spares 1012401360  
**DELIVERY LOCATION** : 0022 - M STORE  
**CLOSING DATE** : 19.04.2024  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TO +92Â°C, I12GD,TYPE 4X, IP66/67; USED FOR GTFUEL OIL CONSUMPTION METERING JAMEX.						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

### SPECIAL NOTES / INSTRUCTIONS:

Spares

### STANDARD TERMS & CONDITIONS

- Prices should be 'DDP' delivery duty paid at DEWA stores.
- Quotation to be submitted only in local currency U.A.E Dirhams
- DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012401588  
**DATE** : 15.04.2024  
**REQ No** : 1012401360  
**REQ TITLE** : Spares 1012401360  
**DELIVERY LOCATION** : 0022 - M STORE  
**CLOSING DATE** : 19.04.2024  
**CLOSING TIME** : 10:00:00

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**