

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401596
DATE : 16.04.2024
REQ No : 1012401544
REQ TITLE : SPARES FG SUPPLY
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 25.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700132959		REPAIR KIT FOR REGULATOR PRV CONTROL PILOT CONTROLLER; MFR: GAS FLOWSOLUTIONS; PILOT CONTROLLER PIGES M; DESIGN: EN334; TYPE: PIGES M82+M92; SERIAL: 015054-032, 015054-042, 015054-002, 015054-062,015054-052, 015054-012, 015054-072, 015054-022, 015054-102, 015054 - 112,015054-082, 015054-092;PILOT CONTROLLER-1 DATA: MODEL: PIGES M82-6-0N1,PRESSURE CATEGORY: 2 (600#), SET RANGE WDS1: W6 (28-42 B ARG); PIGES M82SEAL RANGE T0: -30DEGC TO +80DEGC; PILOT CONTROLLER-2 DATA: MODEL: PIGESM92-6-0N1, PRESSURE CATEGORY: 2 (600#), S ET RANGE WDS2: W6 (28-42BARG); PIGES M92 SEAL RANGE T0: -30DEGC TO +80DEGC; SETTING OUTLETPRESSURE PD1: 33BAR; SETTING FOR AUXILIA RY P RESSURE PAUX: 35BAR;SETTING FOR SWITCH-OVER PRESSURE PD2: 33.8BAR;SERVICE: SOUR NATURAL GAS(MAX.250PPM); OPERATION TYPE: DIAPH RAGM	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401596
DATE : 16.04.2024
REQ No : 1012401544
REQ TITLE : SPARES FG SUPPLY
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 25.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TYPE; OPERATION FUNCTION: TWOSTAGE CONTROLLER, SWITCH-OVER ACCELERATOR, MONITOR PRESSURE REGULATOR; MATERIAL OF HOUSING: S355J 2G3+N OR EQUIVALENT + NIP PLATING, DIAPHRAGM: REINFORCED NBR, SEALS: NBR, TRIM: STAINLESS STEEL IN ACC. NACE MR0175; STANDRAD: 334; PS: 100 BAR; TS: -20DEGC / +100 DEG C; ALLOWABLE TEMPERATURE: T -20 TO 80DEGC; DESIGN METAL TEMPERATURE: -20 TO 100DEGC; MATERIAL: NACE MR017 5; REFERENCE: D35YSN7MN7V1.0; INSPECTION DOCUMENT 3.1, INSPECTION AND TEST PLAN, TESTING CERTIFICATE, DTF TEST REPORT, ATEX AND IECEX -CERTIFICATES; SUPPLIED BY: ROTORING-HISCHE GMBH, USED IN FUEL GAS SUPPLY SYSTEM JAMEX. KKS: 71EKD61AA101, 71EKD62AA101, 72EKD61AA101 , 72EKD62AA101, 71EKD11AA101, 71EKD12AA101, 72EKD11AA101, 72EKD12AA101, 71EKD70AA101, 72EKD70AA101.						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401596
DATE : 16.04.2024
REQ No : 1012401544
REQ TITLE : SPARES FG SUPPLY
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 25.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
2	2700132961		REPAIR KIT FOR REGULATOR PRV CONTROL PILOT CONTROLLER; MFR: GAS FLOWSOLUTIONS; PILOT CONTROLLER PIGES M; DESIGN: EN334; TYPE: PIGES M82+M92; SERIAL: 015054-122, 015054-142, 015054-132, OLD-015054-152,NEW-20010-012;PILOT CONTROLLER-1 DATA: MODEL: PIGES M82-3-0N1, P RESSURE CATEGORY: 2 (600#), SET RANGE WDS1: W3 (03-10 BARG); PIGESM82 SEAL RANGE T0: -30DEGC TO +80DEGC; PILOT CONTROLLER-2 DATA: MO DEL:PIGES M92-3-0N1, PRESSURE CATEGORY: 2 (600#), SET RANGE WDS2: W3 03-10BARG); PIGES M92 SEAL RANGE T0: -30DEGC TO +80DEGC; SE TTING OUTLETPRESSURE PD1: 7.5BAR; SETTING FOR AUXILIARY PRESSURE PAUX: 9.5BAR;SETTING FOR SWITCH-OVER PRESSURE PD2: 8.3BAR;SERVICE : SO UR NATURAL GAS(MAX.250PPM); OPERATION TYPE: DIAPHRAGM TYPE; OPERATION FUNCTION: TWOSTAGE CONTROLLER, SWITCH-OVER ACCELERATOR, MONITO R PRESSURE REGULATOR;MATERIAL OF HOUSING:	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401596
DATE : 16.04.2024
REQ No : 1012401544
REQ TITLE : SPARES FG SUPPLY
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 25.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			S355J2G3+N OR EQUIVALENT + NIP PLATING, DIAPHRAGM:REINFORCED NBR, SEALS: NBR, TRIM : STAIN LESS STEEL IN ACC. NACE MR0175;STANDRAD: 334; PS: 100 BAR; TS: -20DEGC / +100 DEG C; ALLOWABLETEMPERATURE: T -20 TO 80DEGC; DESIGN METAL TEMPERATURE: -20 TO 100DEGC;MATERIAL: NACE MR0175; REFERENCE: D35YSN7MN7V1.0; INSPECTION DOCUMENT3.1, INSPECTION AND TEST PLA N, TESTING CERTIFICATE, DTF TEST REPORT,ATEX AND IECEX-CERTIFICATES; SUPPLIED BY: ROTORING-HISCHE GMBH, USED INFUEL GAS S UPPLY SYST EM JAMEX. KKS: 71EKD81AA101, 71EKD82AA101,72EKD81AA101, 72EKD82AA101.						
3	2700133063		REPAIR KIT FOR REGULATOR PRV CONTROL PILOT CONTROLLER; MFR: GAS FLOWSOLUTIONS; PILOT CONTROLLER PIGES M; DESIGN: EN334; TYPE: PIGES M82;SERIAL: 015054-083, 015054-093;PILOT CONTROLLER-1 DATA: MODEL: PIGESM82-6-0N1,	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401596
DATE : 16.04.2024
REQ No : 1012401544
REQ TITLE : SPARES FG SUPPLY
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 25.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PRESSURE CATEGORY: 2 (600#), SET RANGE WDS1: W 6 (28-42BARG); PIGES M82 SEAL RANGE T0: -30DEGC TO +80DEGC; SETTING OUTLETPRESSURE PD1: 32.5BAR; SETTING FOR AUXILIARY PRESSURE PA UX :34.5BAR;SERVICE: SOUR NATURAL GAS (MAX.250PPM); OPERATION TYPE:DIAPHRAGM TYPE; OPERATION FUNCTION: TWO STAGE CONTROLLER, ACTIVE PRE SSURE REGULATOR; MATERIAL OF HOUSING: S355J2G3+N OR EQUIVALENT + NIPPLATING, DIAPHRAGM: REINFORCED NBR, SEALS: NBR, TRIM: STAIN LESS STEELIN ACC. NACE MR0175; STANDRAD: 334; PS: 100 BAR; TS: -20DEGC / +100 DEGC; ALLOWABLE TEMPERATURE: T -20 TO 80DEGC; DESIGN META L TEMPERATURE:-20 TO 100DEGC; MATERIAL: NACE MR0175; REFERENCE: D35YSN7MN7V1.0;INSPECTION DOCUMENT 3.1, INSPECTION AND TEST P LAN, T ESTING CERTIFICATE,DTF TEST REPORT, ATEX AND IECX-CERTIFICATES; SUPPLIED						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401596
DATE : 16.04.2024
REQ No : 1012401544
REQ TITLE : SPARES FG SUPPLY
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 25.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			BY:ROTORING-HISCHE GMBH, USED IN FUEL GAS SUPPLY S YSTEM J AMEX. KKS:71EKD70AA102, 72EKD70AA102						
4	2700133065		REPAIR KIT FOR REGULATOR PRV CONTROL PILOT CONTROLLER; MFR: GAS FLOWSOLUTIONS; PILOT CONTROLLER PIGES M; DESIGN: EN334; TYPE: PIGES M82+M92; SERIAL: 015054-192, 015054-182, 015054-172, 015054-162;PILOTCONTROLLER-1 DATA: MODEL: PIGES M82-2-0N1, PRESSURE CATEGORY: 2 (600#),SET RANGE WDS1: W2 (02-05 BARG); PIGES M82 SEAL RANGE T0: -30DEGC TO+80DEGC; PILOT CONTROLLER-2 DATA: MODEL: PIGES M92-2 -0 N1, PRESSURECATEGORY: 2 (600#), SET RANGE WDS2: W2 (02-05 BARG); PIGES M92 SEALRANGE T0: -30DEGC TO +80DEGC; SETTING OUTLET PRES SUR E PD1: 2.8BAR;SETTING FOR AUXILIARY PRESSURE PAUX: 10.8BAR; SETTING FOR SWITCH-OVERPRESSURE PD2: 3.6BAR;SERVICE: SOUR NATURAL G AS (MAX.250PPM); OPERATIONTYPE: DIAPHRAGM TYPE; OPERATION FUNCTION: TWO STAGE	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401596
DATE : 16.04.2024
REQ No : 1012401544
REQ TITLE : SPARES FG SUPPLY
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 25.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CONTROLLER, SWITCH-OVER ACCELERATOR, MONITOR PRESSURE REGU LATOR; MATERIAL OF HOUSING: S355J2G3+N OR EQUIVALENT + NIP PLATING, DIAPHRAGM: REINFORCED NBR, SEALS: NBR, TRIM: STAINLESS STEEL IN A CC. NACE MR0175; STANDRAD: 334; PS: 100 BAR; TS: -20DEGC / +100 DEG C; ALLOWABLE TEMPERATURE: T -20 TO 80DEGC; DESIGN METAL TEMPERATURE RE: -20 TO 100DEGC; MATERIAL: NACEMR0175; REFERENCE: D35YSN7MN7V1.0; INSPECTION DOCUMENT 3.1, INSPECTION AND TEST PLAN, TEST ING CERT IFICATE, DTF TEST REPORT, ATEX AND IECEX-CERTIFICATES; SUPPLIED BY: ROTORING-HISCHE GMBH, USED IN FGSS GAS PRESSURE REDUCING STATION IWBH GT JAMEX. KKS: 71EKD31AA101, 71EKD32AA101, 72EKD31AA101, 72EKD32AA101.						
5	2700133067		REPAIR KIT FOR REGULATOR PRV CONTROL PILOT CONTROLLER; MFR: GAS FLOW SOLUTIONS; PILOT	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401596
DATE : 16.04.2024
REQ No : 1012401544
REQ TITLE : SPARES FG SUPPLY
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 25.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CONTROLLER PIGES M; DESIGN: EN334; TYPE: PIGES M82;SERIAL: 015054-163, 015054-183, 015054-173, 015054-193;PILOTCONTROLLER-1 DATA: MODEL: PIGES M82-2-0N1, PRESSURE CATEGORY: 2 (6 00#),SET RANGE WDS1: W2 (02-05 BARG); PIGES M82 SEAL RANGE T0: -30DEGC TO+80DEGC; SETTING OUTLET PRESSURE PD1: 3BAR; SETTING FOR AUX ILIARYPRESSURE PAUX: 5BAR;SERVICE: SOUR NATURAL GAS (MAX.250PPM); OPERATIONTYPE: DIAPHRAGM TYPE; OPERATION FUNCTION: TWO STAGE CONTR OLLER, ACTIVEPRESSURE REGULATOR; MATERIAL OF HOUSING: S355J2G3+N OR EQUIVALENT + NIPPLATING, DIAPHRAGM: REINFORCED NBR, SEALS : NBR, TRIM: STAINLESS STEELIN ACC. NACE MR0175; STANDRAD: 334; PS: 100 BAR; TS: -20DEGC / +100 DEGC; ALLOWABLE TEMPERATURE: T -20 TO 80D EGC; DESIGN METAL TEMPERATURE:-20 TO 100DEGC; MATERIAL: NACE MR0175; REFERENCE: D35YSN7MN7V1.0;INSPECTION DOCUMENT 3.1, INS						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401596
DATE : 16.04.2024
REQ No : 1012401544
REQ TITLE : SPARES FG SUPPLY
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 25.04.2024
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PECTION AND TEST PLAN, TESTING CERTIFICATE,DTF TEST REPORT, ATEX AND IECEX-CERTIFICATES; SUPPLIED BY:ROTORING-HISCHE GMBH, USED IN FGSS GAS PRESSURE REDUCING STATION IWBHGT JAMEX. KKS: 71EKD31AA102, 71EKD32AA102, 72EKD31AA102, 72EKD32AA102.						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

SPARES FG SUPPLY CONTROL SYSTEM

STANDARD TERMS & CONDITIONS

- Prices should be 'DDP' delivery duty paid at DEWA stores.
- Quotation to be submitted only in local currency U.A.E Dirhams
- DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012401596
DATE : 16.04.2024
REQ No : 1012401544
REQ TITLE : SPARES FG SUPPLY
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 25.04.2024
CLOSING TIME : 10:00:00

5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP