

RFQ NUMBER : 2012405441

DATE : 14.11.2024

REQ No : 1012405511

REQ TITLE : Supply of lamps and lamp fitt

DELIVERY LOCATION: 0051 - CENTR STROE(TRN)

CLOSING DATE : 20.11.2024

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2200004496		LAMP_HID; TYPE: HIGH PRESSURE SODIUM VAPOR; VOLTAGE: 90V; WATTAGE: 70W; COLOR: CLEAR; BASE: EDISON SCREW (E27); OPERATING POSITION: U NIVERSAL; MAXIMUM OVERALL LENGTH: 156MM; INITIAL LUMENS: 6600LM; APPROXIMATE LIFEHOURS: 30000; GREEN ITEMS Y_N: YES; MFR: OSRAM GM BH; MPN: NAV-T 70 WSUPER 4Y, MFR: OSRAM GMBH; MPN: SON-T 70W, ADDITIONAL INFO: BRAND: VIALOX; POS: 2012; LIGHTING MIN GREEN CRITERIA: ES MA 3 STAR; GREENCATEGORY: LIGHTING;	30	EA				
2	2700130120		FLOOD LIGHT; LED LUXTELLA (EU) WALL MOUNTED LED FLOOD LIGHT; LED DRIVERMODULE; OPTICAL COVER, 76W; 11,080 LUMENS; IP65; 220V-240V; 5 0HZ	6	EA				
3	2700130119		FLOOD LIGHT; TYPE: LED; DIE-CAST ALUMINIUM BODY WITH ASYMMETRICPOLYCARBONATE LENSES WITH TOUGHENED GLASS; 100W LED; 12,500 LUMENS;IP 65; 220V-240V; 50HZ; MAKE: LUCECO PLC OR FRATER LIGHTING	50	EA				



RFQ NUMBER : 2012405441

DATE : 14.11.2024

REQ No : 1012405511

REQ TITLE : Supply of lamps and lamp fitt

DELIVERY LOCATION : 0051 - CENTR STROE(TRN)

CLOSING DATE : 20.11.2024

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
4	2700129542		WEATHER PROOF LIGHT FITTING WITH LED	200	EA				
			MODULE; IP66; 5 FEET; 50W; SUITABLEFOR						
			220-240V AC ELECTRICAL SUPPLY (FOR NORMAL						
			OPERATION) PL						
			US DC SUPPLYBY SELF CONTAINED SELF						
			SUSTAINED BATTERY INTEGRAL WITH THE FITTING						
			(FOREMERGENCY LIGHTING); COMPLETE WITH						
			INTEGRAL INVE						
			RTER, AC HOLD OFF RELAY, CONTROL GEAR, LED						
			DRIVER MODULE & OPTICAL COVER; CRI 80; CCT						
			4000K;120-125LUMENS/W; DUST TIGHT;						
			SURFACE/WAL						
			L/CEILING MOUNTING TYPE;SHOCK/VANDAL						
			RESISTANT;HOUSING MADE FROM POLYESTER						
			GRP IN RAL7035 GREYWITH INTEGRATED SHEET STEEL REMOVABLE						
			GEAR TRAY SUPPORTS AND DEEP						
			POUREDPOLYURETHANE GASKET; UV STABILIZED						
			FIRE-RETARDANT POLYCARBONATEDIFFUSER:						
			CLIPS WITH INTEGRAL LOCKI						
			NG SCREW FUNCTION; STAINLESS STEEL(GRADE						
			501) MOUNTING BRACKETS, ABLE TO DETECT AC						
			MAINS FAIL FROMUNSWITCHED PHASE SENSING						



RFQ NUMBER : 2012405441

DATE : 14.11.2024

REQ No : 1012405511

REQ TITLE : Supply of lamps and lamp fitt

DELIVERY LOCATION : 0051 - CENTR STROE(TRN)

CLOSING DATE : 20.11.2024

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			WIRE; DUR ATION MIN 3 HOURS WITH DC AND 50000LIFE HOURS LIFE AND 5 YEARS WARRANTY						
5	2700129545		WEATHER PROOF LIGHT FITTING WITH LED MODULE; IP66; 4 FEET; 36W; SUITABLEFOR 220-240V AC ELECTRICAL SUPPLY (FOR NORMAL OPERATION) PL US DC SUPPLYBY SELF CONTAINED SELF SUSTAINED BATTERY INTEGRAL WITH THE FITTING (FOREMERGENCY LIGHTING); COMPLETE WITH INTEGRAL INVE RTER, AC HOLD OFF RELAY, CONTROL GEAR, LED DRIVER MODULE & OPTICAL COVER; CRI 80; CCT 4000K; 120-125LUMENS/W; DUST TIGHT; SURFACE/WAL L/CEILING MOUNTING TYPE; SHOCK/VANDAL RESISTANT; HOUSING MADE FROM POLYESTER GRP IN RAL7035 GREYWITH INTEGRATED SHEET STEEL REMOVABLE GEAR TRAY SUPPORTS AND DEEP POUREDPOLYURETHANE GASKET; UV STABILIZED FIRE-RETARDANT POLYCARBONATEDIFFUSER; CLIPS WITH INTEGRAL LOCKI	100	EA				



RFQ NUMBER : 2012405441

DATE : 14.11.2024

REQ No : 1012405511

REQ TITLE : Supply of lamps and lamp fitt

DELIVERY LOCATION : 0051 - CENTR STROE(TRN)

CLOSING DATE : 20.11.2024

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			NG SCREW FUNCTION; STAINLESS STEEL(GRADE 501) MOUNTING BRACKETS, ABLE TO DETECT AC MAINS FAIL FROMUNSWITCHED PHASE SENSING WIRE; DUR ATION MIN 3 HOURS WITH DC AND 50000LIFE HOURS LIFE AND 5 YEARS WARRANTY						
6	2700091310		LAMP_FLUORESCENT; TYPE: HIGH OUTPUT; WATTAGE: 49W; LENGTH: 1463.2MM; BULB: TL-5; COLOR: COOL DAYLIGHT; BASE: MINIATURE BI-PIN (G5); I NITIALLUMENS: 4550LM; COLOR RENDERING INDEX: 85; COLOR TEMPERATURE: 6500K; APPROXIMATE LIFE HOURS: 30000; GREEN ITEMS Y_N: YES; MF R: PHILIPSLIGHTING HOLDING BV; MPN: TL5 HO 49W/865 SLV/40, MFR: PHILIPS LIGHTINGHOLDING BV; MPN: 927927586555, ADDITIONAL INFO: EN CLO SURE: IP65; SERIES: MASTER; DUST PROOF AND BLAST PROOF; WATERPROOF; WEATHERPROOFLIGHTING FIXTURE; PLASTIC GEAR TRAY HOLDER CONNE CTED TO THE HOUSING FOREASY MAINTENANCE; W/T5 TUBE ROD; LIGHTING MIN GREEN CRITERIA: ESMA 3	100	EA				



RFQ NUMBER : 2012405441

DATE : 14.11.2024

REQ No : 1012405511

REQ TITLE : Supply of lamps and lamp fitt

DELIVERY LOCATION: 0051 - CENTR STROE(TRN)

CLOSING DATE : 20.11.2024

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			STAR;GREEN CATEGORY:LIGHTING;						
7	2700091364		LAMP_FLUORESCENT; TYPE: STRAIGHT; WATTAGE: 10W; VOLTAGE: 220VAC; LENGTH:330MM; BULB: T-8; COLOR: DAYLIGHT; BASE: MEDIUM BI-PIN (G13); INITIALLUMENS: 440LM; COLOR RENDERING INDEX: 74; COLOR TEMPERATURE: 6500K;APPROXIMATE LIFE HOURS: 7500; GREEN ITEMS Y_N: YES; M F R: TOSHIBA INTLCORP; MPN: FL10D, ADDITIONAL INFO: DIA: 25.5MM;LIGHTING MIN GREENCRITERIA:ESMA 3 STAR; GREEN CATEGORY:LIGHTING:		EA				

TOTAL AMOUNT IN WORDS: TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Supply of lamps and lamp fittings

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams





RFQ NUMBER : 2012405441

DATE : 14.11.2024

REQ No : 1012405511

REQ TITLE : Supply of lamps and lamp fitt

DELIVERY LOCATION : 0051 - CENTR STROE(TRN)

CLOSING DATE : 20.11.2024

CLOSING TIME : 10:00:00

- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS:

SUPPLIER'S SIGNATURE AND STAMP