

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3600085378		VALVE; EJECTOR; ARTICLE NO: 9462400100; PART NO: 741; REQUIRED FOR PUMP;CENTRIFUGAL; MODEL: A22-32; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S;HEAD: 66 M; RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OUTLET FLANGE:DN32; BEARING TYPE: ANTIFRICTION BEARING WITH GREASE LUBRICATION;MANUFACTURER: SULZER PUMPS FINLAND OY; APPLICATION: POTABLE WATER PUMP	1	EA				
2	3600085377		GASKET; TYPE: IBC 82/43X2; STANDARD: SFS-EN 1514-1; ARTICLE NO:E7520032Y6; PART NO: 400.12; MATERIAL: REINZ AFM 34; REQUIRED FOR PUMP;CENTRIFUGAL; MODEL: A22-32; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S;HEAD: 66 M; RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OUTLET FLANGE:DN32; BEARING TYPE: ANTIFRICTION BEARING WITH GREASE LUBRICATION;MANUFACTURER: SULZER PUMPS FINLAND OY; APPLICATION: POTABLE WATER PUMP	1	EA				
3	3600085376		GASKET; TYPE: IBC 107/61X2; STANDARD: SFS-EN 1514-1; ARTICLE NO:E7320050Y6; PART NO: 400.11;	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MATERIAL: REINZ AFM 34;REQUIRED FOR PU MP;CENTRIFUGAL; MODEL: A22-32; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S;HEAD: 66 M; RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OU T LET FLANGE:DN32; BEARING TYPE: ANTIFRICTION BEARING WITH GREASE LUBRICATION;MANUFACTURER: SULZER PUMPS FINLAND OY; APPLICATION: P OT ABLE WATER PUMP						
4	3600085375		KEY-B; SIZE: 10X8X50; STANDARD: ISO/R 773; ARTICLE NO: B810705015; PARTNO: 940.31; MATERIAL: CK45K DIN1652; REQUIRED FOR PUMP; CENT RIFUGAL;MODEL: A22-32; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M;RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OUTLET FLA N GE: DN32; BEARINGTYPE: ANTIFRICTION BEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZERPUMPS FINLAND OY; APPLICATION: POTABLE W AT ER PUMP	1	EA				
5	3600085374		RING; RETAINING; DIAMETER: 10 MM; STANDARD:	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			DIN471; ARTICLE NO:B710001030; PART NO: 932.51; MATERIAL: STAINLESS STEEL; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-32; SERIAL NO: 100214891; RATED FLOW: 6.2L/S; HEAD: 66 M; RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OUTLETFLANGE: DN32; BEARING TYPE: ANTIFRICTION BEARING WITH GREASELUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY; APPLICATION :P OTABLE WATER PUMP						
6	3600085373		WASHER; LOCK; TYPE: MB10; ARTICLE NO: GC10001010; PART NO: 931.31; MATERIAL: S EN10025; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-3 2; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940RPM; INLET FLANGE: DN50; OUTLET FLANGE: DN32; BEARING TY P E:ANTIFRICTION BEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPSFINLAND OY; APPLICATION: POTABLE WATER PUMP	1	EA				
7	2300049644		NUT; BEARING; TYPE: KM10; ARTICLE NO:	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			GA11001010; PART NO: 923.31; MATERIAL: S EN10025; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-3 2; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940RPM; INLET FLANGE: DN50; OUTLET FLANGE: DN32; BEARING TY P E: ANTIFRICTION BEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPSFINLAND OY; APPLICATION: POTABLE WATER PUMP						
8	3600085372		SCREW; CAP; SOCKET HD; SIZE: M10X35 ISO4762; ARTICLE NO: A611103539; PART NO: 914.51; MATERIAL: A4-80 ISO 3506; REQUIRED FOR PUMP; CE NTRIFUGAL; MODEL: A22-32; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OUTLET FL ANGE: DN32; BEARING TYPE: ANTIFRICTION BEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY; APPLICATION: POTABLE W ATER PUMP	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
9	3600085371		SCREW; CAP; SOCKET HD; SIZE: M12X30; ARTICLE NO: 3842750233; PART NO:914.11; MATERIAL: SS2324; REQUIRED FOR PUMP; CENTRIFUGAL; MODE L:A22-32; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATEDSPEED: 2940 RPM; INLET FLANGE: DN50; OUTLET FLANGE: DN32; BE A RING TYPE:ANTIFRICTION BEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPSFINLAND OY; APPLICATION: POTABLE WATER PUMP	1	EA				
10	3600085370		SCREW; ADJUSTING; SIZE: M10X25; ARTICLE NO: 9168640133; PART NO: 909.11;MATERIAL: SS2324; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A2 2-32; SERIALNO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM;INLET FLANGE: DN50; OUTLET FLANGE: DN32; BEARING TYPE: ANTIFRICTIONBEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY;APPLICATION: POTABLE WATER PUMP	1	EA				
11	3600085369		RING; OIL A2; ARTICLE NO: 9184520112; PART NO: 644.31; MATERIAL: FE P01E10130; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-32; SERIA	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			L NO:100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM; INLETFLANGE: DN50; OUTLET FLANGE: DN32; BEARING TYPE: ANTI F RICTION BEARINGWITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY;APPLICATION: POTABLE WATER PUMP						
12	3600085368		DEFLECTOR 9RB 45; ARTICLE NO: EL1204506M; PART NO: 507.31; MATERIAL: AISI304/NBR; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-32; SER IAL NO:100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM; INLETFLANGE: DN50; OUTLET FLANGE: DN32; BEARING TYPE: AN T IFRICTION BEARINGWITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY;APPLICATION: POTABLE WATER PUMP	1	EA				
13	3600085367		RING; LABYRINTH A2; ARTICLE NO: 9268260131; PART NO: 423.31; MATERIAL: SS2303; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-32; SERIAL NO:100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM; INLETFLANGE: DN50; OUTLET FLANGE: DN32; BEARING TYPE: ANTIF R ICTION BEARINGWITH GREASE LUBRICATION;	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MANUFACTURER: SULZER PUMPS FINLAND OY;APPLICATION: POTABLE WATER PUMP						
14	3600085366		O-RING 59.5X3 SMS 1586; ARTICLE NO: E11B059591; PART NO: 412.32;MATERIAL: NBR; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-32; SERIA LNO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM;INLET FLANGE: DN50; OUTLET FLANGE: DN32; BEARING TYPE: ANTI F RICTIONBEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY;APPLICATION: POTABLE WATER PUMP	1	EA				
15	2300049641		O-RING 104.5X3 SMS 1586; ARTICLE NO: E11B104591; PART NO: 412.31;MATERIAL: NBR; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-32; SERI ALNO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM;INLET FLANGE: DN50; OUTLET FLANGE: DN32; BEARING TYPE: ANT I FRICTIONBEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY;APPLICATION: POTABLE WATER PUMP	1	EA				
16	3600085365		O-RING 29.2X3 SMS 1586; ARTICLE NO: E11B029294; PART NO: 412.21;MATERIAL: PTFE; REQUIRED FOR	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PUMP; CENTRIFUGAL; MODEL: A22-32; SERIALNO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OUTLET FLANGE: DN32; BEARING TYPE: ANT I FRICTIONBEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY; APPLICATION: POTABLE WATER PUMP						
17	3600085364		O-RING 12.1X1.6 SMS 1586; ARTICLE NO: E113012194; PART NO: 412.14; MATERIAL: PTFE; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-32; SERIALNO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OUTLET FLANGE: DN32; BEARING TYPE: A N TIFRICTIONBEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY; APPLICATION: POTABLE WATER PUMP	1	EA				
18	3600085363		O-RING 10.3X2.4 SMS 1586; ARTICLE NO: E11801039F; PART NO: 412.12; MATERIAL: FFKM; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-32; SERIALNO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM; INLET FLANGE: DN50;	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			OUTLET FLANGE: DN32; BEARING TYPE: A N TIFRICTIONBEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY;APPLICATION: POTABLE WATER PUMP						
19	3600085362		O-RING 249.3X5.7 SMS 1586; ARTICLE NO: E11H249392; PART NO: 412.11;MATERIAL: EPDM; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A22-32; S ERIALNO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940 RPM;INLET FLANGE: DN50; OUTLET FLANGE: DN32; BEARING TYPE: AN TIFRICTIONBEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPS FINLAND OY;APPLICATION: POTABLE WATER PUMP	1	EA				
20	3600085361		GASKET 0.5X85/70; ARTICLE NO: E8050858Y6; PART NO: 400.23; MATERIAL:(U0515) REINZ AFM 34; REQUIRED FOR PUMP; CENTRIFUGAL; MODEL: A2 2-32;SERIAL NO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M; RATED SPEED: 2940RPM; INLET FLANGE: DN50; OUTLET FLANGE: DN32; BEARING TYPE:ANTIFRICTION BEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZER PUMPSFINLAND OY; APPLICATION: POTABLE	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			WATER PUMP						
21	3600085360		GASKET 279(-2/-3)/267(-1/-2)X0.5; ARTICLE NO: E8052795Y6; PART NO:400.21; MATERIAL: (U0515) REINZ AFM 34; REQUIRED FOR PUMP; CENTRI FUGAL;MODEL: A22-32; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M;RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OUTLET FLANG E : DN32; BEARINGTYPE: ANTIFRICTION BEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZERPUMPS FINLAND OY; APPLICATION: POTABLE WAT ER PUMP	1	EA				
22	3600085359		BEARING; ANTIFRICTION; TYPE: 7310 BECBM; ARTICLE NO: G325007310; PARTNO: 320.32; LUBRICATION TYPE: GREASE; REQUIRED FOR PUMP; CENTR IFUGAL;MODEL: A22-32; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M;RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OUTLET FLAN G E: DN32; BEARINGTYPE: ANTIFRICTION BEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZERPUMPS FINLAND OY; APPLICATION: POTABLE WA TE	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501393
DATE : 11.03.2025
REQ No : 1012501403
REQ TITLE : Procurement of Potable Water
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 19.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			R PUMP						
23	3600085358		BEARING; ANTIFRICTION; TYPE: NUP 309 ECJ; ARTICLE NO: G433000309; PARTNO: 320.31; LUBRICATION TYPE: GREASE; REQUIRED FOR PUMP; CENT RIFUGAL;MODEL: A22-32; SERIAL NO: 100214891; RATED FLOW: 6.2 L/S; HEAD: 66 M;RATED SPEED: 2940 RPM; INLET FLANGE: DN50; OUTLET FLA N GE: DN32; BEARINGTYPE: ANTIFRICTION BEARING WITH GREASE LUBRICATION; MANUFACTURER: SULZERPUMPS FINLAND OY; APPLICATION: POTABLE W AT ER PUMP	1	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Procurement of Potable Water Pump Spare Parts for Phase-IV, H-Station,
Al-Aweer.

For technical detail please contact

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012501393
DATE	: 11.03.2025
REQ No	: 1012501403
REQ TITLE	: Procurement of Potable Water
DELIVERY LOCATION	: 0026 - H4 STORE - AWEER
CLOSING DATE	: 19.03.2025
CLOSING TIME	: 10:00:00

1. Zamir Alware on zamir.alware@dewa.gov.ae; 04-8140304
2. Mohamed Safik mohamed.sait@dewa.gov.ae; 04-8140306

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP