

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2100009280		TRANSMITTER FOR DIFFERNTIAL PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320,MODEL: 7MF0340-1RP01-5MF2-Z, A01+C14+C11+D42+E47+H01+K81+Y01 +Y15+Y21,RANGE: 0 TO 15000 MILLIBAR; S/N: N1N5111018696, POWER SUPPLY: DC10.5 TO45 VDC, OUTPUT: 4 TO 20 MILLIAMP HART, WITH DISPLAY, SIEMENS GT MATERIALNO: A2A50414568, CABLE GLAND ENTRY: M20X1.5; NAMEPLATE DATA: MATERIALCONNECTION 1.4404, DIAPHRAGM: 1.4404, O-RIN G: FPM (FKM), MIN/MAXMEASURING SPAN: 0.3 BAR/30BAR, MAX TEST PRESSURE: 160/240 BAR, IP 66,FILLING: SILICON OIL, FW:1.01.00 HW:1.00.0 0, TEMP: -40 TO +80 DEG C,ICEX, BVS 18.00038X, EX TB IIIC T20C DB, EX TC IIIC T120C, EX EC IICT4/T6 GC EX; USED IN GT NATURAL GAS SY STEM MEXT, KKS: MBP11CP101,MBP15CP106.	1	EA				
2	2100009282		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1TD01-5LF2-Z, A01+C14+C20+D42+E47+Y01+Y15+Y21, RANGE: 0 T	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			O 40BAR; S/N: N1N51110108695, POWER SUPPLY: DC10.5 TO 45 VDC, OUTPUT: 4 TO20 MILLIAMP HART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1.5 ; NAMEPLATEDATA: MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURINGSPAN: 0.63 BAR/63BAR, MAX TEST PRESSURE: 80/120 BA R, IP 66, FILLING:SILICON OIL, FW:1.01.00 HW:1.00.00, TEMP:-40 TO +80 DEG C, ICEX, BVS18.00038X, EX TB IIIC T20C DB, EX TC IIIC T120 C, EX EC IIC T4/T6 GC EX;USED IN GT NATURAL GAS SYSTEM MEXT, KKS: MBP40CP101.						
3	2100009283		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1QD01-5MF2-Z, A01+C11+C14+E20+Y01, RANGE: 0 TO 10 BAR; S/ N:N1N70910118684, POWER SUPPLY: DC10.5 TO 45 VDC, OUTPUT: 4 TO 20 MILLIAMPHART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1.5; NAMEPLATE DATA: MATERIALCONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURING	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SPAN:0.16BAR/16BAR, MAX TEST PRESSURE: 45/70BAR, IP 66, FILLI NG: SILICON OIL,FW:1.01.00 HW:1.00.00, TEMP:-40 TO +80 DEG C, ICEX, BVS 18.00038X, EX TBIIC T20C DB, EX TC IIC T120C, EX EC IIC T4 /T6 GC EX; USED IN GT LUBEOIL / LIFT OIL SYSTEM MEXT, KKS: MBV21CP101.						
4	2100009285		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1ND01-5MF2-Z, A01+C11+C14+E20+Y01, RANGE: 0 TO 3 BAR; S/N :N1N70910118685, POWER SUPPLY: DC10.5 TO 45 VDC, OUTPUT: 4 TO 20 MILLIAMPHART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1.5; NAMEPLATE D ATA: MATERIALCONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURING SPAN:0.04BAR/4BAR, MAX TEST PRESSURE: 20/30BAR, IP 66, FILLING : SILICON OIL,FW: 1.01.00 HW: 1.00.00, TEMP:-40 TO +80 DEG C, ICEX, BVS 18.00038X, EXTB IIC T20C DB, EX TC IIC T120C, EX EC IIC T4 /T6 GC EX; USED IN GTLUBE OIL / LIFT OIL SYSTEM MEXT, KKS: MBV26CP101,	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MBV26CP102,MBV26CP101.						
5	2100009286		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1WD01-5MF2-Z, A01+C11+C14+E20+Y01, RANGE: 0 TO 200 BAR; S /N:N1N70910118686, POWER SUPPLY: DC10.5 TO 45 VDC, OUTPUT: 4 TO 20 MILLIAMPHART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1.5; NAMEPLATE DATA: MATERIALCONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURING SPAN:4BAR/400BAR, MAX TEST PRESSURE: 400/600BAR, IP 66, FILL ING: SILICON OIL,FW: 1.01.00 HW: 1.00.00, TEMP:-40 TO +80 DEG C, ICEX, BVS 18.00038X, EXTB IIIC T20C DB, EX TC IIIC T120C, EX EC IIC T4/T6 GC EX; USED IN GTLIFT OIL SYSTEM MEXT, KKS: MBV30CP101, MBV30CP102.	1	EA				
6	2100009289		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1VD01-5LF2-Z, A01+C14+C11+C20+D42+E47+Y01+Y15+Y21, RANGE: 0 TO100 BAR; S/N: N1N51110108704, POWER	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SUPPLY: DC 10.5 TO 45 VDC, OUTPUT: 4TO 20 MILLIAMP HART, WITH DISPLAY, CABLE GLAND ENTRY: M 20X1.5; NAMEPLATEDATA: MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURINGSPAN: 1.6BAR/160BAR, MAX TEST PRESSURE: 240/ 360BAR, IP 66, FILLING:SILICON OIL, FW: 1.01.00 HW: 1.00.00, TEMP: -40 TO +80 DEG C, ICEX, BVS18.00038X, EX TB IIIC T20C DB, EX TC I IIC T120C, EX EC IIC T4/T6 GC EX;USED IN GT WET COMPRESSION SYSTEM MEXT, KKS: MBU55CP104.						
7	2100009290		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1TD01-5LF2-Z, A01+C14+C11+C20+D42+E47+Y01+Y15+Y21, RANGE: 0 TO16 BAR; S/N: N1N51110108698, POWER SUPPLY: DC 10.5 TO 45 VDC, OUTPUT: 4TO 20 MILLIAMP HART, WITH DISPLAY, CABLE GLAND ENTRY: M2 0X1.5; NAMEPLATEDATA: MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURINGSPAN: 0.63BAR/63BAR, MAX TEST	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PRESSURE: 80/12 0BAR, IP 66, FILLING:SILICON OIL, FW: 1.01.00 HW: 1.00.00, TEMP:-40 TO +80 DEG C, ICEX, BVS18.00038X, EX TB IIIC T20C DB, EX TC IIIC T120C, EX EC IIC T4/T6 GC EX;USED IN GT WET COMPRESSION SYSTEM MEXT, KKS: MBU55CP101, MBU55CP102,MBU55CP103.						
8	2100009326		TRANSMITTER FOR DIFFERENTIAL PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL: 7MF0340-1PP01-5AF2-Z, A00+C14+C11+E01+H01+K81+Y01+Y1 5+Y21,RANGE: 0 TO 5000 MILIBAR; S/N: N1N51110103697, POWER SUPPLY: DC 10.5 TO45 VDC, OUTPUT: 4 TO 20 MILLIAMP HART, WITH DISPLAY,# C ABLE GLAND ENTRY:M20X1.5; NAMEPLATE DATA: MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404,O-RING: FPM (FKM), MIN/MAX MEASURING SPAN: 50 MILIBAR/5000 MILLIBAR,MAXWP/TEST PRESSURE: 160 BAR/240 BAR, IP 66, FILLING: SILICONE OIL,FM19US055XENCL TYPE 4X, CSA18CA70163103,	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FM APPROVED, EAC, FW: 1.01.00,HW: 1.00.00, TEMP:-40 TO +80 DEG C, ICEX, BVS 18.00038X, EX TB IIIC T20CDB, EX TC IIIC T120C, EX EC I IC T4/T6 GC EX; USED IN GT FUEL OIL SYSTEMMEXT, KKS: MBN11CP101, MBN31CP101, MBN41CP101.						
9	2100009328		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1VD01-5LF2-Z, A01+C14+C11+C20+D42+E47+Y01+Y15+Y21, RANGE: 0 TO160 BAR; S/N: N1N51110108699, POWER SUPPLY: DC 10.5 TO 45 VDC, OUTPUT: 4TO 20 MILLIAMP HART, WITH DISPLAY, CABLE GLAND ENTRY: M 20X1.5; NAMEPLATEDATA: MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURINGSPAN: 1.6 BAR/160 BAR, MAWP/TEST PRESSURE: 2 40 BAR/360 BAR, IP 66,FILLING: SILICONE OIL, FW: 1.01.00, HW: 1.00.00, TEMP: -40 TO +80 DEG C,ICEX, BVS 18.00038X, EX TB IIIC T20C D B, EX TC IIIC T120C, EX EC IICT4/T6 GC EX; USED IN GT FUEL OIL SYSTEM MEXT, KKS:	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MBN13CP101,MBN13CP102, MBN13CP103, MBN14CP101, MBN14CP103, MBN14CP104, MBN23CP101,MBN23CP102, MBN23CP103, MBN52CP101.						
10	2100009329		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1TD01-5LF2-Z, A01+C14+C11+C20+D42+E47+Y01+Y15+Y21, RANGE: 0 TO30 BAR; S/N: N1N51110108700, POWER SUPPLY: DC 10.5 TO 45 VDC, OUTPUT: 4TO 20 MILLIAMP HART, WITH DISPLAY, CABLE GLAND ENTRY: M2 0X1.5; NAMEPLATEDATA: MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURINGSPAN: 0.63 BAR/63 BAR, MAWP/TEST PRESSURE: 80 BAR/120 BAR, IP 66,FILLING: SILICONE OIL, FW: 1.01.00, HW: 1.00.00, TEMP: -40 TO +80 DEG C,ICEX, BVS 18.00038X, EX TB IIIC T20C DB, EX TC IIIC T120C, EX EC IICT4/T6 GC EX; USED IN GT PURGE WATER SYSTEM MEXT, KKS: MBN81CP101,MBN81CP103.	1	EA				
11	2100009330		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS,	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TYPE: SITRANS P320, MODEL:7MF0300-1ND01-5LF2-Z, A01+C14+C11+C20+D42+E47+Y01+Y15+Y21, RANGE: -0.5TO 1 BAR; S/N: N1N51110108701, POWER SUPPLY: DC 10.5 TO 45 VDC, OUTPUT:4 TO 20 MILLIAMPER HART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1.5;NAMEPLATE DATA: MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAXMEASURING SPAN: 0.04 BAR/4 BAR, MAWP/TEST PRESSURE: 2 0 BAR/30 BAR, IP66, FILLING: SILICONE OIL, FW: 1.01.00, HW: 1.00.00, TEMP: -40 TO +80DEG C, ICEX, BVS 18.00038X, EX TB IIIC T20C DB, EX TC IIIC T120C, EX ECIIIC T4/T6 GC EX; USED IN GT PURGE WATER SYSTEM MEXT, KKS: MBN81CP102,MBN81CP104.						
12	2100009331		TRANSMITTER FOR DIFFERENTIAL PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL: 7MF0340-1PP01-5MF2-Z, A01+B11+C14+C11+E47+H01+K81+Y0 1+Y15+Y21, RANGE: 0 TO 2100 MILLIBAR; S/N: N1N51110108702, POWER SUPPLY: DC10.5 TO 45	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			VDC, OUTPUT: 4 TO 20 MILLIAMP HART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1.5; NAMEPLATE DATA: MATERIAL CONNECTION / MEMBR: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURING SPAN: 50 MIL LIBAR/5000 MILLIBAR, MAWP/TEST PRESSURE: 160 BAR/240 BAR, IP 66, FILLING: SILICONE OIL, FW:1.01.00, HW: 1.00.00, TEMP:-40 TO +80 DEG C, ICEX, BVS 18.00038X, EX TBIIC T20C DB, EX TC IIC T120C, EX EC IIC T4/T6 GC EX; USED IN GT PURGEWATER SYSTEM MEXT, KKS: MBN81CP105.						
13	2100009332		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL: 7MF0300-1JD01-5LF2-Z, A01+C14+C11+D42+E47+Y01+Y15+Y21, RANGE: 0 TO 160 MILLIBAR; S/N: N1N51110108703, POWER SUPPLY: DC 10.5 TO 45 VDC, OUTPUT: 4 TO 20 MILLIAMP HART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1.5; NAMEPLATE DATA: MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURING SPAN: 0.01 BAR/1 BAR,	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MAWP/TEST PRESSURE: 6 BAR/9 BAR, IP 66,FILLING: SILICONE OIL, FW: 1.01.00, HW: 1.00.00, TEMP:-40 TO +80 DEG C,ICEX, BVS 18.00038X, EX TB IIIC T20C DB, EX TC IIIC T120C, EX EC IICT4/T6 GC EX; USED IN GT PURGE WATER SYSTEM MEXT, KKS: MBN80CP101.						
14	2100009337		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1WD01-5MF2-Z, B11+C11+E20+Y01+Y21, RANGE: 0 TO 250 BAR; S /N:N1N5010107331, POWER SUPPLY: DC 10.5 TO 45 VDC, OUTPUT: 4 TO 20 MILLIAMPHART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1.5; NAMEPLATE DATA: MATERIALCONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURING SPAN: 4 BAR/400BAR, MAWP/TEST PRESSURE: 400 BAR/600 BAR, IP 66, FILLING: SILICONE OIL,FW: 1.01.00, HW: 1.00.00, TEMP:-40 TO +80 DEG C, ICEX, BVS 18.00038X, EXTB IIIC T20C DB, EX TC IIIC T120C, EX EC IIC T4/T6 GC EX; USED IN GTHYDRAULIC OIL SYSTEM MEXT, KKS: MBX03CP101, MBX02CP101,	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MBX02CP102,MBX03CP102, MBX03CP103, MBX06CP102.						
15	2100009338		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1TD01-5MF2-Z, A01+C12+C11+C20+E20+H01+Y01+Y21, RANGE: 0 T O 60BAR; S/N: N1N31710147531, POWER SUPPLY: DC 10.5 TO 45 VDC, OUTPUT: 4 TO20 MILLIAMPER HART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1. 5; NAMEPLATEDATA: MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURINGSPAN: 0.63 BAR/63 BAR, MAWP/TEST PRESSURE: 80 BAR /120 BAR, IP 66,FILLING: SILICONE OIL, FW: 1.01.00, HW: 1.00.00, TEMP:-40 TO +80 DEG C,ICEX, BVS 18.00038X, EX TB IIIC T20C DB, EX T C IIIC T120C, EX EC IICT4/T6 GC EX; USED IN GT NATURAL GAS SYSTEM MEXT, KKS: MBP32CP114,MBP33CP114.	1	EA				
16	2100009343		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1QD01-5AF2-Z,	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			A00+C11+E01+H02+Y01, RANGE: 0 TO 15 BAR; S/ N:N1N41410101860, POWER SUPPLY: DC 10.5 TO 45 VDC, OUTPUT: 4 TO 20MILLIAMP HART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1.5; NAMEPLATE DATA:MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURING SPAN:0.16 BAR/16 BAR, MAWP/TEST PRESSURE: 45 BAR/70 BAR, IP 66, FILLING:SILICONE OIL, FW: 1.01.00, HW: 1.00.00, FM19US055XENCL TYPE 4X,CSA18CA70163103, FM APPROVED ,EAC, TEMP:-40 TO +80 DEG C, ICEX, BVS18.00038X, EX TB IIIC T20C DB, EX TC IIIC T120C, EX EC IIC T4/T6 GC EX;USED IN GT PNEUMATIC SYSTEM MEXT, KKS: MBX24CP101, MBX24CP102,MBX24CP108.						
17	2700112613		TRANSMITTER FOR PRESSURE, MAKE: SIEMENS, TYPE: SITRANS P320, MODEL:7MF0300-1WD01-5AF2-Z, A00+C14+C11+E01+Y01, RANGE: 0 TO 250 BAR; S /N:N1N62110115483, POWER SUPPLY: DC 10.5 TO 45 VDC, OUTPUT: 4 TO 20MILLIAMP HART, WITH DISPLAY, CABLE GLAND ENTRY: M20X1.5;	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			NAMEPLAT E DATA:MATERIAL CONNECTION: 1.4404, DIAPHRAGM: 1.4404, MIN/MAX MEASURING SPAN:4 BAR/400 BAR, MAWP/TEST PRESSURE: 400 BAR/600 BAR, IP 66, FILLING:SILICONE OIL, FW: 1.01.00, HW: 1.00.00, FM19US055XENCL TYPE 4X,CSA18CA70163103, FM APPROVED ,EAC, TEMP:-40 TO +80 DEG C , ICEX, BVS18.00038X, EX TB IIIC T20C DB, EX TC IIIC T120C, EX EC IIC T4/T6 GC EX;USED IN GT HCO SYSTEM MEXT, KKS: MBA51CP101, MBA51 CP102, MBA51CP103,MBA51CP104, MBA53CP101, MBA53CP102, MBA53CP103, MBA53CP104, MBA53CP105,MBA53CP106.						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Spares

STANDARD TERMS & CONDITIONS

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012501403
DATE : 12.03.2025
REQ No : 1012501310
REQ TITLE : Spares 1012501310
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 18.03.2025
CLOSING TIME : 10:00:00

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP