

RFQ NUMBER : 2012501908

DATE : 15.04.2025

REQ No : 1012501936

REQ TITLE : SPARES 1012501936

DELIVERY LOCATION: 0022 - M STORE

CLOSING DATE : 24.04.2025

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700023068		SENSOR_OXYGEN; RANGE: 0.1PPB TO 20PPM; TYPE: TRACE DISSOLVED; MFR:EMERSON ELECTRIC CO: MPN: 499ATRDO-54-VP: MFR: ROSEMOUNT INC: ADDI TIONAL INFO: MAX. PRESSURE RATING: 65PSI; MAX. TEMPERATURE RATING:50DEG C; W/LOW-FLOW CELL P/N 24091-00 AND VARIOPOL (VP6) CONNECT O R;AMPEROMETRIC; APPLICATION: XMTRS; 1056; 56; 1066 AND 5081; ROSEMOUNT.A CERTIFICATE OF ORIGIN DECLARATION OF ORIGIN FROM OEM IS MAN DATORY FOR ALL THE ITEMS OF THIS RFQ.	7	EA				
2	2700117797		DISSOLVED OXYGEN ANALYZER, MODEL: 1056-01-25-38-AN, MAKE: ROSEMOUNT,115VAC / 230VAC 10W, SW VER 3.15, SN: E16-11505590-007, USED IN SAMPLING SYSTEM JAM-EXT	4	EA				
3	2700093849		TRANSMITTER_CONDUCTIVITY; INPUT RANGE: 0 TO 20000MS/CM; OUTPUT RANGE: 4TO 20MA (ANALOG); SUPPLY RATING: 115/230VAC 50/60HZ; SIZE/CO NNECTION:1/2IN CONDUIT; TYPE: DUAL CHANNEL, CONTACTING; TEMPERATURE RANGE: 0 TO55DEG		EA				



RFQ NUMBER : 2012501908

DATE : 15.04.2025

REQ No : 1012501936

REQ TITLE : SPARES 1012501936

DELIVERY LOCATION: 0022 - M STORE

CLOSING DATE : 24.04.2025

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			C; MATERIAL: PC; ENCLOSURE: NEMA 4X, IP65; MF R : ROSEMOUNT INC:MPN: 1056-01-20-30-AN: ADDITIONAL INFO: ANALOG OUTPUT; APPLICATION: GTWET COMPRESSION; SERIAL NO: C15-8063387						
4	2700117800		CONDUCTIVITY/PH ANALYZER, MODEL: 1056-01-20-32-AN, MAKE: ROSEMOUNT, TYPE: DUAL CHANNEL, FOR SPECIFIC CONDUCTIVITY AND PH SENSOR, 115 VAC /230VAC 10W, SW VER 3.15, SN: H16-1241151-001, USED IN SAMPLING SYSTEMJAM-EXT	5	EA				
5	2700088480		CORD_ELECTRICAL; TYPE: INTERCONNECTION; LENGTH: 20FT; CONNECTORS: VP6;MFR: ROSEMOUNT INC: MPN: 23747-08: APPLICATION: DISSOLVED O2; SAMPLINGSYSTEM	6	EA				
6	2700088482		CORD_ELECTRICAL; TYPE: CONNECTING; LENGTH: 20FT; CONNECTORS: MATING VP8; JACKET MATERIAL: PVC; MFR: EMERSON ELECTRIC CO: MPN: 24281- 07: MFR:ROSEMOUNT INC: APPLICATION: PH SENSOR; SAMPLING SYSTEM	7	EA				



RFQ NUMBER : 2012501908

DATE : 15.04.2025

REQ No : 1012501936

REQ TITLE : SPARES 1012501936

TOTAL AMOUNT:

DELIVERY LOCATION: 0022 - M STORE

CLOSING DATE : 24.04.2025

CLOSING TIME : 10:00:00

TOTAL AMOUNT IN WORDS:

SPECIAL NOTES / INSTRUCTIONS:

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS:

SUPPLIER'S SIGNATURE AND STAMP



RFQ NUMBER : 2012501908

DATE : 15.04.2025

REQ No : 1012501936

REQ TITLE : SPARES 1012501936

DELIVERY LOCATION: 0022 - M STORE

CLOSING DATE : 24.04.2025

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700023068		SENSOR_OXYGEN; RANGE: 0.1PPB TO 20PPM; TYPE: TRACE DISSOLVED; MFR:EMERSON ELECTRIC CO: MPN: 499ATRDO-54-VP: MFR: ROSEMOUNT INC: ADDI TIONAL INFO: MAX. PRESSURE RATING: 65PSI; MAX. TEMPERATURE RATING:50DEG C; W/LOW-FLOW CELL P/N 24091-00 AND VARIOPOL (VP6) CONNECT O R;AMPEROMETRIC; APPLICATION: XMTRS; 1056; 56; 1066 AND 5081; ROSEMOUNT.A CERTIFICATE OF ORIGIN DECLARATION OF ORIGIN FROM OEM IS MAN DATORY FOR ALL THE ITEMS OF THIS RFQ.	7	EA				
2	2700117797		DISSOLVED OXYGEN ANALYZER, MODEL: 1056-01-25-38-AN, MAKE: ROSEMOUNT,115VAC / 230VAC 10W, SW VER 3.15, SN: E16-11505590-007, USED IN SAMPLING SYSTEM JAM-EXT	4	EA				
3	2700093849		TRANSMITTER_CONDUCTIVITY; INPUT RANGE: 0 TO 20000MS/CM; OUTPUT RANGE: 4TO 20MA (ANALOG); SUPPLY RATING: 115/230VAC 50/60HZ; SIZE/CO NNECTION:1/2IN CONDUIT; TYPE: DUAL CHANNEL, CONTACTING; TEMPERATURE RANGE: 0 TO55DEG		EA				



RFQ NUMBER : 2012501908

DATE : 15.04.2025

REQ No : 1012501936

REQ TITLE : SPARES 1012501936

DELIVERY LOCATION: 0022 - M STORE

CLOSING DATE : 24.04.2025

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			C; MATERIAL: PC; ENCLOSURE: NEMA 4X, IP65; MF R : ROSEMOUNT INC:MPN: 1056-01-20-30-AN: ADDITIONAL INFO: ANALOG OUTPUT; APPLICATION: GTWET COMPRESSION; SERIAL NO: C15-8063387						
4	2700117800		CONDUCTIVITY/PH ANALYZER, MODEL: 1056-01-20-32-AN, MAKE: ROSEMOUNT, TYPE: DUAL CHANNEL, FOR SPECIFIC CONDUCTIVITY AND PH SENSOR, 115 VAC /230VAC 10W, SW VER 3.15, SN: H16-1241151-001, USED IN SAMPLING SYSTEMJAM-EXT	5	EA				
5	2700088480		CORD_ELECTRICAL; TYPE: INTERCONNECTION; LENGTH: 20FT; CONNECTORS: VP6;MFR: ROSEMOUNT INC: MPN: 23747-08: APPLICATION: DISSOLVED O2; SAMPLINGSYSTEM	6	EA				
6	2700088482		CORD_ELECTRICAL; TYPE: CONNECTING; LENGTH: 20FT; CONNECTORS: MATING VP8; JACKET MATERIAL: PVC; MFR: EMERSON ELECTRIC CO: MPN: 24281- 07: MFR:ROSEMOUNT INC: APPLICATION: PH SENSOR; SAMPLING SYSTEM	7	EA				



RFQ NUMBER : 2012501908

DATE : 15.04.2025

REQ No : 1012501936

REQ TITLE : SPARES 1012501936

TOTAL AMOUNT:

DELIVERY LOCATION: 0022 - M STORE

CLOSING DATE : 24.04.2025

CLOSING TIME : 10:00:00

TOTAL AMOUNT IN WORDS:

SPECIAL NOTES / INSTRUCTIONS:

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS:

SUPPLIER'S SIGNATURE AND STAMP