

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012502875
DATE : 04.06.2025
REQ No : 1012501980
REQ TITLE : SPARE NEUTRAL 1012501980
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 10.06.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700105414		TRANSFORMER_CURRENT; AMP RATIO: 400/1A; RATING: 10VA; FREQUENCY RATING:50/60HZ; CONNECTION: BOLTED; BURDEN: 10VA; INPUT CURRENT: 400 A; OUTPUTCURRENT: 1A; TYPE: CONTACT; ACCURACY CLASS: 5P20; STANDARD: CEI, IEC60044-1; BIL RATING: 12/28/75KV; MFR: WATTSUD; MPN: IWR 10K, ADDITIONALINFO: DYNAMIC CURRENT RATING: 100KA; KNEE POINT VOLTAGE RATING: 120V;RESISTANCE: 4OHM; SHORT-TIME THERMAL CURRENT RAT ING: 40KA/3SEC; TERMINALMARKING NO: S1-S2; EQUIVALENT PRODUCT FROM REPUTED MANUFACTURESABB/SIEMENS/ALCE ARE ACCEPTABLE; APPLICATION: DESAL BRINE RECIRCULATIONPUMP MOTOR NEUTRAL CT; REF: 0831901737	9	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

SPARE NEUTRAL

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

Page1 of 2

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012502875
DATE : 04.06.2025
REQ No : 1012501980
REQ TITLE : SPARE NEUTRAL 1012501980
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 10.06.2025
CLOSING TIME : 10:00:00

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP