

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504127
DATE : 19.08.2025
REQ No : 1012504313
REQ TITLE : Supply of Acid Circulation Pu
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 27.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3600086354		INBOARD BEARING; MATERIAL: STEEL; PN:101A; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	10	EA				
2	3600086353		OUTBOARD OIL SEAL; MATERIAL: NEOPRENE; PN:102B; OEM: LEAK PROOF; MODELNO: RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIALNO :2401181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	10	EA				
3	3600086317		BACK PLATE FLANGE; MATERIAL: GFP; PN:3A; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
4	3600086316		BACK PLATE; MATERIAL: PP-GFP; PN:3; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504127
DATE : 19.08.2025
REQ No : 1012504313
REQ TITLE : Supply of Acid Circulation Pu
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 27.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
5	3600086315		IMPELLER; MATERIAL: PP-GFP; PN: 2; OEM: LEAK PROOF; MODEL NO: RDZ50-250;HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790 045; ACIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
6	3600086314		DISCHARGE BRANCH; MATERIAL: PP-GFP; PN:1C; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:240 1181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
7	3600086313		CASING; MATERIAL: PP-GFP; PN:1; OEM: LEAK PROOF; MODEL NO: RDZ50-250;HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790045 ; ACIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
8	3600086321		GLAND; MATERIAL: BAKELITE; PN:9; OEM: LEAK PROOF; MODEL NO: RDZ50-250;HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:240118179004 5; ACIDCIRCULATION PUMP IN G STATION NAOCL	3	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504127
DATE : 19.08.2025
REQ No : 1012504313
REQ TITLE : Supply of Acid Circulation Pu
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 27.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PLANT;						
9	3600086320		SLEEVE SUPPORTER; MATERIAL: EN8-SS316; PN:8H; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO: 2401181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	3	EA				
10	3600086328		CFT BUSH; MATERIAL: CFT; PN: 9A; OEM: LEAK PROOF; MODEL NO: RDZ50-250;HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:240118179004 5; ACIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
11	3600086327		BEARING CUP; MATERIAL: CI; PN:5; OEM: LEAK PROOF; MODEL NO: RDZ50-250;HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:240118179004 5; ACIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
12	3600086326		BEARING FRAME; MATERIAL: DUPLEX; PN:4B; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:240118	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504127
DATE : 19.08.2025
REQ No : 1012504313
REQ TITLE : Supply of Acid Circulation Pu
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 27.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			1790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;						
13	3600086332		KEY; MATERIAL: SS316; PN:11A; OEM: LEAK PROOF; MODEL NO: RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790045; A CIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
14	3600086331		GASKET; MATERIAL: PTFE; PN:11B; OEM: LEAK PROOF; MODEL NO: RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790045 ; ACIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
15	3600086330		GASKET; MATERIAL: PTFE; PN:11A; OEM: LEAK PROOF; MODEL NO: RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790045 ; ACIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
16	3600086329		IMPELLER GASKET; MATERIAL: PTFE; PN:11; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:240118	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504127
DATE : 19.08.2025
REQ No : 1012504313
REQ TITLE : Supply of Acid Circulation Pu
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 27.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			1790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;						
17	3600086338		BEARING LOCK NUT; MATERIAL: STEEL; PN:113D; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
18	3600086335		ARMOUR; MATERIAL: CI; PN:17; OEM: LEAK PROOF; MODEL NO: RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790045; A CIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
19	3600086336		CLAMPING RING; MATERIAL: PP; PN:19; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:2401181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				
20	3600086337		CIRCLIP INTERNAL; MATERIAL: STEEL; PN:108; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL	5	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504127
DATE : 19.08.2025
REQ No : 1012504313
REQ TITLE : Supply of Acid Circulation Pu
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 27.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			NO:240 1181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;						
21	3600086334		ORING; MATERIAL: VITON; PN:114E; OEM: LEAK PROOF; MODEL NO: RDZ50-250;HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:240118179004 5; ACIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	5	EA				
22	3600086333		ORING; MATERIAL: VITON; PN:114B; OEM: LEAK PROOF; MODEL NO: RDZ50-250;HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:240118179004 5; ACIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	5	EA				
23	3600086325		OUTBOARD BEARING; MATERIAL: STEEL; PN:101B; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:24 01181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	10	EA				
24	3600086324		INBOARD OIL SEAL; MATERIAL: NEOPRENE;	10	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504127
DATE : 19.08.2025
REQ No : 1012504313
REQ TITLE : Supply of Acid Circulation Pu
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 27.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PN:102A; OEM: LEAK PROOF; MODELNO: RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO :2401181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;						
25	3600086323		STATIONARY SEAL; MATING RING; MATERIAL: CERAMIC; PN:115; OEM: LEAKPROOF; MODEL NO: RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S ;SERIAL NO:2401181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	3	EA				
26	3600086322		ROTARY SEAL; MATERIAL: GFT-CERAMIC; PN:103; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:24 01181790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	3	EA				
27	3600086319		SLEEVE; MATERIAL: HB-CERAMIC-A-20; PN:8; OEM: LEAK PROOF; MODEL NO:RDZ50-250; HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:24011 81790045; ACID CIRCULATION PUMP IN G STATION NAOCL PLANT;	3	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504127
DATE : 19.08.2025
REQ No : 1012504313
REQ TITLE : Supply of Acid Circulation Pu
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 27.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
28	3600086318		SHAFT; MATERIAL: EN8-SS316; PN:7; OEM: LEAK PROOF; MODEL NO: RDZ50-250;HEAD:18M; CAPACITY: 30; FRAME: NS132S; SERIAL NO:24011817900 45; ACIDCIRCULATION PUMP IN G STATION NAOCL PLANT;	2	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Supply of Acid Circulation Pump Spare parts.

STANDARD TERMS & CONDITIONS

- Prices should be 'DDP' delivery duty paid at DEWA stores.
- Quotation to be submitted only in local currency U.A.E Dirhams
- DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504127
DATE : 19.08.2025
REQ No : 1012504313
REQ TITLE : Supply of Acid Circulation Pu
DELIVERY LOCATION : 0014 - G STORE SPAR&CHE
CLOSING DATE : 27.08.2025
CLOSING TIME : 10:00:00

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP