

RFQ NUMBER : 2012504432

DATE : 09.09.2025

REQ No : 1012504750

REQ TITLE : supply of spares at M station

DELIVERY LOCATION: 0022 - M STORE

CLOSING DATE : 17.09.2025

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3600049793		TRAP_STEAM; SIZE/CONNECTION: 50MM SW; TYPE: BIMETALLIC; TEMPERATURERATING: 343DEG C; MFR: VELAN INC: ADDITIONAL INFO: MAX. ALLOWABL EPRESSURE RATING: 10.34BAR; HYDROSTATIC TEST PRESSURE RATING: 27.57BAR; ORIFICE DIA: 5/16IN; COMPLETE ASSY; APPLICATION: LP STEAM D R AIN LINE; DWG: (SHEET 2) SHEET 4 OF 5; KKS CODE: 10/20/30NAA21/22/30/41/42AT501	1	EA				
2	3600049796		GASKET_TYPE: COVER; MATERIAL: GRAPHITE; MFR: VELAN INC: APPLICATION: LPSTEAM DRAIN LINE BIMETALLIC STEAM TRAP; DN50; SW; 10.34BAR M AXPRESSURE; 343DEG C MAX TEMPERATURE; 27.57BAR HYDROSTATIC TEST PRESSURE;5/16IN ORIFICE DIA; VELAN; POS: 7; KKS CODE: 10/20/30NAA21/ 22/30/41/42AT501	15	EA				
3	3600049782		TRAP_STEAM; SIZE/CONNECTION: 50MM BW; PRESSURE RATING: 300LB; TYPE:BIMETALLIC; TEMPERATURE RATING: 537DEG C; MFR: VELAN INC: ADDITI	1	EA				



RFQ NUMBER : 2012504432

DATE : 09.09.2025

REQ No : 1012504750

REQ TITLE : supply of spares at M station

DELIVERY LOCATION: 0022 - M STORE

CLOSING DATE : 17.09.2025

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ONALINFO: MAX. ALLOWABLE PRESSURE RATING: 675PSI; HYDROSTATIC TEST PRESSURERATING: 1350PSI; ORIFICE DIA: 5/16IN; COMPLETE ASSY; AP P LICATION: IPEXTRACTION STEAM DRAIN LINE; DWG: (SHEET 2) SHEET 2 OF 5 SHEET 2 OF 5;O/NO: 12488-08; KKS CODE: 10/20/30LBG10AT502						
4	3600049787		GASKET_MFR: VELAN INC: APPLICATION: IP EXTRACTION STEAM DRAIN LINEBIMETALLIC STEAM TRAP; 50MM; BW; 300LB; 5/16IN DIA ORIFICE; 675PS I (MAXALLOWABLE); 1350PSI (HYDROSTATIC TEST); 537DEG C (MAX ALLOWABLE); VELAN;ITEM: 23; ORDER NO: 12488-08; KKS CODE: 10/20/30LBG1 0 AT502		EA				
5	3600049800		GASKET_TYPE: COVER; MFR: VELAN INC: APPLICATION: IP STEAM DRAIN LINEBIMETALLIC STEAM TRAP; 25MM; BW; 300LB; 1/2IN DIA ORIFICE; 20.5 BAR (MAXALLOWABLE); 41.5BAR (HYDROSTATIC TEST); 454DEG C (MAX ALLOWABLE); VELAN;POS: 11; KKS CODE: 10/20/30LBG61AT501; 11/12/21/22 / 31/32LBG62AT501	8	EA				



RFQ NUMBER : 2012504432

DATE : 09.09.2025

REQ No : 1012504750

REQ TITLE : supply of spares at M station

DELIVERY LOCATION: 0022 - M STORE

CLOSING DATE : 17.09.2025

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
6	3600049802		GASKET_MFR: VELAN INC: APPLICATION: IP STEAM DRAIN LINE BIMETALLIC STEAMTRAP; 25MM; BW; 300LB; 1/2IN DIA ORIFICE; 20.5BAR (MAX ALLO WABLE);41.5BAR (HYDROSTATIC TEST); 454DEG C (MAX ALLOWABLE); VELAN; POS: 23;KKS CODE: 10/20/30LBG61AT501; 11/12/21/22/31/32LBG62AT 5 01	8	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

supply of spares at M station. COC required from OEM

contact:

shabbir.enulhaque@dewa.gov 043225969

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams



RFQ NUMBER : 2012504432

DATE : 09.09.2025

REQ No : 1012504750

REQ TITLE : supply of spares at M station

DELIVERY LOCATION: 0022 - M STORE

CLOSING DATE : 17.09.2025

CLOSING TIME : 10:00:00

- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS:

SUPPLIER'S SIGNATURE AND STAMP