

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504618
DATE : 17.09.2025
REQ No : 1012504720
REQ TITLE : spare Current Transformers
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 23.09.2025
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|-------------|
| 1 | 2700080463 | | TRANSFORMER_CURRENT; AMP RATIO: 12000/1A; FREQUENCY RATING: 50HZ;CONNECTION: SCREW TERMINAL; BURDEN: 30VA; INPUT CURRENT: 12000A; OU TPUTCURRENT: 1A; TYPE: TORROIDAL, RESIN INSULATED; ACCURACY CLASS: TPZ;STANDARD: IEC 60044-1; BIL RATING: 24/50/125KV; MFR: CGS INST RUMENTTRANSFORMERS; MPN: GME6024533P0001, ADDITIONAL INFO: FOR INDOOR SPECIALUSE; INSULATION CLASS: F; RESISTANCE: <42OHM; R-B: 30 O HM; K-SCC:9.83;K-TD: 2.5; T-P:0.3SEC; T-S: 0.06 SEC THERMAL CURRENT RATING: 118/1KA/SEC; APPLICATION: STEAM TURBINE GENERATOR; SERIA L NO: 08/447801605 | 2 | EA | | | | |
| 2 | 2700080464 | | TRANSFORMER_CURRENT; AMP RATIO: 12000/1A; FREQUENCY RATING: 50HZ;CONNECTION: SCREW TERMINAL; BURDEN: 30VA; INPUT CURRENT: 12000A; OU TPUTCURRENT: 1A; TYPE: TORROIDAL, RESIN INSULATED; ACCURACY CLASS: 5P20;STANDARD: | 1 | EA | | | | |

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504618
DATE : 17.09.2025
REQ No : 1012504720
REQ TITLE : spare Current Transformers
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 23.09.2025
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|-------------|
| | | | IEC 60044-1; BIL RATING: 24/50/125KV; MFR: CGS INS TRUMENTTRANSFORMERS; MPN: GME6024533P0002, ADDITIONAL INFO: FOR INDOOR SPECIALUSE; INSULATION CLASS: F; RESISTANCE: <60 OHM; THERMAL CURRENT RATING:118/1 KA/1 SEC; APPLICATION: STEAM TURBINE GENERATOR; SERIAL NO:08/447801702 | | | | | | |
| 3 | 2700080465 | | TRANSFORMER_CURRENT; AMP RATIO: 12000/1A; FREQUENCY RATING: 50HZ;CONNECTION: SCREW TERMINAL; BURDEN: 30VA; INPUT CURRENT: 12000A; OU TPUTCURRENT: 1A; TYPE: TORROIDAL, RESIN INSULATED; ACCURACY CLASS: PX;STANDARD: IEC 60044-1; BIL RATING: 24/50/125KV; MFR: CGS INSTR UMENTTRANSFORMERS; MPN: GME6024533P0003; ADDITIONAL INFO: FOR INDOOR SPECIALUSE; INSULATION CLASS: F; KNEE POINT VOLTAGE: 2000V; I-K <5MA; RESISTANCE<60 OHM; SHORT-TIME THERMAL CURRENT RATING: 118/1KA/1 SEC; EXT: 100%;APPLICATION: STEAM TURBINE GENERATOR; | 1 | EA | | | | |

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504618
DATE : 17.09.2025
REQ No : 1012504720
REQ TITLE : spare Current Transformers
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 23.09.2025
CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|-------------|
| | | | SERIAL NO : 08/447801203 | | | | | | |
| 4 | 2700080466 | | TRANSFORMER_CURRENT; AMP RATIO: 12000/1A; FREQUENCY RATING: 50HZ;CONNECTION: SCREW TERMINAL; BURDEN: 30VA; INPUT CURRENT: 12000A; OU TPUTCURRENT: 1A; TYPE: TORROIDAL, RESIN INSULATED; ACCURACY CLASS: 0.2FS10;STANDARD: IEC 60044-1; BIL RATING: 24/50/125KV; MFR: CGS INSTRUMENTTRANSFORMERS; MPN: GME6024533P0004, ADDITIONAL INFO: FOR INDOOR SPECIALUSE; INSULATION CLASS: F; THERMAL CURRENT RATING: 1 18/1 KA/1 SEC;APPLICATION: STEAM TURBINE GENERATOR; SERIAL NO: 08/447801505 | 3 | EA | | | | |

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

spare Current Transformers

STANDARD TERMS & CONDITIONS

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012504618
DATE : 17.09.2025
REQ No : 1012504720
REQ TITLE : spare Current Transformers
DELIVERY LOCATION : 0022 - M STORE
CLOSING DATE : 23.09.2025
CLOSING TIME : 10:00:00

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP