

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2900000328		BELT_V; BELT NUMBER: B75; TOP WIDTH: 17MM; THICKNESS: 11MM; OUTSIDECIRCUMFERENCE: 1975MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMFERENCE: 1905MM; DATUM LENGTH: 1945MM; MFR: DUNLOP AUTOMOTIVE: MPN:B75: ADDITIONAL INFO: SECTION: B; ANY STD BRAND	10	EA				
2	2300032290		BELT_V; BELT NUMBER: SPA1750; TOP WIDTH: 12.7MM; THICKNESS: 10MM;OUTSIDE CIRCUMFERENCE: 1768MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; INSIDE CIRCUMFERENCE: 1705MM; DATUM LENGTH: 1750MM; MFR: DUNLOPAUTOMOTIVE: MPN: SPA1750: MFR: OPTIBELT GMBH: MPN: SPA1750: ADDITIO N ALINFO: SECTION: SPA	25	EA				
3	2300016935		BELT_V; BELT NUMBER: B82; TOP WIDTH: 17MM; THICKNESS: 11MM; OUTSIDECIRCUMFERENCE: 2153MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMFERENCE: 2083MM; DATUM LENGTH: 2123MM; MFR: DUNLOP AUTOMOTIVE: MPN:B82: MFR: OPTIBELT GMBH: MPN: B82: ADDITIONAL INFO:	10	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SECTION: B						
4	2300016582		BELT_V; BELT NUMBER: SPB2500; TOP WIDTH: 16.3MM; THICKNESS: 13MM;OUTSIDE CIRCUMFERENCE: 2522MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; INSIDE CIRCUMFERENCE: 2440MM; DATUM LENGTH: 2500MM; MFR: DUNLOPAUTOMOTIVE: MPN: SPB2500: MFR: OPTIBELT GMBH: MPN: SPB2500: ADDITIO N ALINFO: SECTION: SPB; EQUIVALENT	5	EA				
5	2300016558		BELT_V; BELT NUMBER: SPA1500; TOP WIDTH: 12.7MM; THICKNESS: 10MM;OUTSIDE CIRCUMFERENCE: 1518MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; INSIDE CIRCUMFERENCE: 1455MM; DATUM LENGTH: 1500MM; MFR: DUNLOPAUTOMOTIVE: MPN: SPA1500: MFR: OPTIBELT GMBH: MPN: SPA1500: MFR: FE N NERDRIVES INC: MPN: SPA1500: ADDITIONAL INFO: SECTION: SPA	35	EA				
6	2300016552		BELT_V; BELT NUMBER: SPA1050; TOP WIDTH: 12.7MM; THICKNESS: 10MM;MATERIAL: PBR; TYPE: WRAPPED WEDGE; DATUM LENGTH: 1050MM; MFR:	75	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			DUN LOPAUTOMOTIVE: MPN: SPA1050: MFR: OPTIBELT GMBH: MPN: SPA1050: MFR: FENNERDRIVES INC: MPN: SPA1050: ADDITIONAL INFO: SECTION: SPA						
7	2300007278		BELT_V; BELT NUMBER: SPZ1400; TOP WIDTH: 9.7MM; THICKNESS: 8MM; OUTSIDECIRCUMFERENCE: 1413MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; I NSIDECIRCUMFERENCE: 1362MM; DATUM LENGTH: 1400MM; MFR: DUNLOP AUTOMOTIVE:MPN: SPZ1400: MFR: OPTIBELT GMBH: MPN: SPZ1400: MFR: FENN E R DRIVES INC:MPN: SPZ1400: ADDITIONAL INFO: SECTION: SPZ	20	EA				
8	2300001256		BELT_V; BELT NUMBER: A46; TOP WIDTH: 13MM; THICKNESS: 8MM; OUTSIDECIRCUMFERENCE: 1218MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUM FERENCE: 1168MM; DATUM LENGTH: 1198MM; MFR: DUNLOP AUTOMOTIVE: MPN:A46: ADDITIONAL INFO: SECTION: A	30	EA				
9	2200011959		V BELT; BX 43; BLOWER BELT; DUNLOP MAKE OR EQUIVALENT	5	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
10	2200011275		V BELT; A 62; BLOWER BELT;# DUNLOP MAKE OR EQUIVALENT	15	EA				
11	2200011060		BELT;BLOWER BELTS; V-BELT; BX 48; DUNLOP MAKE OR EQUIVALENT	10	EA				
12	2200011058		BELT;# BLOWER BELT; 5VX450; LENGTH: 45 INCH; LENGTH TYPE : OUTSIDECIRCUMFERENCE;V-BELT CROSS SECTION:5VX	10	EA				
13	2200010673		V-BELT; BLOWER BELT;# BX 61 ; DUNLOP MAKE OR EQUIVALENT	15	EA				
14	2200010670		V-BELT; BLOWER BELT;# BX 55 ; DUNLOP MAKE OR EQUIVALENT	10	EA				
15	2200010369		BELT; BLOWER BELT; 5VX610; LENGTH: 61 INCH; LENGTH TYPE : OUTSIDECIRCUMFERENCE; V-BELT CROSS SECTION:5VX	10	EA				
16	2200010368		BELT; BLOWER BELT; 5VX590;LENGTH: 59 INCH; LENGTH TYPE : OUTSIDECIRCUMFERENCE; V-BELT CROSS SECTION:5VX	10	EA				
17	2200010154		BELT; BLOWER BELT; TYPE: BX 71; BROWNING MAKE OR EQUIVALENT FOR PETRAPACKAGE AC -PPHC SERIES	10	EA				
18	2200009823		V-BELT - SPZ 1187; BLOWER BELTS; DUNLOP MAKE OR EQUIVALENT	20	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
19	2200008402		BELT_V; BELT NUMBER: SPB4120; TOP WIDTH: 16.3MM; THICKNESS: 13MM;OUTSIDE CIRCUMFERENCE: 4142MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; INSIDE CIRCUMFERENCE: 4060MM; DATUM LENGTH: 4120MM; MFR: DUNLOPAUTOMOTIVE; MPN: SPB4120; ADDITIONAL INFO: SECTION: SPB; APPLICATION :BLOWER	10	EA				
20	2200007197		BELT_V; BELT NUMBER: SPA1682; TOP WIDTH: 12.7MM; THICKNESS: 10MM;OUTSIDE CIRCUMFERENCE: 1700MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; INSIDE CIRCUMFERENCE: 1637MM; DATUM LENGTH: 1682MM; MFR: DUNLOPAUTOMOTIVE; MPN: SPA1682; ADDITIONAL INFO: SECTION: SPA; APPLICATION :BLOWER	21	EA				
21	2200006688		BELT_V; BELT NUMBER: B52; TOP WIDTH: 17MM; THICKNESS: 11MM; OUTSIDE CIRCUMFERENCE: 1391MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMFERENCE: 1321MM; DATUM LENGTH: 1361MM;	14	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MFR: DUNLOP AUTOMOTIVE: MPN:B52: ADDITIONAL INFO: SECTION: B						
22	2200006437		BELT_V; BELT NUMBER: B64; TOP WIDTH: 17MM; THICKNESS: 11MM; OUTSIDECIRCUMFERENCE: 1696MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMFERENCE: 1626MM; DATUM LENGTH: 1666MM; MFR: DUNLOP AUTOMOTIVE: MPN:B64: ADDITIONAL INFO: SECTION: B	15	EA				
23	2200006433		BELT_V; BELT NUMBER: SPZ1070; TOP WIDTH: 9.7MM; THICKNESS: 8MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; DATUM LENGTH: 1010MM; MFR: DUNLOP AUTOMOTIVE: MPN: SPZ1070: ADDITIONAL INFO: SECTION: SPZ	60	EA				
24	2200006214		BELT_V; BELT NUMBER: SPZ987; TOP WIDTH: 9.7MM; THICKNESS: 8MM; OUTSIDECIRCUMFERENCE: 1000MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; INSIDECIRCUMFERENCE: 949MM; DATUM LENGTH: 987MM; MFR: DUNLOP AUTOMOTIVE: MPN:SPZ987: ADDITIONAL INFO: SECTION: SPZ	30	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
25	2200006205		BELT_V; BELT NUMBER: A38; TOP WIDTH: 13MM; THICKNESS: 8MM; OUTSIDECIRCUMFERENCE: 1015MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUM FERENCE: 965MM; DATUM LENGTH: 995MM; MFR: DUNLOP AUTOMOTIVE: MPN: A38:ADDITIONAL INFO: SECTION: A	10	EA				
26	2200006204		BELT_V; BELT NUMBER: A31; TOP WIDTH: 13MM; THICKNESS: 8MM; OUTSIDECIRCUMFERENCE: 837MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMF ERENCE: 787MM; DATUM LENGTH: 817MM; MFR: DUNLOP AUTOMOTIVE: MPN: A31:ADDITIONAL INFO: SECTION: A	10	EA				
27	2200006203		BELT_V; BELT NUMBER: A56; TOP WIDTH: 13MM; THICKNESS: 8MM; OUTSIDECIRCUMFERENCE: 1472MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUM FERENCE: 1422MM; DATUM LENGTH: 1452MM; MFR: DUNLOP AUTOMOTIVE: MPN:A56: ADDITIONAL INFO: SECTION: A	10	EA				
28	2200005495		BELT_V; BELT NUMBER: SPA1425; TOP WIDTH: 12.7MM; THICKNESS: 10MM;OUTSIDE	15	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CIRCUMFERENCE: 1443MM; MATERIAL: RUBBER; TYPE: WRAPPED WEDGE; INSIDE CIRCUMFERENCE: 1380MM; DATUM LENGTH: 1425MM; MFR: DUNLOPAUTOMOTIVE: MPN: SPA1425; ADDITIONAL INFO: SECTION: SPA						
29	2200003895		V-BELT - SPB 1400; BLOWER BELTS	15	EA				
30	2200003891		BELT_V; BELT NUMBER: SPB1320; TOP WIDTH: 16.3MM; THICKNESS: 13MM;OUTSIDE CIRCUMFERENCE: 1342MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; INSIDE CIRCUMFERENCE: 1260MM; DATUM LENGTH: 1320MM; MFR: DUNLOPAUTOMOTIVE: MPN: SPB1320; MFR: OPTIBELT GMBH; MPN: SPB1320; ADDITIONAL ALINFO: SECTION: SPB; APPLICATION: BLOWER	10	EA				
31	2200003887		BELT_V; BELT NUMBER: SPB2060; TOP WIDTH: 16.3MM; THICKNESS: 13MM;OUTSIDE CIRCUMFERENCE: 2082MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; INSIDE CIRCUMFERENCE: 2000MM; DATUM LENGTH: 2060MM; MFR: DUNLOPAUTOMOTIVE: MPN: SPB2060; MFR: OPTIBELT GMBH; MPN: SPB2060; ADDITIONAL	10	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ALINFO: SECTION: SPB; APPLICATION: BLOWER						
32	2200003886		BELT_V; BELT NUMBER: SPA2300; TOP WIDTH: 12.7MM; THICKNESS: 10MM;OUTSIDE CIRCUMFERENCE: 2318MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; INSIDE CIRCUMFERENCE: 2255MM; DATUM LENGTH: 2300MM; MFR: DUNLOPAUTOMOTIVE: MPN: SPA2300: MFR: OPTIBELT GMBH: MPN: SPA2300: ADDITIO N ALINFO: SECTION: SPA; APPLICATION: BLOWER	30	EA				
33	2200003885		BELT_V; BELT NUMBER: SPA1850; TOP WIDTH: 12.7MM; THICKNESS: 10MM;OUTSIDE CIRCUMFERENCE: 1868MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; INSIDE CIRCUMFERENCE: 1805MM; DATUM LENGTH: 1850MM; MFR: DUNLOPAUTOMOTIVE: MPN: SPA1850: MFR: OPTIBELT GMBH: MPN: SPA1850: ADDITIO N ALINFO: SECTION: SPA; APPLICATION: BLOWER	50	EA				
34	2200003879		BELT_V; BELT NUMBER: SPA1257; TOP WIDTH: 12.7MM; THICKNESS: 10MM;OUTSIDE CIRCUMFERENCE: 1275MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE;	30	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			INSIDE CIRCUMFERENCE: 1212MM; DATUM LENGTH: 1257MM; MFR: DUNLOPAUTOMOTIVE: MPN: SPA1257: MFR: OPTIBELT GMBH: MPN: SPA1257: ADDITIO N ALINFO: SECTION: SPA; APPLICATION: BLOWER						
35	2200003870		BELT_V; BELT NUMBER: SPA800; TOP WIDTH: 12.7MM; THICKNESS: 10MM; OUTSIDECIRCUMFERENCE: 818MM; MATERIAL: PBR; TYPE: WRAPPED WEDGE; I NSIDECIRCUMFERENCE: 755MM; DATUM LENGTH: 800MM; MFR: DUNLOP AUTOMOTIVE: MPN:SPA800: MFR: OPTIBELT GMBH: MPN: SPA800: ADDITIONAL IN F O: SECTION: SPA;APPLICATION: BLOWER	5	EA				
36	2200003864		BELT_V; BELT NUMBER: BX47; TOP WIDTH: 17MM; THICKNESS: 11MM; OUTSIDECIRCUMFERENCE: 1264MM; MATERIAL: PBR; TYPE: RAW EDGE COGGED; IN SIDECIRCUMFERENCE: 1194MM; DATUM LENGTH: 1234MM; MFR: DUNLOP AUTOMOTIVE:MPN: BX47: ADDITIONAL INFO: SECTION: BX; APPLICATION: BLOW E R	10	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
37	2200003859		BELT_V; BELT NUMBER: B61; TOP WIDTH: 17MM; THICKNESS: 11MM; OUTSIDECIRCUMFERENCE: 1619MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMFERENCE: 1549MM; DATUM LENGTH: 1589MM; MFR: DUNLOP AUTOMOTIVE: MPN:B61: ADDITIONAL INFO: SECTION: B; APPLICATION: BLOWER	10	EA				
38	2200003852		BELT_V; BELT NUMBER: B42; TOP WIDTH: 17MM; THICKNESS: 11MM; OUTSIDECIRCUMFERENCE: 1137MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMFERENCE: 1067MM; DATUM LENGTH: 1107MM; MFR: DUNLOP BTL LTD: MPN: B42:ADDITIONAL INFO: SECTION: B; APPLICATION: BLOWER	10	EA				
39	2200003845		BELT_V; BELT NUMBER: B60; TOP WIDTH: 17MM; THICKNESS: 11MM; OUTSIDECIRCUMFERENCE: 1594MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMFERENCE: 1524MM; DATUM LENGTH: 1564MM; MFR: DUNLOP AUTOMOTIVE: MPN:B60: ADDITIONAL INFO: SECTION: B; APPLICATION: BLOWER	30	EA				
40	2200003840		BELT_V; BELT NUMBER: B45; TOP WIDTH: 17MM; THICKNESS: 11MM; OUTSIDECIRCUMFERENCE:	10	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			1213MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMFERENCE: 1143MM; DATUM LENGTH: 1183MM; MFR: DUNLOP AUTOMOTIVE: MPN:B45: ADDITIONAL INFO: SECTION: B; APPLICATION: BLOWER						
41	2200003838		BELT_V; BELT NUMBER: B41; TOP WIDTH: 17MM; THICKNESS: 11MM; OUTSIDE CIRCUMFERENCE: 1111MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMFERENCE: 1041MM; DATUM LENGTH: 1081MM; MFR: DUNLOP AUTOMOTIVE: MPN:B41: ADDITIONAL INFO: SECTION: B; APPLICATION: BLOWER	15	EA				
42	2200003833		BELT_V; BELT NUMBER: A48; TOP WIDTH: 13MM; THICKNESS: 8MM; OUTSIDE CIRCUMFERENCE: 1269MM; MATERIAL: PBR; TYPE: WRAPPED; INSIDE CIRCUMFERENCE: 1219MM; DATUM LENGTH: 1249MM; MFR: DUNLOP AUTOMOTIVE: MPN:A48: ADDITIONAL INFO: SECTION: A; APPLICATION: BLOWER	20	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

**SPECIAL NOTES / INSTRUCTIONS:**

**MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.**

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012504673  
**DATE** : 18.09.2025  
**REQ No** : 1012504481  
**REQ TITLE** : V belts 1012504481  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 24.09.2025  
**CLOSING TIME** : 10:00:00

V belts

### **STANDARD TERMS & CONDITIONS**

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**