

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506210  
**DATE** : 11.12.2025  
**REQ No** : 1012506696  
**REQ TITLE** : Light fittings 1012506696  
**DELIVERY LOCATION** : 0051 - CS WRSN, TRNSMSN  
**CLOSING DATE** : 15.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700129540		WEATHER PROOF LIGHT FITTING WITH LED MODULE; IP66; 5 FEET; 50W; SUITABLEFOR 220-240V AC ELECTRICAL SUPPLY; CRI 80; CCT 4000K; 120-125LUMENS/W;DUST TIGHT; SURFACE/WALL/CEILING MOUNTING TYPE; SHOCK/VANDALRESISTANT;HOUSING MADE FROM POLYESTER GRP IN RAL7035 GREY WI THINTEGRATED SHEET STEEL REMOVABLE GEAR TRAY SUPPORTS AND DEEP POUREDPOLYURETHANE GASKET; UV STABILIZED FIRE-RETARDANT POLYCARBONATE DIFFUSER; CLIPS WITH INTEGRAL LOCKING SCREW FUNCTION; STAINLESS STEEL(GRADE 501) MOUNTING BRACKETS AND 50000 LIFE HOURS LIFE AND 5 Y EARSWARRANTY	200	EA				
2	2700129541		WEATHER PROOF LIGHT FITTING WITH LED MODULE; IP66; 5 FEET; 50W; SUITABLEFOR 220-240V AC ELECTRICAL SUPPLY (FOR NORMAL OPERATION) PL US 110V DCSUPPLY FED FROM CENTRAL BATTERY BACK UP (FOR EMERGENCY LIGHTING);COMPLETE	200	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506210  
**DATE** : 11.12.2025  
**REQ No** : 1012506696  
**REQ TITLE** : Light fittings 1012506696  
**DELIVERY LOCATION** : 0051 - CS WRSN, TRNSMSN  
**CLOSING DATE** : 15.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			WITH INTEGRAL INVERTER, AC HOLD OFF RELAY, CONT ROL GEAR, LEDDRIVER MODULE & OPTICAL COVER; CRI 80; CCT 4000K; 120-125LUMENS/W; DUSTTIGHT; SURFACE/WALL/CEILING MOUNTING TYPE; SHOC K/VANDALRESISTANT;HOUSING MADE FROM POLYESTER GRP IN RAL7035 GREY WITHINTEGRATED SHEET STEEL REMOVABLE GEAR TRAY SUPPORTS AND DEEP P OURED POLYURETHANE GASKET; UV STABILIZED FIRE-RETARDANT POLYCARBONATEDIFFUSER; CLIPS WITH INTEGRAL LOCKING SCREW FUNCTION; STAINLESS STEEL(GRADE 501) MOUNTING BRACKETS, ABLE TO DETECT AC MAINS FAIL FROMUNSWITCHED PHASE SENSING WIRE AND 50000 LIFE HOURS LIFE AND 5 Y EARSWARRANTY						
3	2700129542		WEATHER PROOF LIGHT FITTING WITH LED MODULE; IP66; 5 FEET; 50W; SUITABLEFOR 220-240V AC ELECTRICAL SUPPLY (FOR NORMAL OPERATION) PL	300	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506210  
**DATE** : 11.12.2025  
**REQ No** : 1012506696  
**REQ TITLE** : Light fittings 1012506696  
**DELIVERY LOCATION** : 0051 - CS WRSN, TRNSMSN  
**CLOSING DATE** : 15.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			US DC SUPPLYBY SELF CONTAINED SELF SUSTAINED BATTERY INTEGRAL WITH THE FITTING (FOREMERGENCY LIGHTING); COMPLETE WITH INTEGRAL INVE RTER, AC HOLD OFF RELAY,CONTROL GEAR, LED DRIVER MODULE & OPTICAL COVER; CRI 80; CCT 4000K;120-125LUMENS/W; DUST TIGHT; SURFACE/WAL L/CEILING MOUNTING TYPE;SHOCK/VANDAL RESISTANT;HOUSING MADE FROM POLYESTER GRP IN RAL7035 GREYWITH INTEGRATED SHEET STEEL REMOVABLE GEAR TRAY SUPPORTS AND DEEP POURED POLYURETHANE GASKET; UV STABILIZED FIRE-RETARDANT POLYCARBONATEDIFFUSER; CLIPS WITH INTEGRAL LOCKI NG SCREW FUNCTION; STAINLESS STEEL(GRADE 501) MOUNTING BRACKETS, ABLE TO DETECT AC MAINS FAIL FROMUNSWITCHED PHASE SENSING WIRE; DUR ATION MIN 3 HOURS WITH DC AND 50000LIFE HOURS LIFE AND 5 YEARS WARRANTY						
4	2700129544		WEATHER PROOF LIGHT FITTING WITH LED	50	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506210  
**DATE** : 11.12.2025  
**REQ No** : 1012506696  
**REQ TITLE** : Light fittings 1012506696  
**DELIVERY LOCATION** : 0051 - CS WRSN, TRNSMSN  
**CLOSING DATE** : 15.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>MODULE; IP66; 4 FEET; 36W; SUITABLE FOR 220-240V AC ELECTRICAL SUPPLY (FOR NORMAL OPERATION) PL</p> <p>US 110V DC SUPPLY FED FROM CENTRAL BATTERY BACK UP (FOR EMERGENCY LIGHTING); COMPLETE WITH INTEGRAL INVERTER, AC HOLD OFF RELAY, CONT</p> <p>ROL GEAR, LED DRIVER MODULE &amp; OPTICAL COVER; CRI 80; CCT 4000K; 120-125 LUMENS/W; DUST TIGHT; SURFACE/WALL/CEILING MOUNTING TYPE; SHOCK</p> <p>VANDAL RESISTANT; HOUSING MADE FROM POLYESTER GRP IN RAL 7035 GREY WITH INTEGRATED SHEET STEEL REMOVABLE GEAR TRAY SUPPORTS AND DEEP PROFILED POLYURETHANE GASKET; UV STABILIZED FIRE-RETARDANT POLYCARBONATE DIFFUSER; CLIPS WITH INTEGRAL LOCKING SCREW FUNCTION; STAINLESS</p> <p>STEEL (GRADE 501) MOUNTING BRACKETS, ABLE TO DETECT AC MAINS FAIL FROM UNSWITCHED PHASE SENSING WIRE AND 50000 LIFE HOURS LIFE AND 5</p>						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506210  
**DATE** : 11.12.2025  
**REQ No** : 1012506696  
**REQ TITLE** : Light fittings 1012506696  
**DELIVERY LOCATION** : 0051 - CS WRSN, TRNSMSN  
**CLOSING DATE** : 15.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			YEARSWARRANTY						
5	2700129545		WEATHER PROOF LIGHT FITTING WITH LED MODULE; IP66; 4 FEET; 36W; SUITABLEFOR 220-240V AC ELECTRICAL SUPPLY (FOR NORMAL OPERATION) PL US DC SUPPLYBY SELF CONTAINED SELF SUSTAINED BATTERY INTEGRAL WITH THE FITTING (FOREMERGENCY LIGHTING); COMPLETE WITH INTEGRAL INVE RTER, AC HOLD OFF RELAY,CONTROL GEAR, LED DRIVER MODULE & OPTICAL COVER; CRI 80; CCT 4000K;120-125LUMENS/W; DUST TIGHT; SURFACE/WAL L/CEILING MOUNTING TYPE;SHOCK/VANDAL RESISTANT;HOUSING MADE FROM POLYESTER GRP IN RAL7035 GREYWITH INTEGRATED SHEET STEEL REMOVABLE GEAR TRAY SUPPORTS AND DEEP POURED POLYURETHANE GASKET; UV STABILIZED FIRE-RETARDANT POLYCARBONATEDIFFUSER; CLIPS WITH INTEGRAL LOCKI NG SCREW FUNCTION; STAINLESS STEEL(GRADE 501) MOUNTING BRACKETS, ABLE TO DETECT AC	100	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506210  
**DATE** : 11.12.2025  
**REQ No** : 1012506696  
**REQ TITLE** : Light fittings 1012506696  
**DELIVERY LOCATION** : 0051 - CS WRSN, TRNSMSN  
**CLOSING DATE** : 15.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MAINS FAIL FROM UNSWITCHED PHASE SENSING WIRE; DURATION MIN 3 HOURS WITH DC AND 50000 LIFE HOURS LIFE AND 5 YEARS WARRANTY						
6	2700130118		LED HIGH BAY LIGHT FITTING; 134W; CCT 4000K; CRI >= 80; IP65; UNIVERSAL VOLTAGE: 120-277V; # LUMINOUS FLUX 18000 LUMENS; MAKE: EATON COOPER; MODEL: STEELER METALUX; EXTRA WIDE BEAM SUSPENSION; # COMPACT LED HIGH BAY INDUSTRIAL LUMINAIRE WITH OPTICS; WORKING HOURS 50000 OR MORE ; WITH 5 YEAR WARRANTY; HOUSING: DIE CAST ALUMINIUM; HOUSING COLOR: WHITE POLYESTER POWDER COATED FINISH; DIFFUSER: HIGH IMPACT POLYCARBONATE; ELECTRONIC DRIVER; 0-10V DIMMING DRIVER	5	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

### SPECIAL NOTES / INSTRUCTIONS:

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506210  
**DATE** : 11.12.2025  
**REQ No** : 1012506696  
**REQ TITLE** : Light fittings 1012506696  
**DELIVERY LOCATION** : 0051 - CS WRSN, TRNSMSN  
**CLOSING DATE** : 15.12.2025  
**CLOSING TIME** : 10:00:00

Light fittings

### **STANDARD TERMS & CONDITIONS**

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
  - 2) Quotation to be submitted only in local currency U.A.E Dirhams
  - 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
  - 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
  - 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
  - 6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.
- If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements
- The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506210  
**DATE** : 11.12.2025  
**REQ No** : 1012506696  
**REQ TITLE** : Light fittings 1012506696  
**DELIVERY LOCATION** : 0051 - CS WRSN, TRNSMSN  
**CLOSING DATE** : 15.12.2025  
**CLOSING TIME** : 10:00:00

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**