

RFQ NUMBER : 2012506368

DATE : 19.12.2025

REQ No : 1012506907

REQ TITLE : Eyebolts and Eyenuts for H-St

DELIVERY LOCATION: 0020 - H1 STORES, AWEER

CLOSING DATE : 25.12.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|----------------|
| 1 | 3600082589 | | EYEBOLT; LOAD CAPACITY: 0.16 TON; BOLT SIZE: M8; SHANK LENGTH:16 MM; GRADE 6 HIGH TENSILE STEEL BODY AND PIN; QUENCHED AND TEMPERED; HOTDIPPED GALVANISED FINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUM BREAKING LOAD SHALL BE 6 TIMES THE W.L.L.; MARK E D WITH CE; W.L.L; MANUFACTURES ID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE INACCORDANCE WITH EN 10204-2.1 OR 2.2; MANUFACTURE R TEST CERTIFICATE; PROOF LOAD TEST CERTIFICATE; MAKE: TAIYO | 8 | EA | | | | |
| 2 | 3600082590 | | EYEBOLT; LOAD CAPACITY: 0.45 TON; BOLT SIZE: M10; SHANK LENGTH:16 MM; GRADE 6 HIGH TENSILE STEEL BODY AND PIN; QUENCHED AND TEMPERED; HOTDIPPED GALVANISED FINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUM BREAKING LOAD SHALL BE 6 TIMES THE W.L.L.; MAR K ED WITH CE; W.L.L.; MANUFACTURES ID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE | ω | EA | | | | |



RFQ NUMBER : 2012506368

DATE : 19.12.2025

REQ No : 1012506907

REQ TITLE : Eyebolts and Eyenuts for H-St

DELIVERY LOCATION: 0020 - H1 STORES, AWEER

CLOSING DATE : 25.12.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | INACCORDANCE WITH EN 10204-2.1 OR 2.2; MANUFACTUR ER TEST CERTIFICATE;PROOF LOAD TEST CERTIFICATE; MAKE: TAIYO | | | | | | |
| 3 | 3600082588 | | EYEBOLT; LOAD CAPACITY: 0.45 TON; BOLT SIZE: M12; SHANK LENGTH:24 MM;GRADE 6 HIGH TENSILE STEEL BODY AND PIN; QUENCHED AND TEMPERED; HOTDIPPED GALVANISED FINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889;MINIMUM BREAKING LOAD SHALL BE 6 TIMES THE W.L.L.; MAR K ED WITH CE;W.L.L; MANUFACTURES ID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE INACCORDANCE WITH EN 10204-2.1 OR 2.2; MANUFACTUR ER TEST CERTIFICATE; PROOF LOAD TEST CERTIFICATE; MAKE: TAIYO | 8 | EA | | | | |
| 4 | 3600082641 | | EYEBOLT; LOAD CAPACITY: 0.63 TON; BOLT SIZE: M16; SHANK LENGTH:28 MM;GRADE 6 HIGH TENSILE STEEL BODY AND PIN; QUENCHED AND TEMPERED; HOTDIPPED GALVANISED FINISH; MEETS THE | 8 | EA | | | | |



RFQ NUMBER : 2012506368

DATE : 19.12.2025

REQ No : 1012506907

REQ TITLE : Eyebolts and Eyenuts for H-St

DELIVERY LOCATION: 0020 - H1 STORES, AWEER

CLOSING DATE : 25.12.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE | | |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|----------------|--|--|
| | | | W.L.L.; REQUIREMENT OF BS EN 13889;MINIMUM BREAKING LOAD SHALL BE 6 TIMES THE W.L.L.; MAR K ED WITH CE;W.L.L; MANUFACTURES ID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE INACCORDANCE WITH EN 10204-2.1 OR 2.2; MANUFACTUR ER TEST CERTIFICATE;PROOF LOAD TEST CERTIFICATE; MAKE: TAIYO | | | | | | | | |
| 5 | 3600082647 | | EYEBOLT; LOAD CAPACITY: 1.2 TON; BOLT SIZE: M20; SHANK LENGTH:75 MM; GRADE 6 HIGH TENSILE STEEL BODY AND PIN; QUENCHED AND TEMPERED; HOTDIPPED GALVANISED FINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUM BREAKING LOAD SHALL BE 6 TIMES THE W.L.L.; MARK E D WITH CE; W.L.L.; MANUFACTURES ID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE INACCORDANCE WITH EN 10204-2.1 OR 2.2; MANUFACTURE R TEST CERTIFICATE; PROOF LOAD TEST CERTIFICATE; MAKE: TAIYO | 8 | EA | | | | | | |



RFQ NUMBER : 2012506368

DATE : 19.12.2025

REQ No : 1012506907

REQ TITLE : Eyebolts and Eyenuts for H-St

DELIVERY LOCATION: 0020 - H1 STORES, AWEER

CLOSING DATE : 25.12.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|----------------|
| 6 | 3600082652 | | EYEBOLT; LOAD CAPACITY: 1.5 TON; BOLT SIZE: M24; GRADE 6 HIGH TENSILESTEEL BODY AND PIN; QUENCHED AND TEMPERED; HOT DIPPED GALVANIS EDFINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUM BREAKINGLOAD SHALL BE 6 TIMES THE W.L.L.; MARKED WITH CE; W.L.L; M A NUFACTURESID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE IN ACCORDANCE WITH EN10204-2.1 OR 2.2; MANUFACTURER TEST CERTIFICATE; PRO OF LOAD TESTCERTIFICATE; MAKE: TAIYO | 8 | EA | | | | |
| 7 | 3600082654 | | EYEBOLT; LOAD CAPACITY: 0.1 TON; BOLT SIZE: 1/4INCH; GRADE 6 HIGHTENSILE STEEL BODY AND PIN; QUENCHED AND TEMPERED; HOT DIPPED GALVA NISED FINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUMBREAKING LOAD SHALL BE 6 TIMES THE W.L.L.; MARKED WITH CE; W.L. L; MANUFACTURES ID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE INACCORDANCE WITH EN 10204-2.1 OR 2.2; MANUFACTURER TEST CERTIFICA TE | 8 | EA | | | | |



RFQ NUMBER : 2012506368

DATE : 19.12.2025

REQ No : 1012506907

REQ TITLE : Eyebolts and Eyenuts for H-St

DELIVERY LOCATION: 0020 - H1 STORES, AWEER

CLOSING DATE : 25.12.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|--|-----|-----|--------------|----------|------------|----------------|
| | | | ;PROOF LOAD TEST CERTIFICATE; MAKE : TAIYO | | | | | | |
| 8 | 3600082655 | | EYEBOLT; LOAD CAPACITY: 1.2 TON; BOLT SIZE: 3/4INCH; GRADE 6 HIGHTENSILE STEEL BODY AND PIN; QUENCHED AND TEMPERED; HOT DIPPED GALVA NISED FINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUMBREAKING LOAD SHALL BE 6 TIMES THE W.L.L.; MARKED WITH CE; W.L. L; MANUFACTURES ID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE INACCORDANCE WITH EN 10204-2.1 OR 2.2; MANUFACTURER TEST CERTIFICA TE; PROOF LOAD TEST CERTIFICATE; MAKE: TAIYO | 8 | EA | | | | |
| 9 | 3600082657 | | EYENUT; LOAD CAPACITY: 0.25 TON; NUT SIZE: M10; GRADE 6 HIGH TENSILESTEEL BODY AND PIN; QUENCHED AND TEMPERED; HOT DIPPED GALVANISE DFINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUM BREAKINGLOAD SHALL BE 6 TIMES THE W.L.L.; MARKED WITH CE; W.L.L; MA N UFACTURESID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE IN ACCORDANCE WITH EN10204-2.1 OR 2.2; MANUFACTURER TEST | 8 | EA | | | | |



RFQ NUMBER : 2012506368

DATE : 19.12.2025

REQ No : 1012506907

REQ TITLE : Eyebolts and Eyenuts for H-St

DELIVERY LOCATION: 0020 - H1 STORES, AWEER

CLOSING DATE : 25.12.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | CERTIFICATE; P RO OF LOAD TESTCERTIFICATE; MAKE : TAIYO | | | | | | |
| 10 | 3600082658 | | EYENUT; LOAD CAPACITY: 0.4 TON; NUT SIZE: M12; GRADE 6 HIGH TENSILESTEEL BODY AND PIN; QUENCHED AND TEMPERED; HOT DIPPED GALVANISED FINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUM BREAKINGLOAD SHALL BE 6 TIMES THE W.L.L.; MARKED WITH CE; W.L.L; MAN U FACTURESID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE IN ACCORDANCE WITH EN10204-2.1 OR 2.2; MANUFACTURER TEST CERTIFICATE; PR OO F LOAD TESTCERTIFICATE; MAKE: TAIYO | 8 | EA | | | | |
| 11 | 3600082659 | | EYENUT; LOAD CAPACITY: 0.7 TON; NUT SIZE: M16; GRADE 6 HIGH TENSILESTEEL BODY AND PIN; QUENCHED AND TEMPERED; HOT DIPPED GALVANISED FINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUM BREAKINGLOAD SHALL BE 6 TIMES THE W.L.L.; MARKED WITH CE; W.L.L; MAN U FACTURESID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE IN ACCORDANCE WITH | 8 | EA | | | | |



RFQ NUMBER : 2012506368

DATE : 19.12.2025

REQ No : 1012506907

REQ TITLE : Eyebolts and Eyenuts for H-St

DELIVERY LOCATION: 0020 - H1 STORES, AWEER

CLOSING DATE : 25.12.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|------------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | EN10204-2.1 OR 2.2; MANUFACTURER TEST CERTIFICATE; PR OO F LOAD TESTCERTIFICATE; MAKE : TAIYO | | | | | | |
| 12 | 3600082660 | | EYENUT; LOAD CAPACITY: 1.6 TON; NUT SIZE: M20; GRADE 6 HIGH TENSILESTEEL BODY AND PIN; QUENCHED AND TEMPERED; HOT DIPPED GALVANISED FINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUM BREAKINGLOAD SHALL BE 6 TIMES THE W.L.L.; MARKED WITH CE; W.L.L; MAN U FACTURESID; SIZE AND TRACEABILITY CODE. WORK CERTIFICATE IN ACCORDANCE WITH EN10204-2.1 OR 2.2; MANUFACTURER TEST CERTIFICATE; PR OO F LOAD TESTCERTIFICATE; MAKE: TAIYO | 8 | EA | | | | |
| 13 | 3600082661 | | EYENUT; LOAD CAPACITY: 2.5 TON; NUT SIZE: M24; GRADE 6 HIGH TENSILESTEEL BODY AND PIN; QUENCHED AND TEMPERED; HOT DIPPED GALVANISED FINISH; MEETS THE W.L.L.; REQUIREMENT OF BS EN 13889; MINIMUM BREAKINGLOAD SHALL BE 6 TIMES THE W.L.L.; MARKED WITH CE; W.L.L.; MAN U FACTURESID; SIZE AND TRACEABILITY CODE. | 8 | EA | | | | |



RFQ NUMBER : 2012506368

DATE : 19.12.2025

REQ No : 1012506907

REQ TITLE : Eyebolts and Eyenuts for H-St

DELIVERY LOCATION: 0020 - H1 STORES, AWEER

CLOSING DATE : 25.12.2025

CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
| | | | WORK CERTIFICATE IN ACCORDANCE WITH EN10204-2.1 OR 2.2; MANUFACTURER TEST CERTIFICATE; PR OO | | | | | | |

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Eyebolts and Eyenuts for H-Station, Phase-1, Al Aweer.

"For technical details, contact:

- 1. Sumit Mehta sumit.mehta@dewa.gov.ae/048140306 OR
- 2. Zamir Alware zamir.alware@dewa.gov.ae/048140304"

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or



RFQ NUMBER : 2012506368

DATE : 19.12.2025

REQ No : 1012506907

REQ TITLE : Eyebolts and Eyenuts for H-St

DELIVERY LOCATION: 0020 - H1 STORES, AWEER

CLOSING DATE : 25.12.2025

CLOSING TIME : 10:00:00

perceived Conflict of Interest.

5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

6)Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

| SUPPLIER'S REMARKS: | | | |
|---------------------|--|--|--|
| | | | |

SUPPLIER'S SIGNATURE AND STAMP