

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012506427
DATE : 24.12.2025
REQ No : 1012506805
REQ TITLE : Magnetic Flowmeters
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 30.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700111253		MAGNETIC FLOWMETER TRANSMITTER ,PROMAG H 300, 5H3B65, DN65 2 1/2IN,ORDER CODE: 5H3B65-AAIBAEFAAF9990MA1+LA; APPROVAL; TRANSMITTER + SENSOR: NON-HAZARDOUS AREA, POWER SUPPLY: 100-230VAC/24VDC, OUTPUT;INPUT 1: 4-20MA HART, OUTPUT; INPUT 2: PULSE/FREQ./SWITCH OUTPUT, OUTPUT; INPUT 3: W/O, DISPLAY; OPERATION: 4-LINE ILLUM.; TOUCH CONTROL,HOUSING: ALU, COATED, ELECTRICAL CONNECTION: GLAND M20, SEAL: ASEPTICSHAPE, EPDM; 1.4404/316L(DIN11850); ELECTRODES: 1.4435/316L, CALIBRATIONFLOW: CALIBRATION FLOW: 0.5PERCENTAGE, 3-POINT; DEVI CE MODEL: 1,ADDITIONAL APPROVAL: SIL, APPLICATION: PJRO CO2 SKID FLOW; MAKE E&H	1	EA				
2	2700105569		FLOWMETER_TYPE: ELECTROMAGNETIC; SIZE/CONNECTION: 20IN; RANGE: 0 TO2000CU M/HR; OUTPUT: 4 TO 20MA; ACCURACY: +/-0.2%; SERVICE: LIQUI D;MATERIAL: POWDER COATED DIE CAST AL;	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012506427
DATE : 24.12.2025
REQ No : 1012506805
REQ TITLE : Magnetic Flowmeters
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 30.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>RATING: 16BAR; TEMPERATURE RATING:-20 TO 80DEG C; ENCLOSURE: NEMA 4X, 6P, IP67/68; TUBE MATER</p> <p>IAL:1.4301/1.4306/304L SS; STANDARD: ATEX, CSA, FM, IECEX, NEPSI;COMMUNICATION PROTOCOL: ETHERNET/IP, FOUNDATION FIELD BUS, HART, FF ,PROFIBUS-PA/DP, MODBUS RS485; MFR: ENDRESS+HAUSER MGMT AG; MPN: 5W4C5H-AAGLIP2AHD3KH9+CBEC; ADDITIONAL INFO: PROMAG W 400; CALIBRAT ION FLOW:71343726 (N) 0.2%, 5-PT; POINTS HAVE TO BE DEFINED BY THE CUSTOMERBETWEEN 0.2M/S AND 10M/S (FOR DN450 TILL DN600 BETWEEN 0.2M/S AND1400L/S) AND MUST BE DEFINED IN VOLUME FLOW; ELECTRODES MATERIAL: ALLOYC-22; LINER MATERIAL: HARD RUBBER; PROCESS CONNECTION : PN16, CARBONSTEEL, FLANGE EN1092-1; W/O ADDITIONAL TEST; CERTIFICATE; WITH 2 NOSALLOY C GROUNDING RINGS; APPLICATION: PJRO PRODUCT WATER DISCHARGE FLOWTRANSMITTER</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012506427
DATE : 24.12.2025
REQ No : 1012506805
REQ TITLE : Magnetic Flowmeters
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 30.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
3	2700105567		<p>FLOWMETER_TYPE: ELECTROMAGNETIC; SIZE/CONNECTION: 8IN; RANGE: 0 TO 300CUM/HR; OUTPUT: 4 TO 20MA; ACCURACY: +/-0.2%; SERVICE: LIQUID; MATERIAL:POWDER COATED DIE CAST AL; RATING: 16BAR; TEMPERATURE RATING: -20 TO80DEG C; ENCLOSURE: NEMA 4X, 6P, IP67/68; TUBE MATERIA L:1.4301/1.4306/304L SS; STANDARD: ATEX, CSA, FM, IECEX, NEPSI;COMMUNICATION PROTOCOL: ETHERNET/IP, FOUNDATION FIELD BUS, HART, FF,P ROFIBUS-PA/DP, MODBUS RS485; MFR: ENDRESS+HAUSER MGMT AG; MPN: 5W4C2H-AAELIP2AHD3K09+CBEC; ADDITIONAL INFO: PROMAG W 400; CALIBRATIO N FLOW:71343685 (N) 0.2%, 5-PT; POINTS HAVE TO BE DEFINED BY THE CUSTOMERBETWEEN 0.2M/S AND 10M/S (FOR DN200 BETWEEN 0.2M/S AND 185L /S) AND MUSTBE DEFINED IN VOLUME FLOW; ELECTRODES MATERIAL: 1.4435/316L SS; LINERMATERIAL: HARD RUBBER; PROCESS CONNECTION: PN16, CA RBON STEEL, FLANGEEN1092-1; WITH 2 NOS SS</p>	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012506427
DATE : 24.12.2025
REQ No : 1012506805
REQ TITLE : Magnetic Flowmeters
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 30.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			GROUNDING RINGS; APPLICATION: PJRO TRAIN 1-3,2ND PASS 1ST STAGE PREMEATE FLOW TO CHLORINE TANK						
4	2700105565		FLOWMETER_TYPE: ELECTROMAGNETIC; SIZE/CONNECTION: 6IN; RANGE: 0 TO 150CUM/HR; OUTPUT: 4 TO 20MA; ACCURACY: +/-0.2%; SERVICE: LIQUID; MATERIAL:POWDER COATED DIE CAST AL; RATING: 16BAR; TEMPERATURE RATING: -20 TO80DEG C; ENCLOSURE: NEMA 4X, 6P, IP67/68; TUBE MATERIA L:1.4301/1.4306/304L SS; STANDARD: ATEX, CSA, FM, IECEX, NEPSI;COMMUNICATION PROTOCOL: ETHERNET/IP, FOUNDATION FIELD BUS, HART, FF,P ROFIBUS-PA/DP, MODBUS RS485; MFR: ENDRESS+HAUSER MGMT AG; MPN: 5W4C1F-AAELIP2AHD3K09+CBEC; ADDITIONAL INFO: PROMAG W 400; CALIBRATIO N FLOW:71343685 (N) 0.2%, 5-PT; POINTS HAVE TO BE DEFINED BY THE CUSTOMERBETWEEN 0.2M/S AND 10M/S (FOR DN200 BETWEEN 0.2M/S AND 185L /S) AND MUSTBE DEFINED IN VOLUME FLOW;	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012506427
DATE : 24.12.2025
REQ No : 1012506805
REQ TITLE : Magnetic Flowmeters
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 30.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ELECTRODES MATERIAL: 1.4435/316L SS; LINERMATERIAL: HARD RUBBER; PROCESS CONNECTION: PN16, CA RBON STEEL, FLANGEEN1092-1; WITH 2 NOS SS GROUNDING RINGS; APPLICATION: PROMAG MAGNETICFLOW METER XMTR; MODEL: 53W25-UA1B1AK2ABDB; E NDRESS+HAUSER						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Magnetic Flowmeters

STANDARD TERMS & CONDITIONS

- Prices should be 'DDP' delivery duty paid at DEWA stores.
- Quotation to be submitted only in local currency U.A.E Dirhams
- DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012506427
DATE	: 24.12.2025
REQ No	: 1012506805
REQ TITLE	: Magnetic Flowmeters
DELIVERY LOCATION	: 0014 - G STORES, JAPS
CLOSING DATE	: 30.12.2025
CLOSING TIME	: 10:00:00

5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP