

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506449  
**DATE** : 25.12.2025  
**REQ No** : 1012505919  
**REQ TITLE** : SPARES 1012505919  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 30.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700112062		PRESSURE GAUGE WITH DIAPHRAGM, ABSOLUTE PRESSURE; MAKE: WIKA, TYPE: EN837-1, 533.53, CLASS: CL 1.6; NS 100MM, 4 INCH; CALIBRATED RANGE: 0 TO1200 MILLI BAR; UNIT: MILLIBAR; PART NO: 0655.05; BOTTOM CONNECTION LM;ABSOLUTE PRESSURE GAUGE STAINLESS STEEL VERSION WITH DIAPHRAGM ELEMENT;GAUGE SERIAL NO: 11082XBL; VALID SHEET: PM 05.02; USED IN GT COMPRESSORSUCTION PRESSURE MONITORING SYSTEM MEXT. KK S: MBA11CP501.	2	EA				
2	2700112063		VACUUM GAUGE; MAKE: WIKA, TYPE: EN 837-3, MODEL: 612.20.100. RANGE: -60TO 0 MBAR, -6 TO 0 KPA, G-1/2B, UNIT: MBAR, PA, DUAL SCALE: K PA & MBAR, GLYCERIN FILLED; DIAL SIZE: 100MM, 04 INCH, UNIT: MILLIBAR; CL 1.6; WETTED PARTS 316L; CALIBRATED RANGE: -60 TO 0 MILLI BAR , -6 TO 0 KPA; CONNECTIONS: G-1/2 INCH B; BOTTOM CONNECTION, LM; DIAL: ALUMINIUM, WHITE & RED SCALE; SAFETY GLASS WITH FILLED GLYCERIN E; CASE: STAINLESS STEEL WITH BLOW-OUT;	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506449  
**DATE** : 25.12.2025  
**REQ No** : 1012505919  
**REQ TITLE** : SPARES 1012505919  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 30.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			DOCUMENTS REQUIRED: TEST REPORT ACCORDING TO EN10204-2.2, GAUGE WITH INSPECTION CERTIFICATE 3. 1, CALIBRATION CERTIFICATE; USED INGT LUBE OIL AND LIFTING OIL SYSTEM MEXT, KKS: MBV50CP502.						
3	2700112072		PRESSURE GAUGE; MAKE: WIKA, TYPE: EN 837-1, MODEL: 233.30.100. 0 TO 100BAR.G-1/2B, GLYCERIN FILLED; PART NO: 14038517, DIAL SIZE: 04 INCH, UNIT: BAR, CL 1.0, CALIBRATED RANGE: 0 TO 100 BAR; CONNECTIONS: G-1/2INCH B; BOTTOM CONNECTION, LM; DIAL: ALUMINIUM, WHITE; SAFETY GLASS WITH FILLED GLYCERINE; CASE: STAINLESS STEEL WITH BLOW-OUT; DOCUMENTS REQUIRED: TEST REPORT ACCORDING TO EN10204-2.2, GAUGE WITH INSPECTION CERTIFICATE 3.1, CALIBRATION CERTIFICATE; GAUGES SERIAL NUMBER: 897055HF, 897055HK, 897055HH, 897055HJ; USED IN GT WE T COMPRESSION SYSTEM MEXT; KKS: MBU56CP501, MBU56CP502, MBU57CP501, MBU57CP502.	2	EA				
4	2700112075		PRESSURE GAUGE; MAKE: WIKA, TYPE: EN 837-1, MODEL: 233.50.100. 0 TO 160BAR.G-1/2B, GLYCERIN FILLED; DIAL SIZE: 100MM, 04 INCH, UNIT:	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506449  
**DATE** : 25.12.2025  
**REQ No** : 1012505919  
**REQ TITLE** : SPARES 1012505919  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 30.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			BAR, CL1.0; PART NO: 0752.02, CALIBRATED RANGE: 0 TO 160 BAR; CONNECTIONS:G-1/2 INCH B; BOTTOM CONNECTION, LM; DIAL: ALUMINIUM, WHITE; SAFETYGLASS WITH FILLED GLYCERINE; CASE: STAINLESS STEEL WITH BLOW-OUT;DOCUMENTS REQUIRED: TEST REPORT ACCORDING TO EN10204-2.2, GAUGE WITHINSPECTION CERTIFICATE 3.1, CALIBRATION CERTIFICATE; USED IN GT NOXWATER SYSTEM MEXT, KKS: MBU40CP501, MBU41CP502, MBU46CP502, MBU25CP503,MBU25CP506, MBU25CP513.						
5	2700112076		PRESSURE GAUGE; MAKE: WIKA, TYPE: EN 837-1, MODEL: 233.50.100. 0 TO 16BAR.G-1/2B, GLYCERIN FILLED; DIAL SIZE: 100MM, 04 INCH, UNIT: BAR, CL1.0; PART NO: 0752.02, CALIBRATED RANGE: 0 TO 16 BAR; CONNECTIONS: G-1/2INCH B; BOTTOM CONNECTION, LM; DIAL: ALUMINIUM, WHITE ; SAFETY GLASS WITHFILLED GLYCERINE; CASE: STAINLESS STEEL WITH BLOW-OUT; DOCUMENTSREQUIRED: TEST REPORT ACCORDING TO EN10204-2.2, GAUGE WITH INSPECTIONCERTIFICATE 3.1,	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506449  
**DATE** : 25.12.2025  
**REQ No** : 1012505919  
**REQ TITLE** : SPARES 1012505919  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 30.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CALIBRATION CERTIFICATE; USED IN GT NOX WATER SYSTEMMEXT, KKS: MBU25CP515, MBU25CP505, MBU24CP502, MBU24CP505.						
6	2700112079		DIFFERENTIAL PRESSURE GAUGE; MAKE: WIKA, TYPE: 733.51.160. 0 TO 1.6BARD.2 X G-1/2 IN, GLYCERIN FILLED; PART NO: 40404573; CLASS: CL 1.6; UNIT:BAR, RANGE: 0 TO 1.6 BAR D; CONNECTIONS: 2 X G-1/2 INCH B; DIAL:ALUMINIUM, WHITE; SAFETY GLASS WITH FILLED GLYCERINE; BOTTOM CONNECTIONLM; CASE: STAINLESS STEEL WITH BLOW-OUT; DOCUMENTS REQUIRED: TEST REPORTACCORDING TO EN10204-2.2, GAUGE WITH INSPECTION CERTIFICATE 3.1,CALIBRATION CERTIFICATE; USED IN GT PURGE WATER SYSTEM MEXT, KKS:MBN81CP503.	2	EA				
7	2700112081		DIFFERENTIAL PRESSURE GAUGE; MAKE: WIKA, TYPE: 733.14.100. 0 TO 1.6BARD.2 X G-1/2 IN, GLYCERIN FILLED; PART NO: 40404573; CLASS: CL 1.6; DIALSIZE: 04 INCH, UNIT: BAR, RANGE: 0 TO 1.6 BAR D; CONNECTIONS: 2 X G-1/2INCH B; DIAL:	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506449  
**DATE** : 25.12.2025  
**REQ No** : 1012505919  
**REQ TITLE** : SPARES 1012505919  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 30.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ALUMINIUM, WHITE; SAFETY GLASS WITH FILLED GLYCERINE; BOTTOM CONNECTION LM; CASE: STAINLESS STEEL WITH BLOW-OUT; DOCUMENTS REQUIRED: TEST REPORT ACCORDING TO EN10204-2.2, GAUGE WITH INSPECTION CERTIFICATE 3.1, CALIBRATION CERTIFICATE; USED IN GT NOX WATER SYSTEM MEXT, KKS: MBU24CP501.						
8	2700112082		VACUUM GAUGE WITH DIAPHRAGM SEAL; MAKE: WIKA, TYPE: EN 837-3, MODEL: 433.50.100. RANGE: -40 TO 0 MBAR, G-1/2B, GLYCERIN FILLED; DIAL SIZE: 100MM, 04 INCH, UNIT: MILLIBAR, CL 1.6; WETTED PARTS 316L; CALIBRATED RANGE: -40 TO 0 MILLI BAR; CONNECTIONS: G-1/2 INCH B; BOTTOM CONNECTION, LM; DIAL: ALUMINIUM, WHITE; SAFETY GLASS WITH FILLED GLYCERINE; CASE: STAINLESS STEEL WITH BLOW-OUT; GAUGE SERIAL NO: 11 07460989; DOCUMENTS REQUIRED: TEST REPORT ACCORDING TO EN10204-2.2, GAUGE WITH INSPECTION CERTIFICATE 3.1, CALIBRATION CERTIFICATE; USED IN GT LUBE OIL AND LIFTING OIL SYSTEM MEXT,	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506449  
**DATE** : 25.12.2025  
**REQ No** : 1012505919  
**REQ TITLE** : SPARES 1012505919  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 30.12.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			KKS: MBV50CP501.						
9	2700112083		VACUUM GAUGE; MAKE: WIKA, TYPE: EN 837-3, MODEL: 612.20.100. RANGE: -160TO 0 MBAR, -16 TO 0 KPA, G-1/2B, UNIT: MBAR, KPA, DUAL SCALE : KPA &MBAR, GLYCERIN FILLED; DIAL SIZE: 100MM, 04 INCH, UNIT: MILLIBAR, KPA,CL 1.6; WETTED PARTS 316L; CALIBRATED RANGE: -160 TO 0 MILLI BAR, -16 TO0 KPA; CONNECTIONS: G-1/2 INCH B; BOTTOM CONNECTION, LM; DIAL:ALUMINIUM, WHITE & RED SCALE; SAFETY GLASS WITH FILLE D GLYCERINE; CASE:STAINLESS STEEL WITH BLOW-OUT; DOCUMENTS REQUIRED: TEST REPORT ACCORDINGTO EN10204-2.2, GAUGE WITH INSPECTION CERT IFICATE 3.1, CALIBRATIONCERTIFICATE; USED IN GT LUBE OIL AND LIFTING OIL SYSTEM MEXT, KKS:MBV50CP503.	2	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

**SPECIAL NOTES / INSTRUCTIONS:**

**STANDARD TERMS & CONDITIONS**

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

Page6 of 8

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506449  
**DATE** : 25.12.2025  
**REQ No** : 1012505919  
**REQ TITLE** : SPARES 1012505919  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 30.12.2025  
**CLOSING TIME** : 10:00:00

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
  - 2) Quotation to be submitted only in local currency U.A.E Dirhams
  - 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
  - 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
  - 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
  - 6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.
- If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements
- The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012506449  
**DATE** : 25.12.2025  
**REQ No** : 1012505919  
**REQ TITLE** : SPARES 1012505919  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 30.12.2025  
**CLOSING TIME** : 10:00:00

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**