

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600139
DATE : 07.01.2026
REQ No : 1012507019
REQ TITLE : CIRCUIT BREAKER/MCB
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700010566		CIRCUIT BREAKER_MINIATURE; VOLTAGE: 230/400VAC; AMPERAGE: 32A; INTERRUPTING CAPACITY: 10KA; POLE: 4P; CONNECTION: SCREW TERMINAL; FREQUENCY RATING: 50/60HZ; ENCLOSURE: IP20; MOUNT: 35MM DIN RAIL; CURVE:C; SIZE: 70MM WD, 69MM DP, 88MM HT; MFR: ABB; MPN: S204M-C32	2	EA				
2	2700010992		CIRCUIT BREAKER_MINIATURE; VOLTAGE: 440VAC; AMPERAGE: 4A; INTERRUPTING CAPACITY: 6KA; POLE: 2P; CONNECTION: SCREW TERMINAL; FREQUENCY RATING: 50/60HZ; MOUNT: SNAP-ON; MFR: SIEMENS LTD; MPN: 5SX22 C4	2	EA				
3	2700015235		CIRCUIT BREAKER_MINIATURE; TYPE: CURRENT LIMITING; VOLTAGE: 230/400VAC; AMPERAGE: 4A; INTERRUPTING CAPACITY: 6KA; POLE: 3P; CONNECTION: SCREW TERMINAL; FREQUENCY RATING: 50/60HZ; ENCLOSURE: IP20; MOUNT: 35MM DIN RAIL; CURVE: C; SIZE: 52.5MM WD, 69MM DP, 88MM HT; MFR: ABB; MPN: S203-C4; MFR: ABB; MPN: 2CDS253001R0044; ADDITIONAL INFO: SERIES:	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600139
DATE : 07.01.2026
REQ No : 1012507019
REQ TITLE : CIRCUIT BREAKER/MCB
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			S200;APPLICATION: MK AND MDU; XFMR; 132KV 60/75MVA; A BB						
4	2700015237		CIRCUIT BREAKER_MINIATURE; VOLTAGE: 230/400VAC; AMPERAGE: 13A; INTERRUPTING CAPACITY: 6KA; POLE: 1P; CONNECTION: SCREW TERMINAL; FREQ: UENCY RATING: 50/60HZ; ENCLOSURE: IP20; MOUNT: 35MM DIN RAIL; CURVE: C; SIZE: 17.5MM WD, 68MM DP, 88MM HT; MFR: ABB; MPN: S201-C13; MFR: ABB; MPN: 2CDS251001R0134; APPLICATION: MK AND MDU; XFMR; 132KV 60/75MVA; ABB; REF: INS-2005474202	2	EA				
5	2700086794		CIRCUIT BREAKER_MINIATURE; VOLTAGE: 230/400VAC; AMPERAGE: 32A; INTERRUPTING CAPACITY: 20KA; POLE: 1P; CONNECTION: SCREW TERMINAL; FREQ: UENCY RATING: 50/60HZ; ENCLOSURE: IP20/40; MOUNT: SNAP-ON; CURVE: B; SIZE: 18MM WD, 70MM DP, 90MM HT; MFR: SIEMENS LTD; MPN: 5SY4132-6; MPN: 5SY41B32; APPLICATION: ICT; SIEMENS	2	EA				
6	2700015921		CIRCUIT BREAKER_MOTOR; TYPE: CURRENT LIMITING, PROTECTION; VOLTAGE: 415VAC;	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600139
DATE : 07.01.2026
REQ No : 1012507019
REQ TITLE : CIRCUIT BREAKER/MCB
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			AMPERAGE: 1 TO 1.6A; CONNECTION: SCREW TERMINAL; INTERRUPTING CAPACITY: 100KA; POLE: 3P; FRAME SIZE: 25A; FREQUENCY RATING: 50/60HZ; TRIP: ADJUSTABLE THERMAL, FIXED MAGNETIC; MOUNT: DIN RA1 L; STANDARD: IEC/IS 60947-1, IEC/IS 60947-2, IEC/IS 60947-4-1, VDE 0660; ENCLOSURE: IP00/20; MFR: SIEMENS LTD; MPN: 3VU1300-1MG00; ADDITIONAL INFO: W/1NO1NC AUX CONTACT						
7	2700091221		CIRCUIT BREAKER_TYPE: RESIDUAL CURRENT; VOLTAGE: 230VAC; POLE: 1P+N; AMPERAGE: 16A; INTERRUPTING CAPACITY: 4.5KA; CURVE: C; ENCLOSURE: IP20; STANDARD: EN/IEC 61009-1, EN/IEC 61543, EN/IEC 62423; MFR: SIEMENS LTD; MPN: 5SU1353-1KK16; ADDITIONAL INFO: SENSITIVITY: 30MA; F03; APPLICATION: ICT MARSHALLING KIOSK/CONTROL PANELS; 400KV; AREVA; HRSRSUBSTATION	2	EA				
8	2700091229		CIRCUIT BREAKER_MOTOR; TYPE: CURRENT LIMITING, PROTECTION; VOLTAGE: 400VAC; AMPERAGE: 9 TO 12A; CONNECTION: SCREW	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600139
DATE : 07.01.2026
REQ No : 1012507019
REQ TITLE : CIRCUIT BREAKER/MCB
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TERMINAL; INTERRUPTINGCAPACITY: 50KA; POLE: 3P; FRAME SIZE: 100A; FREQUENCY RATING: 50/60HZ;TRIP: THERMAL MAGNETIC; MOUNT: 35MM DIN RAIL; STANDARD: IEC 60947-2, IEC60947-4-1; ENCLOSURE: IP20; MFR: SIEMENS LTD; MPN: 3RV1011-1KA10;ADDITIONAL INFO: DEVICE NO: Q33; NO OF PHASE: 3PH ; W/AUX SWITCH P/N3RV1901-1E; APPLICATION: ICT MARSHALLING KIOSK/CONTROL PANELS; 400KV;AREVA; HRSR SUBSTATION						
9	2700091250		CIRCUIT BREAKER_MOTOR; TYPE: CURRENT LIMITING; VOLTAGE: 400VAC; CONNECTION: SCREW TERMINAL; INTERRUPTING CAPACITY: 50/100KA; FREQUENCY RATING: 50/60HZ; TRIP: THERMAL MAGNETIC; STANDARD: EN/IEC 60947-2,EN/IEC 60947-4-1; ENCLOSURE: IP20; MFR: SIEMENS LTD; MFR: AREVA :ADDITIONAL INFO: TYPE 3RV1011; DEVICE NO: Q2; W/AUX CONTACT P/N 3RV1901;CURRENT SETTING: 0.7 TO 1A; APPLICATION: OLTC CONTROL CI RC UNIT (Q2);ICT; 400KV; HRSR SUBSTATION; AREVA	1	EA				
10	2700094226		CIRCUIT BREAKER_MOTOR; VOLTAGE: 400VAC;	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600139
DATE : 07.01.2026
REQ No : 1012507019
REQ TITLE : CIRCUIT BREAKER/MCB
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			AMPERAGE: 22A; CONNECTION: SCREWTTERMINAL; INTERRUPTING CAPACITY: 50KA; POLE: 3P; FRAME SIZE: 100A; FREQUENCY RATING: 50/60HZ; TRIP: THERMAL MAGNETIC; MOUNT: 35MM DIN RAIL; STANDARD: EN/IEC 60947-2, EN/IEC 60947-4-1; ENCLOSURE: IP20; MFR: SIEMENS LTD; MPN: 3RV1321-4CC10; ADDITIONAL INFO: BRAND: SIRIUS; REGION: GERMANY; APPLICATION: ICT; SIEMENS						
11	2700100915		CIRCUIT BREAKER_MOTOR; TYPE: CURRENT LIMITING; VOLTAGE: 400VAC; AMPERAGE: 5.5 TO 8A; CONNECTION: SCREW TERMINAL; INTERRUPTING CAPACITY: 100KA; POLE: 3P; FRAME SIZE: 100A; FREQUENCY RATING: 50/60HZ; TRIP: THERMAL MAGNETIC; MOUNT: 35MM DIN RAIL; STANDARD: EN/IEC 60947-2, EN/IEC 60947-4-1; ENCLOSURE: IP20; MFR: SIEMENS LTD; MPN: 3RV1011-1HA10; ADDITIONAL INFO: DEVICE NO: Q25; NO OF PHASE: 3PH; W/ 1NO 1NC AUXCONTACT; APPLICATION: ICT TRSD SUBSTATION; SIEMENS	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600139
DATE : 07.01.2026
REQ No : 1012507019
REQ TITLE : CIRCUIT BREAKER/MCB
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
12	2700100942		CIRCUIT BREAKER_MOTOR; TYPE: CURRENT LIMITING; VOLTAGE: 400VAC; AMPERAGE: 2.2 TO 3.2A; CONNECTION: SCREW TERMINAL; INTERRUPTING CAPACITY: 100KA; POLE: 3P; FRAME SIZE: 100A; FREQUENCY RATING: 50/60HZ; TRIP: THERMAL MAGNETIC; MOUNT: 35MM DIN RAIL; STANDARD: EN/IEC 60947-2, EN/IEC 60947-4-1; ENCLOSURE: IP20; MFR: SIEMENS LTD; MPN: 3RV1021-1DA10; ADDITIONAL INFO: DEVICE NO: Q3; REGION: DRESDEN GER MANY; W/1NO 1NC AUXCONTACT P/N 3RV1901-1E; APPLICATION: IDT; ABRA SUBSTATION; SIEMENS	2	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

CIRCUIT BREAKER/MCB

STANDARD TERMS & CONDITIONS

1) Prices should be 'DDP' delivery duty paid at DEWA stores.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012600139
DATE	: 07.01.2026
REQ No	: 1012507019
REQ TITLE	: CIRCUIT BREAKER/MCB
DELIVERY LOCATION	: 0051 - CS WRSN, TRNSMSN
CLOSING DATE	: 13.01.2026
CLOSING TIME	: 10:00:00

2) Quotation to be submitted only in local currency U.A.E Dirhams

3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material

4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP