

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600142
DATE : 07.01.2026
REQ No : 1012507206
REQ TITLE : SPARES 1012507206
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700089861		CONTACTOR_MOTOR; TYPE: MECHANICALLY INTERLOCKED POWER; NEMA/IEC RATING:IEC 60947-4-1; COIL VOLTAGE: 230VAC; AMPERAGE: 330A; LINE VO LTAGE:400VAC; POLE: 3P; ELECTRICAL RATING: 3PH 160KW; CONTACT ARRANGEMENT: 2NO2NC; ENCLOSURE: IP00/20; MFR: SIEMENS LTD: MPN: 3RT1 0 66-6NP36:ADDITIONAL INFO: W/AUXILIARY CONTACT; REGION: AUSTRIA; APPLICATION:SERIES REACTOR; 400KV 1500MVA; SIEMENS; CONTRACT: CNE /0 70/2009	3	EA				
2	3700024059		BLOCK_CONTACT; TYPE: AUX SWITCH; TERMINAL: SCREW; CONTACT ARRANGEMENT:3NO 1NC; MFR: SIEMENS LTD: MPN: 3RH1311-1AP00: ADDITIONAL INF O: COILRATING: 230VAC 50HZ; MOUNT: DIN RAIL; APPLICATION: ICT; SIEMENS	2	EA				
3	3700024061		CONTACTOR_TYPE: AUX; COIL VOLTAGE: 230VAC; ELECTRICAL RATING: 50HZ;CONTACT ARRANGEMENT: 5NO 3NC; ENCLOSURE: IP20; MFR: SIEMENS LTD;	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600142
DATE : 07.01.2026
REQ No : 1012507206
REQ TITLE : SPARES 1012507206
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MPN:3ZX1012-0RH21-1AA1 + 3RH2911-1XA31-0MA0 + 3RT2916-1BD00; ADDITIONALINFO: MOUNT: DIN RAIL; APPLICATION: ICT; SIEMENS						
4	2700100917		HYGROMETER_TYPE: HUMIDITY; RANGE: 40 TO 90% RH, 60DEG C; SIZE: 37MM WD,46MM DP, 64MM HT; MFR: SCHRACK TECHNIK GMBH: MPN: IUK08562: A DDITIONALINFO: DEVICE NO: B12; APPLICATION: ICT; SIEMENS; TRSD SUBSTATION	2	EA				
5	2700094218		SUPPRESSOR_SURGE; TYPE: DIODE; RATING: 12 TO 250VDC; MFR: SIEMENS LTD;MPN: 3RT1916-1DG00, ADDITIONAL INFO: DIMENSION: 28MM WD; 32MM HT; 9MMTHK; REGION: GERMANY; APPLICATION: ICT; SIEMENS LTD	2	EA				
6	2700100939		AMMETER_TYPE: MOVING COIL; RANGE: 0 TO 4A; READOUT: ANALOG; STYLE: PANELMOUNT; MFR: ZURC SA: MPN: RBC72 4A: ADDITIONAL INFO: ACCURA CY CLASS:1.5; FUNCTION: RECTIFIED; REGION: GERMANY; SCALE ANGLE: 90DEG; SIZE: 72X 72MM; APPLICATION: DRESDE N IDT; SIEMENS; ABRA S U BSTATION; DEVICE NO:P1	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600142
DATE : 07.01.2026
REQ No : 1012507206
REQ TITLE : SPARES 1012507206
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
7	2700016231		BLOCK_TERMINAL; VOLTAGE: 500V; AMPERAGE: 24A; CIRCUITS: 2; TERMINAL:CAGE CLAMP; WIRE SIZE: 2.5SQ MM; SIZE: 6MM WD, 28MM DP, 23.2MM HT;COLOR: GRAY; MOUNT: FLANGE; MFR: WAGO KONTAKTECHNIK GMBH & CO KG: MPN:261-309: MPN: 4044918617871: ADDITIONAL INFO: ON ONE SIDE W/PUSHBUTTON; MODEL: F; DOUBLE TERMINAL: X3; APPLICATION: ICT-4	2	EA				
8	2700075468		CONTACTOR_MOTOR; TYPE: AUX, LV, MAGNETIC; NEMA/IEC RATING: IEC 68-2-3;COIL VOLTAGE: 230VAC; ELECTRICAL RATING: 50HZ 40KW; CONTACT ARRANGEMENT: 4NO; ENCLOSURE: IP20; MFR: GANZ KK KFT: MPN: HL-K-40+HI04:ADDITIONAL INFO: DEVICE NO: K62; K21; MOUNT: DIN RAIL; W/CONT A CT BLOCK4NO 4NC	2	EA				
9	2700075469		CONTACTOR_MOTOR; TYPE: AUX; NEMA/IEC RATING: IEC 68-2-3; COIL VOLTAGE:230VAC; ELECTRICAL RATING: 50HZ 30KW; CONTACT ARRANGEMENT: 3NO;ENCLOSURE: IP20; MFR: GANZ KK KFT: MPN: HL-K-30+HI22: ADDITIONAL INFO:DEVICE NO: K62;	2	EA				

**REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION**

RFQ NUMBER : 2012600142
DATE : 07.01.2026
REQ No : 1012507206
REQ TITLE : SPARES 1012507206
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			K21; MOUNT: DIN RAIL; W/CONTACT BLOCK 5NO 3NC						
10	2700086768		LIGHT_INDICATING; VOLTAGE: 230VAC; GREEN TYPE: N/A; GREEN MIN CRITERIA: 3 STAR; GREEN STANDARD: ESMA; GREEN MIN LIFE SPAN: 6000HR; GREEN MAX HGCONTENT: 3MG; MFR: STYLO LIGHTING SL; MPN: 113; APPLICATION: ICT; SIEMENS	2	EA				
11	2700086770		LIGHT_INDICATING; LAMP TYPE: LED; VOLTAGE: 230VAC; COLOR: GREEN; CONNECTION: TAB TERMINAL; MOUNT: 16MM HOLE; GREEN TYPE: LED; GREEN M INCRITERIA: 4 STAR; GREEN STANDARD: ESMA; GREEN MIN LIFE SPAN: 35000HR; MFR: SIEMENS LTD; MPN: 3SB2204-6BE06; ADDITIONAL INFO: ENC LO SURE: IP65; MATERIAL: PLASTIC; OPERATION AMBIENT TEMPERATURE RATING: -25 TO 60DEG C; SHAPE: ROUND; TORQUE RATING: 0.4NM; APPLICATION: HEATER ON ICT SIEMENS	2	EA				
12	2700091284		SWITCH_LIMIT; TYPE: DOOR LIGHT, POSITION; ELECTRICAL RATING: 400/415VAC4A; CONTACT	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600142
DATE : 07.01.2026
REQ No : 1012507206
REQ TITLE : SPARES 1012507206
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ARRANGEMENT: 1NO 1NC; ACTUATOR: ROLLER LEVER; EN CLOSURE:NEMA 4, 12, 13, IP66/67; STANDARD: EN/IEC 60947-5-1; MFR: MOELLER: MPN:LS-11/L: MFR: EATON: MPN: LS-11/L: APPLICATION: REA C TOR; AREVA; HRSRSUBSTATION						
13	2700016105		CIRCUIT BREAKER_MOLDED CASE; TYPE: LV; VOLTAGE: 220VAC; AMPERAGE: 100A; POLE: 3P; FRAME SIZE: 100A; PHASE: 3PH; MFR: FUJI ELECTRIC CO LTD: MPN:SA103BA: ADDITIONAL INFO: PACKAGE TYPE: SET; W/(2) AUXILIARY CONTACT ANDSHUNT TRIP; APPLICATION: XFMR; 400/132KV 570MVA ; (D-REP) ICTS; REF:INS-2007005836	2	EA				
14	2700016126		CIRCUIT BREAKER_MOLDED CASE; VOLTAGE: 550VAC; AMPERAGE: 10A; POLE: 2P; FRAME SIZE: 30A; MFR: FUJI ELECTRIC CO LTD: MPN: SA32B BB2ASB .01020WKAZ2: ADDITIONAL INFO: W/2CO CONTACT; APPLICATION: ICTS AT DISTURBANCEREORDER	2	EA				
15	2700016127		CIRCUIT BREAKER_MOLDED CASE; VOLTAGE: 600VAC; AMPERAGE: 40A; POLE: 2P; MFR: FUJI ELECTRIC CO LTD: MPN: SA52BBB2BSB.040WK 2P	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600142
DATE : 07.01.2026
REQ No : 1012507206
REQ TITLE : SPARES 1012507206
DELIVERY LOCATION : 0051 - CS WRSN, TRNSMSN
CLOSING DATE : 13.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			AZ2: ADDITIONALINFO: W/2CO CONTACT; APPLICATION: ICTS AT DISTURBANCE RECORDER						
16	2700016128		CIRCUIT BREAKER_MOLDED CASE; VOLTAGE: 250VDC; AMPERAGE: 10A; POLE: 2P;MFR: FUJI ELECTRIC CO LTD; MPN: SA32BBB2ASB-010, ADDITIONAL INFO: W/2COCONTACT; APPLICATION: ICTS AT DISTURBANCE RECORDER	2	EA				
17	2700016129		CIRCUIT BREAKER_MOLDED CASE; VOLTAGE: 550VAC; AMPERAGE: 3A; POLE: 3P;FRAME SIZE: 30A; MFR: FUJI ELECTRIC CO LTD: MPN: SA33BBB3A5B.0 03WK FDAZ2: ADDITIONAL INFO: W/2CO CONTACT; APPLICATION: ICTS AT DISTURBANCERECORDER	2	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

SPARES

STANDARD TERMS & CONDITIONS

1) Prices should be 'DDP' delivery duty paid at DEWA stores.

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

Page6 of 8

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012600142
DATE	: 07.01.2026
REQ No	: 1012507206
REQ TITLE	: SPARES 1012507206
DELIVERY LOCATION	: 0051 - CS WRSN, TRNSMSN
CLOSING DATE	: 13.01.2026
CLOSING TIME	: 10:00:00

2) Quotation to be submitted only in local currency U.A.E Dirhams

3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material

4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012600142
DATE	: 07.01.2026
REQ No	: 1012507206
REQ TITLE	: SPARES 1012507206
DELIVERY LOCATION	: 0051 - CS WRSN, TRNSMSN
CLOSING DATE	: 13.01.2026
CLOSING TIME	: 10:00:00

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP