

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700047065		GAUGE_PRESSURE; RANGE: -0.6 TO 1BAR; DIAL SIZE: 160MM; SIZE/CONNECTION:1/2IN MALE BSPP; CASE MATERIAL: AISI 316TI SS; TUBE MATERIAL : 316L SS;TYPE: BOURDON TUBE; ACCURACY: +/-1%; CONNECTION MATERIAL: 316L SS;CONNECTION LOCATION: LOWER BACK; MOUNT: PANEL, SURFACE ; FILLED: 86.5%GLYCERIN; MFR: WIKA ALEXANDER WIEGAND SE & CO KG: MPN: 233.50.160: MPN:7724099: MPN: G.13.420.001.00.00: ADDITIONAL I NFO: INGRESS PROTECTION:IP65 PER EN 60 529/IEC 529; LOT: 27	6	EA				
2	2700047069		GAUGE_PRESSURE; RANGE: -0.6 TO 1BAR; DIAL SIZE: 160MM; SIZE/CONNECTION:1/2IN MNPT; CASE MATERIAL: AISI 316TI NATURAL FINISH SS; TUBE MATERIAL:MONEL; TYPE: BOURDON TUBE; ACCURACY: +/-1%; CONNECTION MATERIAL: MONEL;CONNECTION LOCATION: BOTTOM; MOUNT: PANEL, SURFACE; FILLED: 99.7%GLYCERIN; MFR: WIKA ALEXANDER WIEGAND SE & CO KG: MPN: 263.50.160: MPN:7724137: MPN: G.13.420.010.00.00: ADDITIONAL	6	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			INFO: INGRESS PROTECTION:IP65 PER EN 60 529/IEC 529; LOT: 27						
3	2700047071		GAUGE_PRESSURE; RANGE: 0 TO 4BAR; DIAL SIZE: 160MM; SIZE/CONNECTION:1/2IN MNPT; CASE MATERIAL: AISI 316TI NATURAL FINISH SS; TUBE MATERIAL:MONEL; TYPE: BOURDON TUBE; ACCURACY: +/-1%; CONNECTION MATERIAL: MONEL;CONNECTION LOCATION: BOTTOM; MOUNT: PANEL, SURFACE; FILLED: 99.7%GLYCERIN; MFR: WIKA ALEXANDER WIEGAND SE & CO KG: MPN: 263.50.160: MPN:7724102: MPN: G.13.420.013.00.00: ADDITIONAL INF O: INGRESS PROTECTION:IP65 PER EN 60 529/IEC 529; LOT: 27	6	EA				
4	2700084427		GAUGE_PRESSURE; RANGE: -1 TO 0BAR; DIAL SIZE: 63MM; SIZE/CONNECTION:1/4IN MNPT; CONNECTION LOCATION: BOTTOM; FILLED: SILICONE; MFR: NUOVAFIMA SRL	6	EA				
5	2700085266		GAUGE_PRESSURE; RANGE: 0 TO 10BAR; DIAL SIZE: 100MM; SIZE/CONNECTION:1/2IN MALE BSPP; CASE MATERIAL: 316 SS; TUBE MATERIAL: 316 SS;	8	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TYPE:BOURDON TUBE; ACCURACY: +/-1%; CONNECTION LOCATION: BOTTOM; FILLED:GLYCERIN; MFR: WIKA ALEXANDER WIEGAND SE & CO KG; ADDITIO N AL INFO:LEAST COUNT: 0.1; MOVEMENT: 316 SS						
6	2700085267		GAUGE_PRESSURE; RANGE: 0 TO 16BAR; DIAL SIZE: 100MM; SIZE/CONNECTION:1/2IN MNPT; CASE MATERIAL: 316 SS; TUBE MATERIAL: 316 SS; TYPE : BOURDONTUBE; ACCURACY: +/-1%; CONNECTION LOCATION: BOTTOM; FILLED: GLYCERIN;MFR: WIKA ALEXANDER WIEGAND SE & CO KG: ADDITIONAL I N FO: LEAST COUNT:0.1; MOVEMENT: 316 SS	15	EA				
7	2700085268		GAUGE_PRESSURE; RANGE: 0 TO 10BAR; DIAL SIZE: 100MM; SIZE/CONNECTION:1/4IN MNPT; CASE MATERIAL: 316 SS; TUBE MATERIAL: 316 SS; TYPE : BOURDONTUBE; ACCURACY: +/-1%; CONNECTION LOCATION: BACK; MOUNT: PANEL; FILLED:GLYCERIN; MFR: WIKA ALEXANDER WIEGAND SE & CO KG: AD DITIONAL INFO: LEASTCOUNT: 0.1; MOVEMENT: 316 SS	8	EA				
8	2700087956		GAUGE_PRESSURE; RANGE: 0 TO 4BAR; DIAL SIZE: 63MM; SIZE/CONNECTION:1/4IN MNPT; CASE	5	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MATERIAL: 316 SS; TUBE MATERIAL: 316 SS; TYPE: B OURDONTUBE; ACCURACY: +/-1%; CONNECTION LOCATION: BACK; MOUNT: PANEL; FILLED:GLYCERIN; MFR: WIKA ALEXANDER WIEGAND SE & CO KG: AD DI TIONAL INFO:LEAST COUNT: 0.1; MOVEMENT: 316 SS						
9	2700089024		GAUGE_PRESSURE; RANGE: 0 TO 6BAR; DIAL SIZE: 100MM; SIZE/CONNECTION:1/2IN NPT; CASE MATERIAL: 316 SS; TUBE MATERIAL: 316 SS; TYPE: B OURDONTUBE; ACCURACY: +/-1%; CONNECTION LOCATION: LOWER BACK; MOUNT: FLANGE,PANEL, BRACKET; FILLED: GLYCERIN; MFR: WIKA ALEXANDER W IEGAND SE & COKG: ADDITIONAL INFO: MOVEMENT: 316 SS	5	EA				
10	2700103702		GAUGE_PRESSURE; RANGE: 0 TO 4BAR; DIAL SIZE: 100MM; SIZE/CONNECTION:1/2IN MALE BSPP; CASE MATERIAL: 316 SS; TUBE MATERIAL: 316 SS; T YPE:BOURDON TUBE; ACCURACY: +/-1%; CONNECTION MATERIAL: 316 SS;	8	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CONNECTIONLOCATION: BOTTOM; MOUNT: DIRECT; FILLED: GLYCERIN; MFR: WIKA ALEXANDERWIEGAND SE & CO KG; MFR: NUOVA FIMA; MFR: BUDENBERG; ADDITIONAL INFO:LEAST COUNT: 0.1; MOVEMENT: 316 SS						
11	2700103703		GAUGE_PRESSURE; RANGE: 0 TO 25BAR; DIAL SIZE: 100MM; SIZE/CONNECTION:1/2IN BSPP; CASE MATERIAL: 316 SS; TUBE MATERIAL: 316 SS; TYPE : BOURDONTUBE; ACCURACY: +/-1%; CONNECTION LOCATION: BOTTOM; FILLED: GLYCERIN;MFR: WIKA ALEXANDER WIEGAND SE & CO KG: ADDITIONAL I N FO: LEAST COUNT:0.1; MOVEMENT: 316 SS	10	EA				
12	2700111420		PRESSURE GAUGE, RANGE: 0-40 BAR, MEDIA: DM WATER,PROCESS TEMPERATURE:100 DEG C MAX. GLYCERINE FILLED, DIAL SIZE: 100M, PROCESS CON NECTION:BOTTOM 1/2 INCH NPTM, BOURDON TUBE, CASING MATERIAL: SS316, LEAST COUNT: 1 BAR, ACCURACY: 1%, MAKE: WIKA OR ASHCROFT	5	EA				
13	2700047031		GAUGE_PRESSURE; RANGE: 0 TO 25BAR; DIAL SIZE: 6IN; SIZE/CONNECTION:1/2IN MNPT; CASE MATERIAL: 304 SS; TUBE MATERIAL: 316 SS; TYPE: B	10	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			OURDONTUBE, FULL SAFETY PATTERN; ACCURACY: +/-1%; CONNECTION MATERIAL: 316 SS;CONNECTION LOCATION: BOTTOM; MOUNT: DIRECT; FILLED: LI QUID; MFR: WIKAALEXANDER WIEGAND SE & CO KG; MFR: NUOVA FIMA; MFR: BUDENBERG; DWG:VOL13SEC32.9; KKS CODE: GDB50CP502						
14	2700047058		GAUGE_PRESSURE; RANGE: 0 TO 6BAR; DIAL SIZE: 160MM; SIZE/CONNECTION:1/2IN MNPT; CASE MATERIAL: MONEL; TUBE MATERIAL: MONEL; TYPE: BO URDONTUBE; ACCURACY: +/-1%; CONNECTION MATERIAL: MONEL; CONNECTION LOCATION:BOTTOM; MOUNT: PANEL; FILLED: LIQUID; MFR: WIK ALEXANDE R WIEGAND SE &CO KG; MFR: NUOVA FIMA; MFR: BUDENBERG; ADDITIONAL INFO: WETTED PARTSMATERIAL: MONEL	10	EA				
15	2700047055		GAUGE_PRESSURE; RANGE: 0 TO 2.5BAR; DIAL SIZE: 160MM; SIZE/CONNECTION:1/2IN NPT; CASE MATERIAL: 316TI SS; TUBE MATERIAL: 316TI SS; T YPE:BOURDON TUBE; ACCURACY: +/-1%; CONNECTION MATERIAL: 316 SS;	10	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CONNECTIONLOCATION: BOTTOM; MOUNT: DIRECT; FILLED: SILICONE; MFR: WI KA ALEXANDERWIEGAND SE & CO KG; MFR: NUOVA FIMA; MFR: BUDENBERG						
16	2700093704		GAUGE_PRESSURE; RANGE: 0 TO 16BAR; DIAL SIZE: 100MM; SIZE/CONNECTION:1/2IN BSPP; CASE MATERIAL: 304 SS; TUBE MATERIAL: 316TI/316L SS ; TYPE:BOURDON TUBE; ACCURACY: +/-1%; CONNECTION MATERIAL: BRS; CONNECTIONLOCATION: BOTTOM BACK; MOUNT: PANEL; FILLED: 99.5% GLYCERIN; MFR: WIKAALEXANDER WIEGAND SE & CO KG; MFR: NUOVA FIMA; MFR: BUDENBERG	10	EA				
17	2700087121		GAUGE_PRESSURE; RANGE: 0 TO 6BAR; DIAL SIZE: 60MM; SIZE/CONNECTION:1/4IN MNPT; CASE MATERIAL: 316 SS; TUBE MATERIAL: 316 SS; CONNECT IONMATERIAL: 316 SS; CONNECTION LOCATION: BOTTOM; MOUNT: DIRECT; MFR: WIKAALEXANDER WIEGAND SE & CO KG; MPN: 1106505037; MFR: NUOVA FIMA; MFR:BUDENBERG; ADDITIONAL INFO: W/GUARD P/N MDM 902	15	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
18	2700085275		THERMOMETER_DIAL; RANGE: 0 TO 60DEG C; STEM LENGTH: 250MM; DIALDIAMETER: 4IN; SIZE/CONNECTION: 1/2IN BSP; CONNECTION LOCATION: ADJUS TABLE ANGLE; MATERIAL: SS; ADDITIONAL INFO: ACCURACY: 1% FSD; FILLED:GLYCERIN; MERCURY IN STL; W/STEM 10MM DIA; SS; RIGID STEM	6	EA				
19	2700048076		THERMOMETER_DIAL; RANGE: 0 TO 100DEG C; GRADUATIONS: 2DEG C; STEMLENGTH: 118MM; DIAL DIAMETER: 100MM; SIZE/CONNECTION: M20 MNPT; CON NECTION LOCATION: BOTTOM; MFR: ANSALDO STS; MPN: 90SPP11019;APPLICATION: INSTRUMENT AIR COMPRESSOR; GOR; ANSALDO STS; ITEM: B.13.04. 81; LOT: 040	2	EA				
20	2700038667		THERMOMETER_DIAL; RANGE: 0 TO 100DEG C; STEM LENGTH: 110MM; DIALDIAMETER: 63MM; SIZE/CONNECTION: 1/2IN MNPT; CONNECTION LOCATION: BO TTOM; TYPE: CAPILLARY, MERCURY FILLED; CONNECTION MATERIAL: 316 SS;MFR: INGERSOLL-RAND PLC; ADDITIONAL INFO: CAPILLARY SIZE: 2M LG ;	3	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MOUNT:SURFACE; STEM DIA: 13MM OD						
21	2700038668		THERMOMETER_DIAL; RANGE: 0 TO 300DEG C; STEM LENGTH: 90MM; DIALDIAMETER: 63MM; SIZE/CONNECTION: 1/2IN MNPT; CONNECTION LOCATION: BOT TOM; TYPE: CAPILLARY, MERCURY FILLED; CONNECTION MATERIAL: 316 SS; MFR:INGERSOLL-RAND PLC: ADDITIONAL INFO: CAPILLARY SIZE: 1.5M L G ; MOUNT:SURFACE; STEM DIA: 7MM OD	3	EA				
22	2700048077		THERMOMETER_DIAL; RANGE: 0 TO 300DEG C; GRADUATIONS: 5DEG C; STEMLENGTH: 118MM; DIAL DIAMETER: 100MM; SIZE/CONNECTION: M20 MNPT; CON NECTION LOCATION: BOTTOM; MFR: ANSALDO STS: MPN: 90SPT1020: MFR: IMINORGREN HERION PVT LTD: APPLICATION: INSTRUMENT AIR COMPRESSOR ; ANSALDOSTS; ITEM: B.13.04.83; LOT: 040	2	EA				
23	2700095655		THERMOMETER_DIAL; RANGE: -20 TO 60DEG C; GRADUATIONS: 1DEG C; STEMLENGTH: 63.6MM; DIAL DIAMETER: 100MM; SIZE/CONNECTION: 1/2IN NPT;	8	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CONNECTION LOCATION: LOWER; TYPE: BIMETALLIC; CONNECTION MATERIAL:316TI SS; MATERIAL: 304 SS; MFR: WIKA ALEXANDER WIEGAND SE & CO KG : MPN:R 5502: ADDITIONAL INFO: FITTING STYLE: UNION; W/STEM 6MM DIA						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 6)Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by theSupplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600227
DATE : 12.01.2026
REQ No : 1012507007
REQ TITLE : GAUGE 1012507007
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP