

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600284
DATE : 13.01.2026
REQ No : 1012600134
REQ TITLE : Replacement of Firefighting P
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	4000006726		FIRE HELMET; MATERIAL: OUTER SHELL: MADE OF HEAT-RESISTANT THERMOPLASTIC OR FIBERGLASS COMPOSITE, ENSURING DURABILITY AND PROTECTION AGAINST EXTREME TEMPERATURES, INNER LINING: HIGH-DENSITY IMPACT-ABSORBING FOAM TO REDUCE SHOCK FROM FALLING DEBRIS; STANDARD COMPLIANCE: NFPA 1971: ENSURE THE HELMET MEETS FIRE PROTECTION STANDARDS FOR STRUCTURAL FIREFIGHTING. EN 443: EUROPEAN STANDARD FOR FIREFIGHTER HELMETS, ENSURING HEAT AND IMPACT RESISTANCE. FEATURES: HEAT RESISTANCE: CAN WITHSTAND TEMPERATURES UP TO 500°C, PREVENTING BURNS. IMPACT PROTECTION: SHOCK-ABSORBING INNER SHELL PROTECTS AGAINST FALLING OBJECTS. FACE SHIELD: POLYCARBONATE VISOR WITH ANTI-SCRATCH AND ANTI-FOG COATING FOR CLEAR VISIBILITY. REFLECTIVE TRIM: ENHANCES VISIBILITY IN LOW-LIGHT CONDITIONS. ADJUSTABLE CHIN STRAP:	30	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600284
DATE : 13.01.2026
REQ No : 1012600134
REQ TITLE : Replacement of Firefighting P
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FLAME-RESISTANT ST RAP WITH QUICK-RELEASE BUCKLE FOR EASY REMOVAL.NECK PROTECTOR: EXTENDED COVERAGE FOR BACK OF THE HEAD AND NECK.VENTILATION SYSTEM: RE DUCES HEAT BUILDUP INSIDE THE HELMET.WEIGHT: APPROX. 1.5 KG, ENSURING COMFORT DURING LONG OPERATIONS.						
2	4000006728		FIREMAN FLASH HOOD; MATERIAL: DOUBLE-LAYERED NOMEX OR PBI FABRIC, PROVIDING THERMAL INSULATION AND FLAME RESISTANCE; STANDARD COMPLIANCE: NFPA 1971: ENSURES PROTECTION AGAINST HEAT, FLAMES, AND SMOKE.FEATURES: FLAME RESISTANCE: WITHSTANDS TEMPERATURES UP TO 600°C, PREVENTING BURNS; FULL COVERAGE: PROTECTS HEAD, NECK, AND EARS FROM HEAT EXPOSURE; BREATHABILITY: MOISTURE-WICKING FABRIC PREVENTS OVERHEATING. ELASTIC FIT: ENSURES A SECURE PLACEMENT UNDER THE HELMET; WEIGHT: APPROX. 250 GRAMS,	80	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600284
DATE : 13.01.2026
REQ No : 1012600134
REQ TITLE : Replacement of Firefighting P
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			LIGHTWEIGHT FOR COMFORT.						
3	4000006729		CHEMICAL GLOVES; MATERIAL: NITRILE, NEOPRENE, OR PVC, RESISTANT TO ACIDS, ALKALIS, SOLVENTS, AND OILS. STANDARD COMPLIANCE: EN 374: ENSURE GLOVES PROVIDE CHEMICAL PROTECTION; ANSI/ISEA 105: DEFINES ABRASION RESISTANCE AND GRIP STRENGTH; FEATURES: CHEMICAL RESISTANCE: PROTECTS AGAINST CORROSIVE SUBSTANCES. GRIP TEXTURE: TEXTURED PALM FOR HANDLING HAZARDOUS MATERIALS SECURELY; EXTENDED CUFF: COVERS WRIST AND LOWER FOREARM FOR EXTRA PROTECTION; THICKNESS: 0.5 MM, ENSURING DURABILITY WHILE MAINTAINING FLEXIBILITY.	10	EA				
4	4000006730		CHEMICAL SUIT MATERIAL: POLYPROPYLENE OR TYVEK FABRIC, LIGHTWEIGHT YET DURABLE; EN 14126: PROTECTS AGAINST INFECTIOUS AGENTS; EN 1149:ENSURES ANTI-STATIC PROPERTIES TO PREVENT ELECTROSTATIC DISCHARGE. FEATURES: FULL-	20	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600284
DATE : 13.01.2026
REQ No : 1012600134
REQ TITLE : Replacement of Firefighting P
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			BODY COVERAGE: INCLUDES HOOD, ELASTIC CUFFS, AND ANKLE S FOR COMPLETE PROTECTION. LIQUID RESISTANCE: SHIELDS AGAINST CHEMICAL SPLASHES; ANTI-STATIC PROPERTIES: PREVENTS ELECTROSTATIC DISCHARGE, REDUCING FIRE RISK; BREATHABILITY: REDUCES HEAT BUILDUP, ENSURING COMFORT; WEIGHT: APPROX. 500 GRAMS.						
5	4000006731		FIREFIGHTING GLOVES; MATERIAL: KEVLAR, NOMEX, OR LEATHER WITH THERMAL LINING FOR HEAT RESISTANCE; STANDARD COMPLIANCE: NFPA 1971: ENSURES GLOVES MEET FIRE PROTECTION STANDARDS; FEATURES: HEAT RESISTANCE: WITHSTANDS TEMPERATURES UP TO 700°C, PREVENTING BURNS; MOISTURE BARRIER: PROTECTS AGAINST WATER AND CHEMICALS; REINFORCED PALM & FINGERS: ENHANCES GRIP AND DURABILITY; ADJUSTABLE WRIST CLOSURE: ENSURES SECURE FIT; WEIGHT: APPROX. 400 GRAMS PER PAIR, BALANCING PROTECTION AND COMFORT.	60	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012600284
DATE : 13.01.2026
REQ No : 1012600134
REQ TITLE : Replacement of Firefighting P
DELIVERY LOCATION : 0014 - G STORES, JAPS
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
6	4000006040		BRANDED FIREFIGHTING SUIT / LIGHT WEIGHT / ERGONOMIC DESIGN / GOLD COLOR	15	EA				
7	4000006735		FIRE FIGHTING BOOT EUROPEAN STANDARD CE APPROVED # EN 15090 : 2012, ENISO 20345 : 2004 (S5 E CI SRA)TYPE 2 FOOTWEAR FOR FIREFIGHTERS SUITABLEFOR FIRE RESCUE, FIRE SUPPRESSIONSTANDARD BASIC PROTECTION AS PER EN ISO20345MS1599 IS = HIGH ELECTRICAL RESISTANCE OUTS O LEEXTRA COMFORT WITHWOVEN COTTON CANVASFLAME RETARDANT UPPER WITH HEAT INSULATION,WATERPROOF, REINFORCED RUBBERHIGH VISIBILITY WI TH BLACK AND YELLOWCONTRASTSLIP RESISTANT VULCANIZED RUBBER OUTSOLEHEEL ENERGY ABSORPTIONDESIGN TO MIN	20	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Replacement of Firefighting PPE (fire helmet, boots, fire suit, chemical

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012600284
DATE	: 13.01.2026
REQ No	: 1012600134
REQ TITLE	: Replacement of Firefighting P
DELIVERY LOCATION	: 0014 - G STORES, JAPS
CLOSING DATE	: 19.01.2026
CLOSING TIME	: 10:00:00

suit etc.) in order to protect staff from extremely high temperatures, external chemicals and water, against abrasion, cuts and lacerations.

Specification details attached for reference.

Contact person: Mr. Marwan (marwan.alhashmi@dewa.gov.ae) 0543993909.

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012600284
DATE	: 13.01.2026
REQ No	: 1012600134
REQ TITLE	: Replacement of Firefighting P
DELIVERY LOCATION	: 0014 - G STORES, JAPS
CLOSING DATE	: 19.01.2026
CLOSING TIME	: 10:00:00

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP