

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600882  
**DATE** : 17.02.2026  
**REQ No** : 1012600791  
**REQ TITLE** : 1-Procurement of Fire Water S  
**DELIVERY LOCATION** : 0026 - H4 STORES, AWEER  
**CLOSING DATE** : 23.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3700037665		VALVE;GATE ; TYPE: OS / Y DUCTILE IRON;RESILIENT WEDGE; SIZE: DN 300 XCLASS 125; MODEL: F722F; FIRE PROTECTION VALVE, COMPLY WITH A WWA C515STANDARD, WORKING PRESSURE: 250 PSI, MAXIMUM TEMPERATURE: 63 C, BODYMATERIAL: DUCTILE IRON, WEDGE MATERIAL: DUCTILE IRON COA TED WITH EPDM,STEM MATERIAL: STAINLESS STEEL, HAND WHEEL MATERIAL: CAST IRON, CONNECTION: FLANGED ENDS TO ANSI B16.1, CLASS 125, EPO XY COATED INSIDE/ OUTSIDE TO AWWA C550. UL LISTED AND FM APPROVED; MANUFACTURER: FLUID,ORIGIN: UK,	1	EA				
2	3700037666		VALVE;GATE ; TYPE: OS / Y DUCTILE IRON;RESILIENT WEDGE; SIZE: DN 250 XCLASS 125; MODEL: F722F; FIRE PROTECTION VALVE, COMPLY WITH A WWA C515STANDARD, WORKING PRESSURE: 250 PSI, MAXIMUM TEMPERATURE: 63 C, BODYMATERIAL: DUCTILE IRON, WEDGE MATERIAL: DUCTILE IRON COA	1	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600882  
**DATE** : 17.02.2026  
**REQ No** : 1012600791  
**REQ TITLE** : 1-Procurement of Fire Water S  
**DELIVERY LOCATION** : 0026 - H4 STORES, AWEER  
**CLOSING DATE** : 23.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TED WITH EPDM, STEM MATERIAL: STAINLESS STEEL, HAND WHEEL MATERIAL: CAST IRON, CONNECTION: FLANGED ENDS TO ANSI B16.1, CLASS 125, EPO XY COATED INSIDE/ OUTSIDE TO AWWA C550. UL LISTED AND FM APPROVED; MANUFACTURER: FLUID, ORIGIN: UK,						
3	3700037667		VALVE; GATE ; TYPE: OS / Y DUCTILE IRON; RESILIENT WEDGE; SIZE: DN 200 XCLASS 125; MODEL: F722F; FIRE PROTECTION VALVE, COMPLY WITH A WWA C515 STANDARD, WORKING PRESSURE: 250 PSI, MAXIMUM TEMPERATURE: 63 C, BODY MATERIAL: DUCTILE IRON, WEDGE MATERIAL: DUCTILE IRON COA TED WITH EPDM, STEM MATERIAL: STAINLESS STEEL, HAND WHEEL MATERIAL: CAST IRON, CONNECTION: FLANGED ENDS TO ANSI B16.1, CLASS 125, EPO XY COATED INSIDE/ OUTSIDE TO AWWA C550. UL LISTED AND FM APPROVED; MANUFACTURER: FLUID, ORIGIN: UK,	1	EA				
4	3700037668		VALVE; GATE ; TYPE: OS / Y DUCTILE	1	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600882  
**DATE** : 17.02.2026  
**REQ No** : 1012600791  
**REQ TITLE** : 1-Procurement of Fire Water S  
**DELIVERY LOCATION** : 0026 - H4 STORES, AWEER  
**CLOSING DATE** : 23.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			IRON;RESILIENT WEDGE; SIZE: DN 150 XCLASS 125; MODEL: F722F; FIRE PROTECTION VALVE, COMPLY WITH A WWA C515STANDARD, WORKING PRESSURE: 250 PSI, MAXIMUM TEMPERATURE: 63 C, BODYMATERIAL: DUCTILE IRON, WEDGE MATERIAL: DUCTILE IRON COA TED WITH EPDM,STEM MATERIAL: STAINLESS STEEL, HAND WHEEL MATERIAL: CAST IRON, CONNECTION: FLANGED ENDS TO ANSI B16.1, CLASS 125, EPO XY COATED INSIDE/ OUTSIDE TO AWWA C550. UL LISTED AND FM APPROVED; MANUFACTURER: FLUID,ORIGIN: UK,						
5	3700037669		VALVE;GATE ; TYPE: OS / Y DUCTILE IRON;RESILIENT WEDGE; SIZE: DN 100 XCLASS 125; MODEL: F722F; FIRE PROTECTION VALVE, COMPLY WITH A WWA C515STANDARD, WORKING PRESSURE: 250 PSI, MAXIMUM TEMPERATURE: 63 C, BODYMATERIAL: DUCTILE IRON, WEDGE MATERIAL: DUCTILE IRON COA TED WITH EPDM,STEM MATERIAL: STAINLESS	1	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600882  
**DATE** : 17.02.2026  
**REQ No** : 1012600791  
**REQ TITLE** : 1-Procurement of Fire Water S  
**DELIVERY LOCATION** : 0026 - H4 STORES, AWEER  
**CLOSING DATE** : 23.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			STEEL, HAND WHEEL MATERIAL: CAST IRON, CONNECTION: FLANGED ENDS TO ANSI B16.1, CLASS 125, EPO XY COATED INSIDE/ OUTSIDE TO AWWA C550. UL LISTED AND FM APPROVED; MANUFACTURER: FLUID, ORIGIN: UK,						
6	3700037670		VALVE; GATE ; TYPE: OS / Y DUCTILE IRON; RESILIENT WEDGE; SIZE: DN 80 XCLASS 125; MODEL: F722F; FIRE PROTECTION VALVE, COMPLY WITH A WWA C515 STANDARD, WORKING PRESSURE: 250 PSI, MAXIMUM TEMPERATURE: 63 C, BODY MATERIAL: DUCTILE IRON, WEDGE MATERIAL: DUCTILE IRON C O ATED WITH EPDM, STEM MATERIAL: STAINLESS STEEL, HAND WHEEL MATERIAL: CAST IRON, CONNECTION: FLANGED ENDS TO ANSI B16.1, CLASS 125, EPO XY COATED INSIDE /OUTSIDE TO AWWA C550. UL LISTED AND FM APPROVED; MANUFACTURER: FLUID, ORIGIN: UK,	1	EA				
7	3700037671		VALVE; GATE ; TYPE: OS / Y DUCTILE IRON; RESILIENT WEDGE; SIZE: DN 50 XCLASS 125;	1	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600882  
**DATE** : 17.02.2026  
**REQ No** : 1012600791  
**REQ TITLE** : 1-Procurement of Fire Water S  
**DELIVERY LOCATION** : 0026 - H4 STORES, AWEER  
**CLOSING DATE** : 23.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MODEL: 7622U; FIRE PROTECTION VALVE, COMPLY WITH A WWA C515 STANDARD, WORKING PRESSURE: 175 PSI, MAXIMUM TEMPERATURE: 63 C, BODY MATERIAL: DUCTILE IRON, WEDGE MATERIAL: DUCTILE IRON C OATED WITH EPDM, STEM MATERIAL: STAINLESS STEEL, HAND WHEEL MATERIAL: CAST IRON, CONNECTION: FLANGED ENDS TO ANSI B16.1, CLASS 125, EPOXY COATED INSIDE /OUTSIDE TO AWWA C550. UL LISTED AND FM APPROVED; MANUFACTURER: FLUID, ORIGIN: UK,						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

**SPECIAL NOTES / INSTRUCTIONS:**

1-Procurement of Fire Water System Manual Isolation Valve at H-Station,  
 Phase-IV, Al-Aweer.  
 For technical detail please contact;  
 1. Zamir Alware on zamir.alware@dewa.gov.ae / 04-8140304 or 050-9152946

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

<b>RFQ NUMBER</b>	: 2012600882
<b>DATE</b>	: 17.02.2026
<b>REQ No</b>	: 1012600791
<b>REQ TITLE</b>	: 1-Procurement of Fire Water S
<b>DELIVERY LOCATION</b>	: 0026 - H4 STORES, AWEER
<b>CLOSING DATE</b>	: 23.02.2026
<b>CLOSING TIME</b>	: 10:00:00

2. Mohamed Safik on mohamed.sait@dewa.gov.ae 054-3440925 or 04-8140306.

### **STANDARD TERMS & CONDITIONS**

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.  
If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements  
The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

<b>RFQ NUMBER</b>	: 2012600882
<b>DATE</b>	: 17.02.2026
<b>REQ No</b>	: 1012600791
<b>REQ TITLE</b>	: 1-Procurement of Fire Water S
<b>DELIVERY LOCATION</b>	: 0026 - H4 STORES, AWEER
<b>CLOSING DATE</b>	: 23.02.2026
<b>CLOSING TIME</b>	: 10:00:00

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**