

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600907  
**DATE** : 18.02.2026  
**REQ No** : 1012600784  
**REQ TITLE** : COMPLETE PNEUMATIC  
**DELIVERY LOCATION** : 0018 - L2 STORES, JAPS  
**CLOSING DATE** : 24.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3600061613		COMPLETE PNEUMATIC ACTUATOR, MANUFACTURE= M/S. AUTOMAX ,FAB NO.=217828,TYPE=SN250S100000 FOR HRSG DUCT BURNER BALL VALVE: SIZE(INCH ) =8",RATING(LBS)=150CONNECTION=FLG/RF, OPERATING PRESSURE (BARG)=1.0DESIGNPRESSURE (BARG)=10, DESIGN TEMPERATURE=40, MANUFACTURE= M/S.KITZ ISOMODEL/TYPE =BF6K, FIG=SCTAM-FS(O), PORT SIZE=REDUCED, BODY=ASTM A216 WCB,STEM/SEAL=316SS / GRAPHITE, SEAT=RTFE, BALL=A 3 51 CF8M, RETAINER=ASTM A216 WCBANTI STATIC / FIRE SAFE=API 607 LATEST EDIT SERIALNO.= 319162, KKS. NO. =81HHA10AA005/015	2	EA				
2	3600087102		COMPLETE PNEUMATIC ACTUATOR, MANUFACTURE= M/S. AUTOMAX TYPE PNUM.ACT-AFC, MODEL=S175S/07-S01+SOL+LSC+LSC+LSC ROTATION DIRECTION =CC W TOOPEN, FAB NO:217589 FOR HRSG DUCT BURNER BALL VALVE : SIZE(INCH) =4",RATING(LBS)=150, CONNECTION=FLG/RF	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600907  
**DATE** : 18.02.2026  
**REQ No** : 1012600784  
**REQ TITLE** : COMPLETE PNEUMATIC  
**DELIVERY LOCATION** : 0018 - L2 STORES, JAPS  
**CLOSING DATE** : 24.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			LENGTH (MM)=229, OPERATING PRESSURE(BARG)=6.0+/-0.5, DESIGN PRESSURE (BARG)=10 DESIGNTEMPERATURE=40MANUFACTURE = M/S. KITZ ISO, MODEL/TYPE =F14A PORT SIZE= FULL, BODY=ASTM A216 WCBSTEM/SEAL=316SS / GRAPHITE, SEAT=RTFE,BALL=A351 CF8M, BODY CAP=ASTM A216 WCB						
3	3600061615		COMPLETE PNEUMATIC ACTUATOR, MANUFACTURER= M/S, AUTOMAX TYPE PNUM.ACT-AFC, MODEL=S085S/07 S01+ SOL+LSC+LSC+LSC S121829/3-1 06 FOR H RSGDUCT BURNER IGNITION GAS BALL VALVE : SIZE(INCH) =1/2"RATING(LBS)=150,CONNECTION=FLG/RF , LENGTH (MM)=108 OPERATING PRESSURE (B A RG)=6.0+/-0.5DESIGN PRESSURE (BARG)=10, DESIGN TEMPERATURE=40, MANUFACTURE=M/S. KITZISO MODEL/TYPE =BF6K, FIG=150SCTAM-FS(C )PORT S IZE=REDUCEDMATERIALBODY=ASTM A216 WCB, STEM/SEAL=316SS / GRAPHITE,SEAT=RTFE(HYPATITE), BALL=A351	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600907  
**DATE** : 18.02.2026  
**REQ No** : 1012600784  
**REQ TITLE** : COMPLETE PNEUMATIC  
**DELIVERY LOCATION** : 0018 - L2 STORES, JAPS  
**CLOSING DATE** : 24.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CF8M,RETAINER=ASTM A216 WCB ANTI S TATIC / FIRE SAFE=API 607 LATEST EDIT KKS. NO.=81HJA10AA002/003.						
4	3600061616		COMPLETE PNEUMATIC ACTUATOR, MANUFACTURER=M/S. AUTOMAX SUPER NOVA TYPEPNUM. ACT-AFC MODEL=S150S/07 S01 + SOL+LSC+LSC+LSC S121979/3- 1 06 FOR HRSG DUCT BURNER BALL VALVE: SIZE(INCH) =3"RATING(LBS)=150CONNECTION=FLG/RF , LENGTH (MM)=203 OPERATING PRESSURE (BARG)=1 . 00DESIGN PRESSURE (BARG)=10 DESIGN TEMPERATURE=40. MANUFACTURER =M/S. KITZJSOMODEL/TYPE =F14A, PORT SIZE= FULL, BODY=ASTM A216 WC B, STEM/SEAL=316SS / GRAPHITE,SEAT=RTFE, BALL=A351 CF8M, RETAINER=ASTM A216WCBANTI STATIC / FIRE SAFE=API 607 LATEST EDITKKS. NO. =81HH A41/42/43/44/45AA002.MODEL=S150S/07 S01 + SOL+LSC+LSC+LSCS121979/3-1 06	2	EA				
5	3600061617		COMPLETE PNEUMATIC ACTUATOR,	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600907  
**DATE** : 18.02.2026  
**REQ No** : 1012600784  
**REQ TITLE** : COMPLETE PNEUMATIC  
**DELIVERY LOCATION** : 0018 - L2 STORES, JAPS  
**CLOSING DATE** : 24.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MANUFACTURER=M/S. AUTOMAX SUPER NOVATYPEPNUM. ACT- AFOMODEL=S085S/07S01+SOL+LSC+LSC+LSC,RAC K & PINION R OTATIONDIRECTION=CCW TO OPEN S121829/3-1 -06 FOR HRSG DUCT BURNER VENT BALLVALVE :SIZE(INCH) =1/2", RATING(LBS)=150 CONNECTION=FLG / RF , LENGTH(MM)=108 OPERATING PRESSURE (BARG)=6.0+/-0.5 DESIGN PRESSURE (BARG)=10DESIGN TEMPERATURE=40 MANUFACTURER =M/S. KITZ IS O MODEL/TYPE=BF6KFIG=150SCTAM-FS(C ) PORT SIZE=REDUCED ,BODY=ASTM A216 WCB,STEM/SEAL=316SS / GRAPHITE,SEAT=RTFE, BALL=A351 CF8M, R ETA INER=ASTMA216 WCBANTI STATIC / FIRE SAFE=API 607 LATEST EDIT.KKS. NO.=81HJA10AAAA502.						
6	3600061618		COMPLETE PNEUMATIC ACTUATOR MANUFACTURER=M/S. AUTOMAXTYPE PNUM. ACT-AFC,ROTATION DIRECTION=CCW TO OPENMODEL=S115S07S01+SOL+LSC+LSC+L	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600907  
**DATE** : 18.02.2026  
**REQ No** : 1012600784  
**REQ TITLE** : COMPLETE PNEUMATIC  
**DELIVERY LOCATION** : 0018 - L2 STORES, JAPS  
**CLOSING DATE** : 24.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SC S121950/1-1 06 FOR HRSG DUCT BURNER GAS VENT BALL VALVE SIZE(INCH)=2" SPLIT BODY RATING(LBS)=150 CONNECTION=FLG/RF LENGTH (MM)=178 OPERATING PRESSURE (BARG)=6.0+/-0.5 DESIGN PRESSURE (BARG)=10 DESIGN TEMPERATURE=40 MANUFACTURER =M/S. KITZ ISO MODEL/TYPE =F14A P ORT SIZE=FULL SERIAL=10759-05-06 MATERIAL BODY=ASTM A216 WCB, STEM/SEAL=316SS / GRAPHITE, SEAT=RTFE (HYPATITE, BALL=A351 CF8M, BODY CAP=A STM A216 WCB ANTI STATIC / FIRE SAFE=API 607 LATEST EDIT.KKS. NO.=81HHA10AA502 ,81HHA30AA501.						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

### **SPECIAL NOTES / INSTRUCTIONS:**

COMPLETE PNEUMATIC ACTUATOR, MANUFACTURER M/S. AUTOMAX SUPER NOVA TYPE PNUM (FLOWSERVE) FOR HRSG DUCT BURNER NG SYSTEM FOR L2-MBR

**MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.**

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

<b>RFQ NUMBER</b>	: 2012600907
<b>DATE</b>	: 18.02.2026
<b>REQ No</b>	: 1012600784
<b>REQ TITLE</b>	: COMPLETE PNEUMATIC
<b>DELIVERY LOCATION</b>	: 0018 - L2 STORES, JAPS
<b>CLOSING DATE</b>	: 24.02.2026
<b>CLOSING TIME</b>	: 10:00:00

NOTE COC REQUIRED

Contact Ehab.bahour@dewa.gov.ae

### **STANDARD TERMS & CONDITIONS**

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
  - 2) Quotation to be submitted only in local currency U.A.E Dirhams
  - 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
  - 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
  - 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
  - 6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.
- If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements
- The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012600907  
**DATE** : 18.02.2026  
**REQ No** : 1012600784  
**REQ TITLE** : COMPLETE PNEUMATIC  
**DELIVERY LOCATION** : 0018 - L2 STORES, JAPS  
**CLOSING DATE** : 24.02.2026  
**CLOSING TIME** : 10:00:00

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**