

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602170
DATE : 04.05.2026
REQ No : 1012602317
REQ TITLE : DFO FIREFIGHTING FOAM
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 08.05.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3600087341		VALVE_DELUGE VALVE WITH ELECTRICAL TRIM ASSEMBLY; MODEL: F-1; SIZE: 8INCH, DN 200; MAKE: VIKING; END CONNECTION: INLET AND OUTLET_F LANGED TOSUIT WITH ANSI B16.5 CLASS 150; SERIAL NO: W1024629; BODY: DUCTILE IRON;MAX WORKING PRESSURE: 17.25 BAR 250 PSI; KKS: 70 SG F50AA101; ORIGIN:USA; ADDITIONAL INFO: EN12259-9, UL LISTED, FM APPROVED, COLOR OF VALVE:RED; COC, COO, PRESSURE TEST CERTIFICAT E & MTC REQUIRED; APPLICATION -DFO FIREFIGHTING FOAM SYSTEM COMMON DELUGE VALVE.	1	EA				
2	3600087342		KIT;REPAIR KIT INCLUDING UPPER DIAPHRAGM PN10510 & RUBBER SEAT ASSEMBLYPN10512 FOR DFO FOAM FIRE FIGHTING SYSTEM DELUGE VALVE; SIZE : 8 INCH;MODEL- F-1; MWP: 250 PSI, 17.25BAR; KKS: 70SGF50AA101; MAKE: VIKINGCORPORATION, USA;ADDITIONAL INFO: VALVE SERIAL NO: W10 2 4629.	3	SET				
3	3600087343		KIT;SEAT REPLACEMENT KIT FOR DFO FOAM FIRE	2	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602170
DATE : 04.05.2026
REQ No : 1012602317
REQ TITLE : DFO FIREFIGHTING FOAM
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 08.05.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FIGHTING DELUGE VALVE; PARTNUMBER 14711-8 (ITEMS 2, 12 & 13); SIZE: 8 INCH; MODEL: F-1; MWP: 250PSI, 17.25BAR; KKS: 70SGF50AA101; MAKE: VIKING CORPORATION,USA;ADDITIONAL INFO: VALVE SERIAL NO: W1024629.						
4	3600087344		KIT;CLAPPER ASSEMBLY KIT FOR DFO FOAM FIRE FIGHTING DELUGE VALVE; PARTNUMBER 13484 (ITEMS 3,5,6,7,9,10&11); SIZE: 8 INCH; MODEL: F-1; MWP:250 PSI, 17.25BAR; KKS: 70SGF50AA101; MAKE: VIKING CORPORATION,USA;ADDITIONAL INFO: VALVE SERIAL NO: W1024629.	2	SET				
5	3600087345		VALVE;SWING CHECK VALVE COMPLETE ASSEMBLY; SIZE: 8 INCH, 200 NB; MAKE:VIKING; MODEL: EASY RISER F1; MAX WORKING PRESSURE: 300 PSI 2 0.7 BAR;STANDARD GROOVED CONNECTION: ANSI AWWA C606; KKS: 70SGF50AA203; ORIGIN:USA; ADDITIONAL INFO: UL LISTED, FM APPROVED, COLOR OF VALVE: RED; COC,COO, PRESSURE TEST CERTIFICATE & MTC REQUIRED; APPLICATION - DFOFIREFIGHTING FOAM SYSTEM COMMON DELUGE VALVE D OW	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602170
DATE : 04.05.2026
REQ No : 1012602317
REQ TITLE : DFO FIREFIGHTING FOAM
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 08.05.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			NSTREAM CHECK VALVE.						
6	3600087346		KIT;CLAPPER ASSEMBLY; PART NO. 08521 (ITEMS 6,7,8,9,10&11); FOR DFO FOAMFIRE FIGHTING CHECK VALVE; SIZE: 8 IN; MOD: F-1; MWP: 300 P SI 20.7 BAR;KKS NO.: KKS: 70SGF50AA203; MAKE: THE VIKING CORPORATION, USA	2	SET				
7	3600087347		SEAT, PART NO. 12; FOR DFO FOAM FIRE FIGHTING CHECK VALVE; SIZE: 8 IN;MOD: F-1; MWP: 300 PSI 20.7 BAR; KKS NO.: KKS: 70SGF50AA203; M AKE: THEVIKING CORPORATION, USA	2	EA				
8	3600087348		COVER GASKET; PART NO. 13; FOR DFO FOAM FIRE FIGHTING CHECK VALVE; SIZE:8 IN; MOD: F-1; MWP: 300 PSI 20.7 BAR; KKS NO.: KKS: 70SGF5 0AA203;MAKE: THE VIKING CORPORATION, USA	3	EA				
9	3600087349		VALVE_DELUGE; COMPLETE ASSEMBLY; MODEL: E-1; SIZE: 6 INCH; MAKE: VIKING;END CONNECTION: INLET AND OUTLET_ FLANGED TO SUIT WITH ANSI B16.5 CLASS150; SERIAL NO: W00380930; BODY: DUCTILE IRON; MAX WORKING PRESSURE:17.25 BAR 250 PSI; KKS: 70SGF51AA101; ORIGIN: USA; ADDITIONAL INFO:G4920053/54/55, UL LISTED, FM APPROVED, COLOR OF VALVE: RED; COC,	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602170
DATE : 04.05.2026
REQ No : 1012602317
REQ TITLE : DFO FIREFIGHTING FOAM
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 08.05.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			COO,PRESSURE TEST CERTIFICATE & MTC REQUIRED; A PP LOCATION - DFOFIREFIGHTING FOAM SYSTEM COMMON DELUGE SYSTEM						
10	3600087350		REPAIR KIT; INCLUDING DIAPHRAGM RUBBER PN01974 C & SEAT RUBBER ASSEMBLYPN 02176 B, FOR DFO FIREFIGHTING FOAM SYSTEM COMMON DELUGE S YSTEM;SIZE: 6 INCH; MOD.: E-1; MAX WORKING PRESSURE: 17.25 BAR 250 PSI; KKSNO.: 70SGF51AA101; MAKE: VIKING CORPORATION, USA	3	EA				
11	3600087351		KIT;CLAPPER ASSEMBLY KIT FOR DFO FOAM FIRE FIGHTING DELUGE VALVE; PARTNUMBER 13482 (ITEMS 4,5,6,7&10); SIZE: 6 INCH; MODEL: E-1; MW P: 250PSI, 17.25BAR; KKS: 70SGF51AA101; MAKE: VIKING CORPORATION,USA;ADDITIONAL INFO: VALVE SERIAL NO: W00380930.	2	SET				
12	3600087352		VALVE; BALL VALVE FOR DFO FIREFIGHTING FOAM SYSTEM DRAIN, ENDCONNECTION: SCREWED NPT; BODY: FORGED BRASS; MODEL: R250D; SIZE: 1 INC H(25NB), MWP:250 PSI; MAKE: GIACOMINI; ORIGIN: ITALY; ADDITIONAL DATA: ULLISTED, FM APPROVED;	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602170
DATE : 04.05.2026
REQ No : 1012602317
REQ TITLE : DFO FIREFIGHTING FOAM
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 08.05.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
13	3600087353		VALVE; BALL VALVE FOR DFO FIREFIGHTING FOAM SYSTEM PRESSURE TRANSMITTER,END CONNECTION: SCREWED NPT; BODY: FORGED BRASS; MODEL: R25 0D; SIZE:1/2 INCH (15NB), MWP:250 PSI; MAKE: GIACOMINI; ORIGIN: ITALY; ADDITIONALDATA: UL LISTED, FM APPROVED;	2	EA				
14	3600087354		VALVE; SWING CHECK VALVE FOR DFO FIREFIGHTING FOAM SYSTEM, ENDCONNECTION: THREADED; BODY: FORGED BRASS; MODEL: 99; 200 WOG; SIZE: 1 /2INCH (15NB), MWP:125WSP AT 350° MAX; MAKE: UNITED BRASS WORKS, INC.;DISK TYPE: METAL DISC INTEGRAL SEAT; ORIGIN: U.S.A; ADDITION A L DATA:100% PRESSURE TESTED, COC REQUIRED.	2	EA				
15	3600087355		VALVE_CHECK; TYPE: AUTOMATIC DRIP CHECK; FOR DFO FIREFIGHTING FOAMSYSTEM; MODEL: D-1; SIZE: 3/4 INCH; PART NUMBER: 10730; END CONNE CTIONS- FEMALE THREADED; WORKING WATER PRESSURE: 250 PSI 17.2 BAR; BODY: BRASSCASTING UNS-C84400; BALL: STAINLESS STEEL; SPRING: P H	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602170
DATE : 04.05.2026
REQ No : 1012602317
REQ TITLE : DFO FIREFIGHTING FOAM
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 08.05.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			OSPHOR BRONZE;RETAINING RING: STAINLESS STEEL; MAKE: VIKING CORPORATION, USA;ADDITIONAL DATA: COC, COO, PRESSURE TEST CERTIFICATE & MTC REQUIRED						
16	3600087356		VALVE_PORV; PORV FULL ASSEMBLY; FOR DFO FIREFIGHTING FOAM SYSTEM; MODEL:D-3; SIZE:1/2 INCH; PART NUMBER: 16970; MOP: 250 PSI 17.2 BAR; PRESSUREDIFFERENTIAL: APPROXIMATELY 10:1; BODY: STANDARD BRASS; MAKE: VIKINGCORPORATION, USA; ADDITIONAL DATA: COC, COO, PRESS U RE TEST CERTIFICATE& MTC REQUIRED, UL LISTED, FM APPROVED	2	EA				
17	3600087357		KIT; REPAIR FOR DFO FIREFIGHTING FOAM SYSTEM PORV; MAINTENANCE KIT PARTNO. 16968 (ITEMS 3,4,6,7,8,9,10&11); PORV MODEL: D-3; SIZE:1 /2 INCH;MOP: 250 PSI 17.2 BAR; PRESSURE DIFFERENTIAL: APPROXIMATELY 10:1; MAKE:VIKING CORPORATION, USA; ADDITIONAL DATA: COC & COO REQUIRED	3	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012602170
DATE	: 04.05.2026
REQ No	: 1012602317
REQ TITLE	: DFO FIREFIGHTING FOAM
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 08.05.2026
CLOSING TIME	: 10:00:00

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

DFO FIREFIGHTING FOAM SYSTEM COMMON DELUGE VALVE SPARES FOR L1 MBR

STANDARD TERMS & CONDITIONS

- 1) RFQ Document Disclaimer: The PDF version of this Request for Quotation (RFQ) is provided for convenience only and contains a summary of key information. It does not include all technical details, requirements, or specifications. Bidders must refer to the complete system documentation and all referenced materials to obtain full and accurate information necessary for preparing their proposals.
- 2) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 3) Quotation to be submitted only in local currency U.A.E Dirhams
- 4) DEWA Standard Payments: Payment will be made within 30 days from the date the Supplier/Contractor submits a complete and accurate invoice, together with all required supporting documents, subject to the material and/or services having been duly accepted.
- 5) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 6) The offered product and/or services in the Quotation, shall be confirming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 7) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer. If

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

Page7 of 10

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012602170
DATE	: 04.05.2026
REQ No	: 1012602317
REQ TITLE	: DFO FIREFIGHTING FOAM
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 08.05.2026
CLOSING TIME	: 10:00:00

the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

8)Data Privacy, Security and Sharing:

- Third-party shall handle DEWA data in accordance with all applicable laws, regulations, and DEWA policies.
- DEWA data shall not be shared outside UAE, in line with DESC ISR requirements.
- DEWA's Non-Disclosure Agreement (NDA) and External Party Acknowledgment (EPA) shall be signed by the third-party and their sub-contractors who handle DEWA data prior to the contract commencement.
- DEWA reserves the right to withhold data from third parties if deemed sensitive.
- Access to data must be restricted to authorized, named third-party employees only and DEWA must be informed of any changes in employment status of those with access.
- Third party shall not disclose, transfer or share any DEWA data with other third parties (government, semi government, private) without obtaining DEWA's authorized data owner written approval.
- Upon the completion/ termination of the agreement the external party shall securely delete all DEWA's data in their custody/ control including the backup and provide written confirmation and evidence to DEWA upon the data deletion completion as per agreed data disposal process, this is to address risk of data remanence.

9) Liquidated Damages for PO total value in excess of AED 50,000:

If the Contractor/Supplier delays or fails to deliver, fails to commence or perform the services, DEWA has the right to deduct an amount equal to 1.25% per day/week of the total PO fee for the services/supplies delayed, not performed or not delivered, subject to a cap of 10% of the total PO fee without recourse to any judicial proceedings, as compensation for the delay or failure to perform. If the deducted amount exceeds 10% of the total PO fee, without prejudice to any of DEWA's rights under the applicable law, DEWA shall be entitled to terminate the PO immediately without the need for any notice or judicial proceedings against the defaulting Supplier, and without the need to prove the damage.

10) Indemnity: The Supplier shall indemnify DEWA from and against all claims, damages, costs and liabilities brought by any third party against DEWA arising out of or in connection with any of acts or omissions of the Supplier/Contractor, or any failure to perform its obligations under this PO.

11) Dispute Resolution: Any dispute arising out of or in connection with this PO shall be settled through mutual good faith negotiation and understanding between the Parties: Failing amicable settlement,

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012602170
DATE	: 04.05.2026
REQ No	: 1012602317
REQ TITLE	: DFO FIREFIGHTING FOAM
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 08.05.2026
CLOSING TIME	: 10:00:00

the dispute shall finally be referred to the courts having appropriate jurisdiction in the Emirate of Dubai.

12) Intellectual Property Rights: The Supplier/Contractor shall not use DEWA's intellectual property, including logos, trademarks, service marks, trade names, service names, and brand names, whether in a press release or otherwise, without obtaining DEWA's prior written consent. All intellectual property rights in the deliverables created or developed, under this PO, shall be solely owned by DEWA.

13) Assignment and Transfer: The Supplier/Contractor shall not assign this PO or any part thereof without the prior written consent of DEWA. Such consent shall not relieve the Contractor of any of its obligations or duties under this PO.

14) Force Majeure: If either party is affected by a Force Majeure event, it will promptly notify the other party of the nature and extent thereof. Neither party will be deemed to be in breach of this PO, by reason of any delay or non-performance, of any of its obligations hereunder, due to any Force Majeure event of which it has notified the other party. The time for performance of these obligations will be extended accordingly as may be fair and reasonable in the circumstances. Provided always that if the duration of such delay or impediment exceeds thirty (30) days, either party may give a fifteen (15) working days' notice to terminate a specific item or the PO in its entirety.

15) Certificate of Conformity for Green Materials and Services Specifications: The Bidder shall, wherever applicable, provide a Certificate of conformity issued by accredited body/ laboratory as proof of compliance with the applicable green materials, services and specifications.

16) Taking Over Certificate: TOC shall be issued only after full delivery or completion of the service or deliverables. TOC will be issued conditionally ("conditional TOC") with the reasonable guarantee/observation in case of any defects after delivery or completion of the PO.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602170
DATE : 04.05.2026
REQ No : 1012602317
REQ TITLE : DFO FIREFIGHTING FOAM
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 08.05.2026
CLOSING TIME : 10:00:00

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP