

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602312  
**DATE** : 11.05.2026  
**REQ No** : 1012602183  
**REQ TITLE** : 1 FIELD INSTRUMENTS  
**DELIVERY LOCATION** : 0014 - G STORES, JAPS  
**CLOSING DATE** : 15.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700085013		<p>TRANSMITTER_LIQUID LEVEL; INPUT RANGE: -1000 TO 1000IN H2O; OUTPUTRANGE: 4 TO 20MA; SUPPLY RATING: 24VDC; SIZE/CONNECTION: 2IN FLAN                      GED;MATERIAL: PU PAINTED AL; CALIBRATION RANGE: 0 TO 19000MM WC; FILL:SILICONE OIL; CONNECTION MATERIAL: 316L SS; ENCLOSURE: NEMA 4X                      , IP66/68;MOUNT: FLUSH; MFR: ROSEMOUNT INC; MPN:                      3051L3AG0XD21ABL5M5Q4C1DFF1:ADDITIONAL INFO: TYPE: ELECTRONIC; 2-WIRE; SMART; A CCU RACY: <math>\hat{A}\pm 0.075\%</math>OF SPAN; CONDUIT ENTRY SIZE: M20 X 1.5; COMMUNICATION PROTOCOL: HART;CABLE ENTRY: M20; DISPLAY: LCD; MEASUREMENT TYP                      E: DIFFERENTIALPRESSURE; MEASURING RANGE: 0 TO 19M; ISOLATING DIAPHRAGM/WETTED PARTSMATERIAL: 316L SS; PROCESS CONNECTION (SIZ E/RAT                      ING): 2IN ANSI B16.5;150# (HIGH SIDE); 1/2IN NPTF (LOW SIDE); CAPILLARY MATERIAL AND LENGTH:DIRECT CONNECTION; NO CAPILLARY;</p>	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602312  
**DATE** : 11.05.2026  
**REQ No** : 1012602183  
**REQ TITLE** : 1 FIELD INSTRUMENTS  
**DELIVERY LOCATION** : 0014 - G STORES, JAPS  
**CLOSING DATE** : 15.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			LIT-01G CL10CL011A; MOUNTING FLANGESIZE/RATING/MATERIAL (HIGH SIDE): 2IN/ANSI/ASME B16.5 CLASS 150/SS;PROCESS FILL (HIGH PRESSURE SIDE): SI LICONE 200; SPECIFIC GRAVITY:0.93; TEMPERATURE LIMITS: -45 TO 205DEG C; CONFIGURATION: DIFFERENTIAL;FLANGE ADAPTER: SS; O- RING: GLA SS FILLED PTFE; BOLTING MATERIAL: ASTM A193; GR. B7M BOLTS; W/CALIBRATION CERTIFICATE; W/CUSTOM SOFTWARECONFIGURATION; LOWER HOUSIN G FLUSHING CONNECTION RING MATERIAL/SIZE:316 SS/1/4IN-18 NPT						
2	2700085015		TRANSMITTER_LIQUID LEVEL; INPUT RANGE: -250 TO 250IN H2O; OUTPUT RANGE:4 TO 20MA; SUPPLY RATING: 24VDC; SIZE/CONNECTION: 2IN FLANGE D;MATERIAL: PU PAINTED AL; CALIBRATION RANGE: 65 TO 3380MM WC; FILL:SILICONE OIL; CONNECTION MATERIAL: 316L SS; ENCLOSURE: NEMA 4X , IP66/68; MOUNT: FLUSH; MFR: ROSEMOUNT INC:	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602312  
**DATE** : 11.05.2026  
**REQ No** : 1012602183  
**REQ TITLE** : 1 FIELD INSTRUMENTS  
**DELIVERY LOCATION** : 0014 - G STORES, JAPS  
**CLOSING DATE** : 15.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MPN:3051L2AG0XD21ABL5M5Q4C1DFF1: ADDITIONAL INFO: TYPE: ELECTRONIC; 2-WIRE;SMART; ACC URA CY: $\pm$ 0.075% OF SPAN; CONDUIT ENTRY SIZE: M20 X 1.5;COMMUNICATION PROTOCOL: HART; CABLE ENTRY: M20; DISPLAY: LCD;MEASUREMENT T YPE: DIFFERENTIAL PRESSURE; MEASURING RANGE: 0 TO 2600MM;ZERO SUPPRESSION/ELEVATION: SUPPRESSION 65MM WC; PROCESS FLUID: 30%NAOH; COVER FLANGE BODY MATERIAL; NON-WETTED PARTS: 316 SS; ISOLATINGDIAPHRAGM AND WETTED PARTS MATERIAL: REFER DIAPHRAGM SEAL PORTION; PROCESS CONNECTION (SIZE/RATING): 2 IN ANSI B 16.5; 150# (HIGH SIDE);1/2IN NPTF (LOW SIDE); DIAPHRAGM/WETTED PARTS MATERIAL: 316L SS ;CAPILL ARY MATERIAL AND LENGTH: DIRECT CONNECTION; NO CAPILLARY;LIT-01GCN20CL001B; MOUNTING FLANGE SIZE/RATING/MATERIAL (HIGH SIDE ):2IN/AN SI/ASME B16.5 CLASS 150/SS; PROCESS FILL (HIGH						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602312  
**DATE** : 11.05.2026  
**REQ No** : 1012602183  
**REQ TITLE** : 1 FIELD INSTRUMENTS  
**DELIVERY LOCATION** : 0014 - G STORES, JAPS  
**CLOSING DATE** : 15.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PRESSURE SIDE);SILICONE 200; SPECIFIC GRAVITY: 0.93; TEMPERATURE LIMITS: -4 5 TO 205D EGC; CONFIGURATION: DIFFERENTIAL; FLANGE ADAPTER: SS; O-RING: GLASS FILLEDPTFE; BOLTING MATERIAL: ASTM A 193; GR. B7M BOL TS; W/CALI BRATIONCERTIFICATE; W/CUSTOM SOFTWARE CONFIGURATION; LOWER HOUSING FLUSHINGCONNECTION RING MATERIAL/SIZE: 316 SS/1/4IN-1 8 NPT						
3	2700085023		TRANSMITTER_DIFFERENTIAL PRESSURE; INPUT RANGE: (-1000 TO 1000IN H2O),(-2.48 TO 2.48BAR); SUPPLY RATING: 24VDC; OUTPUT RATING: 4 TO 20MA;WORKING PRESSURE: 10BAR (G); SIZE/CONNECTION: 1/2IN NPTF; TYPE:COPLANAR, 2-WIRE, ELECTRONIC POSITION; COMMUNICATION PROTOCOL : DIGITALHART; TEMPERATURE RATING: -40 TO 85DEG C; MATERIAL: PU COVERED AL;ENCLOSURE: NEMA 4X, IP65/66/68; MFR: ROSEMOUNT INC: MPN :3 051CD-3-A-0-2-A-1-B-S5-M5-C1-Q4: ADDITIONAL INFO: DISPLAY: LCD;ISOLATING DIAPHRAGM	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602312  
**DATE** : 11.05.2026  
**REQ No** : 1012602183  
**REQ TITLE** : 1 FIELD INSTRUMENTS  
**DELIVERY LOCATION** : 0014 - G STORES, JAPS  
**CLOSING DATE** : 15.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MATERIAL: 316L SS; O-RING MATERIAL: GLASS-FIL LED PTFE; SENSOR FILL FLUID: SILICONE; HOUSING MATERIAL: AL; FLOW RATING: 0TO 400CU M/HR; ACCURACY: +/-0.065% OF SPAN; MODE NUMBER: L(M ANIFOLD);SMART HART; CABLE ENTRY: M20; DP CALIBRATION RANGE: 0 TO 5000MMWC; PUCOVERED AL; INTEGRAL DISPLAY: LCD IN CU M/H; PRO CESS FLUID: WATER;CLIMATE: SUB-TROPICAL; ARID CLIMATE W/HIGHLY SALINE AIR; SENSOR TYPE:DIFFERENTIAL PRESSURE; INSTRUMENT CONNECTIO N: SUI TABLE FOR INTEGRALMOUNTING W/5-VALVE MANIFOLD; INTEGRAL TO XMTR; COVER FLANGE (BODY)MATERIAL (NON-WETTED): 316 SS; DIAPHRAGM AND WE TTED MATERIAL: 316L SS;KKS CODE: 01GCK28CF001						
4	2700085024		TRANSMITTER_CONDUCTIVITY; INPUT RANGE: 0 TO 20000US/CM; OUTPUT RANGE: 4TO 20MA; SUPPLY RATING: 24VDC; SIZE/CONNECTION: SCREW	3	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602312  
**DATE** : 11.05.2026  
**REQ No** : 1012602183  
**REQ TITLE** : 1 FIELD INSTRUMENTS  
**DELIVERY LOCATION** : 0014 - G STORES, JAPS  
**CLOSING DATE** : 15.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TERMINAL; TYPE: 2-WIRE, CONTACTING; ACCURACY: +/-0.05 MILLI AMPERE AT 25DEG C; TEMPERATURE RANGE: -20 TO 65DEG C; MATERIAL: POLYCARBONATE; ENCLOSURE: TYPE 4X,IP66; MEDIA: WATER; MFR: ROSEMOUNT INC; MPN: 1066-C-HT-60; ADDITIONAL INFO: SINGLE CHANNEL TRANSMITTER; CABLE ENTRY : 1/2 INCH OR PG 13.5 CONDUIT FITTINGS; COMMUNICATION PROTOCOL: HART; ACCESSORIES: 2 IN PIPE/SURFACE MOUNTING KIT INCLUDING U-BOLTS, MOUNTING BRACKET, NUTS, WASHERS, AND SCREWS; 23820-00; ; GLAND FITTING; 23554-00; KIT (QTY 5); LOCAL INDICATION: LCD; SMART; APPROVAL: NONE REQUIRED; KKS CODE:01GCK28CQ001A						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

**SPECIAL NOTES / INSTRUCTIONS:**

1 FIELD INSTRUMENTS SPARES

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

<b>RFQ NUMBER</b>	: 2012602312
<b>DATE</b>	: 11.05.2026
<b>REQ No</b>	: 1012602183
<b>REQ TITLE</b>	: 1 FIELD INSTRUMENTS
<b>DELIVERY LOCATION</b>	: 0014 - G STORES, JAPS
<b>CLOSING DATE</b>	: 15.05.2026
<b>CLOSING TIME</b>	: 10:00:00

### STANDARD TERMS & CONDITIONS

- 1) RFQ Document Disclaimer: The PDF version of this Request for Quotation (RFQ) is provided for convenience only and contains a summary of key information. It does not include all technical details, requirements, or specifications. Bidders must refer to the complete system documentation and all referenced materials to obtain full and accurate information necessary for preparing their proposals.
- 2) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 3) Quotation to be submitted only in local currency U.A.E Dirhams
- 4) DEWA Standard Payments: Payment will be made within 30 days from the date the Supplier/Contractor submits a complete and accurate invoice, together with all required supporting documents, subject to the material and/or services having been duly accepted.
- 5) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 6) The offered product and/or services in the Quotation, shall be confirming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 7) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer. If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602312  
**DATE** : 11.05.2026  
**REQ No** : 1012602183  
**REQ TITLE** : 1 FIELD INSTRUMENTS  
**DELIVERY LOCATION** : 0014 - G STORES, JAPS  
**CLOSING DATE** : 15.05.2026  
**CLOSING TIME** : 10:00:00

8) Data Privacy, Security and Sharing:

- Third-party shall handle DEWA data in accordance with all applicable laws, regulations, and DEWA policies.
- DEWA data shall not be shared outside UAE, in line with DESC ISR requirements.
- DEWA's Non-Disclosure Agreement (NDA) and External Party Acknowledgment (EPA) shall be signed by the third-party and their sub-contractors who handle DEWA data prior to the contract commencement.
- DEWA reserves the right to withhold data from third parties if deemed sensitive.
- Access to data must be restricted to authorized, named third-party employees only and DEWA must be informed of any changes in employment status of those with access.
- Third party shall not disclose, transfer or share any DEWA data with other third parties (government, semi government, private) without obtaining DEWA's authorized data owner written approval.
- Upon the completion/ termination of the agreement the external party shall securely delete all DEWA's data in their custody/ control including the backup and provide written confirmation and evidence to DEWA upon the data deletion completion as per agreed data disposal process, this is to address risk of data remanence.

9) Liquidated Damages for PO total value in excess of AED 50,000:

If the Contractor/Supplier delays or fails to deliver, fails to commence or perform the services, DEWA has the right to deduct an amount equal to 1.25% per day/week of the total PO fee for the services/supplies delayed, not performed or not delivered, subject to a cap of 10% of the total PO fee without recourse to any judicial proceedings, as compensation for the delay or failure to perform. If the deducted amount exceeds 10% of the total PO fee, without prejudice to any of DEWA's rights under the applicable law, DEWA shall be entitled to terminate the PO immediately without the need for any notice or judicial proceedings against the defaulting Supplier, and without the need to prove the damage.

10) Indemnity: The Supplier shall indemnify DEWA from and against all claims, damages, costs and liabilities brought by any third party against DEWA arising out of or in connection with any of acts or omissions of the Supplier/Contractor, or any failure to perform its obligations under this PO.

11) Dispute Resolution: Any dispute arising out of or in connection with this PO shall be settled through mutual good faith negotiation and understanding between the Parties: Failing amicable settlement, the dispute shall finally be referred to the courts having appropriate jurisdiction in the Emirate of Dubai.

12) Intellectual Property Rights: The Supplier/Contractor shall not use DEWA's intellectual property, including logos, trademarks, service marks, trade names, service names, and brand names, whether

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602312  
**DATE** : 11.05.2026  
**REQ No** : 1012602183  
**REQ TITLE** : 1 FIELD INSTRUMENTS  
**DELIVERY LOCATION** : 0014 - G STORES, JAPS  
**CLOSING DATE** : 15.05.2026  
**CLOSING TIME** : 10:00:00

in a press release or otherwise, without obtaining DEWA's prior written consent. All intellectual property rights in the deliverables created or developed, under this PO, shall be solely owned by DEWA.

13) Assignment and Transfer: The Supplier/Contractor shall not assign this PO or any part thereof without the prior written consent of DEWA. Such consent shall not relieve the Contractor of any of its obligations or duties under this PO.

14) Force Majeure: If either party is affected by a Force Majeure event, it will promptly notify the other party of the nature and extent thereof. Neither party will be deemed to be in breach of this PO, by reason of any delay or non-performance, of any of its obligations hereunder, due to any Force Majeure event of which it has notified the other party. The time for performance of these obligations will be extended accordingly as may be fair and reasonable in the circumstances. Provided always that if the duration of such delay or impediment exceeds thirty (30) days, either party may give a fifteen (15) working days' notice to terminate a specific item or the PO in its entirety.

15) Certificate of Conformity for Green Materials and Services Specifications: The Bidder shall, wherever applicable, provide a Certificate of conformity issued by accredited body/ laboratory as proof of compliance with the applicable green materials, services and specifications.

16) Taking Over Certificate: TOC shall be issued only after full delivery or completion of the service or deliverables. TOC will be issued conditionally ("conditional TOC") with the reasonable guarantee/observation in case of any defects after delivery or completion of the PO.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602312  
**DATE** : 11.05.2026  
**REQ No** : 1012602183  
**REQ TITLE** : 1 FIELD INSTRUMENTS  
**DELIVERY LOCATION** : 0014 - G STORES, JAPS  
**CLOSING DATE** : 15.05.2026  
**CLOSING TIME** : 10:00:00

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**