

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602468  
**DATE** : 18.05.2026  
**REQ No** : 1012602291  
**REQ TITLE** : Spares 1012602291  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 22.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700080012		CIRCUIT BREAKER_MINIATURE; AMPERAGE: 6A; POLE: 2P; MFR: SCHNEIDERELECTRIC; APPLICATION: FLOW COMPUTER; FINAL METERING CABINET PANEL	2	EA				
2	2700081531		RELAY_TYPE: CPLG, INDUSTRIAL, NON-LATCHING; COIL VOLTAGE: 230VAC50/60HZ; CONTACT RATING: 250VAC/DC 5A; CONTACT ARRANGEMENT: 4CO; CON TACT: HARD GOLD PLATED AGNI; ACTION: 4PDT; TERMINAL: SCREW; MOUNT: DINRAIL; STANDARD: EN/IEC 60947-2; MFR: PHOENIX CONTACT: MPN: PR2 -RSC3-LV-230AC/4X21AU: MFR: PHOENIX CONTACT: MPN: 2834753:APPLICATION: DCS CABINET	8	EA				
3	2700084080		AMPLIFIER_TYPE: 4-WAY ISOLATION, SIGNAL DUPLICATOR; INPUT RATING: 30V0/4 TO 20MA, 50MA (MAX.); OUTPUT RATING: 0/4 TO 20MA, 22MA (MA X.);VOLTAGE: 24VDC; AMPERAGE: 30MA; MOUNT: DIN RAIL; MFR: PHOENIX CONTACT:MPN: MINI MCR-SL-UI-2I: MFR: PHOENIX CONTACT: MPN: 28647 9 4: ADDITIONALINFO: AMBIENT TEMPERATURE	10	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602468  
**DATE** : 18.05.2026  
**REQ No** : 1012602291  
**REQ TITLE** : Spares 1012602291  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 22.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			RATING: -20 TO 60DEG C; ENCLOSURE: EX NA II T4X; LOAD: 250OHM; TEST VOLTAGE RATING: 1.5KV 50H Z 1MIN; TRANSMISSIONERROR: <0.2% OF FULL SCALE; APPLICATION: GT AIR INTAKE FILTER DP BOX						
4	2700084087		RELAY_TYPE: MINIATURE; COIL VOLTAGE: 24VDC; CONTACT RATING: 250VAC/DC6A; CONTACT ARRANGEMENT: 2CO; CONTACT: AGNI; ACTION: DPDT; TERMINAL: SCREW, SOCKET; MOUNT: DIN RAIL; ENCLOSURE: IP20; STANDARD: EN/IEC60947-2; MFR: PHOENIX CONTACT: MPN: PLC-RSC-24DC/21-21: MFR : PHOENIXCONTACT: MPN: 2967060: ADDITIONAL INFO: VOLTAGE TOLERANCE: -20/10%;COMPLETE; APPLICATION: GT PCC CABINET	4	EA				
5	2700086414		BLOCK_TERMINAL; VOLTAGE: 400V; AMPERAGE: 10A; CIRCUITS: 1; TERMINAL:SCREW; WIRE SIZE: 22 TO 12AWG; BLOCK MATERIAL: POLYAMIDE PA66; TYPE:COLD JUNCTION, SINGLE ELEMENT; SIZE: 6MM WD, 53.5MM DP, 65MM HT; COLOR:BEIGE; MOUNT: SNAP-ON; MFR: WEIDMULLER INTERFACE GMBH &	8	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602468  
**DATE** : 18.05.2026  
**REQ No** : 1012602291  
**REQ TITLE** : Spares 1012602291  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 22.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			C O KG: MPN: DKT4/35 PT100: MFR: WEIDMULLER INTERFACE GMBH & CO KG: MPN: 8014720000:ADDITIONAL INFO: TEMPERATURE RATING: -50 TO 1 00DE G C; SERIES: KG; SAK;APPLICATION: GT OUTLET TEMPERATURE JUNCTION BOX						
6	2700087078		MODULE_TYPE: DIODE; MFR: PHOENIX CONTACT: MPN: EMG 90-DIO-Z2V4/8E/SO107:MFR: PHOENIX CONTACT: MPN: 2941497: ADDITIONAL INFO: CONNEC TION: SCREWTERMINAL; DIMENSION: 90MM WD; 75MM HT; TEMPERATURE RATING: -20 TO 50DEGC	4	EA				
7	2700087870		BLOCK_TERMINAL; VOLTAGE: 800V; AMPERAGE: 32A; CIRCUITS: 3; TERMINAL:CAGE CLAMP; WIRE SIZE: 28 TO 12AWG/0.08 TO 4SQ MM; BLOCK MATERI AL:POLYAMIDE PA66; TYPE: THROUGH/GROUND (EARTH) CONDUCTOR/SHIELD (SCREEN);SIZE: 6MM WD, 73.5MM DP; COLOR: GRAY; MOUNT: DIN RAIL; M F R: WAGOKONTAKTTECHNIK GMBH & CO KG: MPN: 281-681: ADDITIONAL INFO: COIL VOLTAGERATING:	130	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602468  
**DATE** : 18.05.2026  
**REQ No** : 1012602291  
**REQ TITLE** : Spares 1012602291  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 22.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			24VDC; CONTACT RATING: 250VAC 16A; PACKAGE Q UANTITY: 4; SERIES:281; APPLICATION: GAS TURBINE CONTROL CABINET						
8	2700095029		RELAY_POWER; TYPE: MINIATURE, SINGLE; POWER SUPPLY: 24VDC; CONTACTARRANGEMENT: 1CO; BURDEN: 0.41W; ACTION: SPDT; TIME SETTING: 7MS(O PERATE), 3MS (RELEASE); DIMENSIONS: 12.7MM WD, 15.7MM DP, 29MM HT;MOUNT: PCB; CONTACT RATING: 250VAC/DC 16A; TERMINAL: PLUG-IN, SOLD ER-PIN; STANDARD: EN 50178, EN 61810-1, IEC 60664; MFR: PHOENIXCONTACT: MPN: REL-MR- 24DC/21HC: MFR: PHOENIX CONTACT: MPN: 29613 12: APPLICATION: BSDG	4	EA				
9	2700095030		ELEMENT_TYPE: HOUSING SIDE; SIZE: 11.25MM WD, 77MM HT; MATERIAL:POLYAMIDE; MFR: PHOENIX CONTACT: MPN: UMK-SE 11 25-1: ADDITIONAL IN FO:W/BASE; APPLICATION: RELAY; BSDG	8	EA				
10	2700095033		CIRCUIT BREAKER_MINIATURE; VOLTAGE: 277VAC, 65VDC; AMPERAGE: 5A;INTERRUPTING CAPACITY:	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602468  
**DATE** : 18.05.2026  
**REQ No** : 1012602291  
**REQ TITLE** : Spares 1012602291  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 22.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			5KA; POLE: 1P; CONNECTION: TUNNEL TERMINAL;FR EQUENCY RATING: 50/60HZ; ENCLOSURE: IP20/40; MOUNT: DIN RAIL; CURVE:C; SIZE: 18MM WD, 73MM DP, 81MM HT; MFR: MERLIN GERIN: MPN: 1 74 14:ADDITIONAL INFO: TYPE MULTI 9; MODEL: C60; APPLICATION: BSDG						
11	2700136536		DIODE; MFR: ZENER; MPN: ZPD1; VOLTAGE: 0.7 TO 0.8V; AMPERAGE: 340MA; APPLICATION: GT PCC PANEL TERMINAL BLOCKS	50	EA				
12	2700080014		HUMIDISTAT_TYPE: RELATIVE HUMIDITY; RANGE: 50 TO 100%; ELECTRICALRATING: 24 TO 230VAC, 12 TO 75VDC 5A 1PH 20W; MFR: RITTAL GMBH & C O KG:MPN: SK 3118.000: ADDITIONAL INFO: SIZE: 71MM WD; 33.5MM DP; 71MM HT;TEMPERATURE RATING: 5 TO 60DEG C; APPLICATION: FINAL MET E RING PANELSCABINET SPARES	15	EA				
13	2700095028		CONTACTOR_COIL VOLTAGE: 17 TO 32VDC; AMPERAGE: 5A; POLE: 4P; CONTACTARRANGEMENT: 4NO; ENCLOSURE: IP20; MFR: ABB: MPN: K6S-40E-2.8:AD DITIONAL INFO: CONNECTION: SCREW TERMINAL; MOUNT: DIN RAIL;APPLICATION: BSDG	12	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602468  
**DATE** : 18.05.2026  
**REQ No** : 1012602291  
**REQ TITLE** : Spares 1012602291  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 22.05.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
14	2700090376		RELAY_TYPE: GENERAL PURPOSE; COIL VOLTAGE: 24VDC; CONTACT RATING: 250VAC7A; CONTACT ARRANGEMENT: 4CO; CONTACT: AGNI; ACTION: 4PDT; T ERMINAL:PLUG-IN; MOUNT: SOCKET BASE; ENCLOSURE: IP20; STANDARD: CSA, RINA, VDE;MFR: FINDER: MPN: 55.34.9.024.0094: ADDITIONAL INFO: W/SOCKET BASE; P/N9464; LOCKABLE TEST BUTTON + LED + DIODE (DC; POLARITY POSITIVE TO PINA1/13) + MECHANICAL INDICATOR; APPLICATION : ELECTRICAL PANEL; CLO2	4	EA				
15	2700080013		HEATER_TYPE: ENCLOSURE, PANEL; SIZE: 64MM WD, 45MM DP, 110MM HT; RATING:110 TO 240VAC/DC 50/60HZ 30W; MFR: RITTAL GMBH & CO KG: MPN : SK3115.000: APPLICATION: FLOW COMPUTER; FINAL METERING CABINET PANEL	14	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

**SPECIAL NOTES / INSTRUCTIONS:**

**MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.**

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

<b>RFQ NUMBER</b>	: 2012602468
<b>DATE</b>	: 18.05.2026
<b>REQ No</b>	: 1012602291
<b>REQ TITLE</b>	: Spares 1012602291
<b>DELIVERY LOCATION</b>	: 0022 - M STORES, JAPS
<b>CLOSING DATE</b>	: 22.05.2026
<b>CLOSING TIME</b>	: 10:00:00

Spares

### **STANDARD TERMS & CONDITIONS**

- 1) RFQ Document Disclaimer: The PDF version of this Request for Quotation (RFQ) is provided for convenience only and contains a summary of key information. It does not include all technical details, requirements, or specifications. Bidders must refer to the complete system documentation and all referenced materials to obtain full and accurate information necessary for preparing their proposals.
- 2) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 3) Quotation to be submitted only in local currency U.A.E Dirhams
- 4) DEWA Standard Payments: Payment will be made within 30 days from the date the Supplier/Contractor submits a complete and accurate invoice, together with all required supporting documents, subject to the material and/or services having been duly accepted.
- 5) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 6) The offered product and/or services in the Quotation, shall be confirming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 7) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer. If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

<b>RFQ NUMBER</b>	: 2012602468
<b>DATE</b>	: 18.05.2026
<b>REQ No</b>	: 1012602291
<b>REQ TITLE</b>	: Spares 1012602291
<b>DELIVERY LOCATION</b>	: 0022 - M STORES, JAPS
<b>CLOSING DATE</b>	: 22.05.2026
<b>CLOSING TIME</b>	: 10:00:00

shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

### 8) Data Privacy, Security and Sharing:

- Third-party shall handle DEWA data in accordance with all applicable laws, regulations, and DEWA policies.
- DEWA data shall not be shared outside UAE, in line with DESC ISR requirements.
- DEWA's Non-Disclosure Agreement (NDA) and External Party Acknowledgment (EPA) shall be signed by the third-party and their sub-contractors who handle DEWA data prior to the contract commencement.
- DEWA reserves the right to withhold data from third parties if deemed sensitive.
- Access to data must be restricted to authorized, named third-party employees only and DEWA must be informed of any changes in employment status of those with access.
- Third party shall not disclose, transfer or share any DEWA data with other third parties (government, semi government, private) without obtaining DEWA's authorized data owner written approval.
- Upon the completion/ termination of the agreement the external party shall securely delete all DEWA's data in their custody/ control including the backup and provide written confirmation and evidence to DEWA upon the data deletion completion as per agreed data disposal process, this is to address risk of data remanence.

### 9) Liquidated Damages for PO total value in excess of AED 50,000:

If the Contractor/Supplier delays or fails to deliver, fails to commence or perform the services, DEWA has the right to deduct an amount equal to 1.25% per day/week of the total PO fee for the services/supplies delayed, not performed or not delivered, subject to a cap of 10% of the total PO fee without recourse to any judicial proceedings, as compensation for the delay or failure to perform. If the deducted amount exceeds 10% of the total PO fee, without prejudice to any of DEWA's rights under the applicable law, DEWA shall be entitled to terminate the PO immediately without the need for any notice or judicial proceedings against the defaulting Supplier, and without the need to prove the damage.

10) Indemnity: The Supplier shall indemnify DEWA from and against all claims, damages, costs and liabilities brought by any third party against DEWA arising out of or in connection with any of acts or omissions of the Supplier/Contractor, or any failure to perform its obligations under this PO.

11) Dispute Resolution: Any dispute arising out of or in connection with this PO shall be settled through mutual good faith negotiation and understanding between the Parties: Failing amicable settlement, the dispute shall finally be referred to the courts having appropriate jurisdiction in the Emirate of Dubai.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602468  
**DATE** : 18.05.2026  
**REQ No** : 1012602291  
**REQ TITLE** : Spares 1012602291  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 22.05.2026  
**CLOSING TIME** : 10:00:00

12) Intellectual Property Rights: The Supplier/Contractor shall not use DEWA's intellectual property, including logos, trademarks, service marks, trade names, service names, and brand names, whether in a press release or otherwise, without obtaining DEWA's prior written consent. All intellectual property rights in the deliverables created or developed, under this PO, shall be solely owned by DEWA.

13) Assignment and Transfer: The Supplier/Contractor shall not assign this PO or any part thereof without the prior written consent of DEWA. Such consent shall not relieve the Contractor of any of its obligations or duties under this PO.

14) Force Majeure: If either party is affected by a Force Majeure event, it will promptly notify the other party of the nature and extent thereof. Neither party will be deemed to be in breach of this PO, by reason of any delay or non-performance, of any of its obligations hereunder, due to any Force Majeure event of which it has notified the other party. The time for performance of these obligations will be extended accordingly as may be fair and reasonable in the circumstances. Provided always that if the duration of such delay or impediment exceeds thirty (30) days, either party may give a fifteen (15) working days' notice to terminate a specific item or the PO in its entirety.

15) Certificate of Conformity for Green Materials and Services Specifications: The Bidder shall, wherever applicable, provide a Certificate of conformity issued by accredited body/ laboratory as proof of compliance with the applicable green materials, services and specifications.

16) Taking Over Certificate: TOC shall be issued only after full delivery or completion of the service or deliverables. TOC will be issued conditionally ("conditional TOC") with the reasonable guarantee/observation in case of any defects after delivery or completion of the PO.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012602468  
**DATE** : 18.05.2026  
**REQ No** : 1012602291  
**REQ TITLE** : Spares 1012602291  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 22.05.2026  
**CLOSING TIME** : 10:00:00

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**