

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602582
DATE : 21.05.2026
REQ No : 1012602222
REQ TITLE : GAUGE 1012602222
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 01.06.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700110834		PRESSURE GAUGE BOURDON TUBE TYPE, RANGE 0 - 60 BAR, DIAL SIZE 100 MM, CONNECTION 1/2" BSP BOTTOM, MODEL NO: 233.30-E-BG460Z-GD, MAKE WIKAGERMANY	15	EA				
2	2700038646		GAUGE_PRESSURE; RANGE: 0 TO 400BAR; DIAL SIZE: 100MM; SIZE/CONNECTION:1/2IN MALE BSPP; CASE MATERIAL: 304 SS; TUBE MATERIAL: CU ALL OY; TYPE:BOURDON TUBE; ACCURACY: +/-1%; CONNECTION MATERIAL: CU ALLOY; CONNECTIONLOCATION: LOWER BACK/BOTTOM; MOUNT: SURFACE; FILL E D: 99.7% GLYCERIN;MFR: WIKA ALEXANDER WIEGAND SE & CO KG: MPN: 213.53.100: APPLICATION:CLOGGING INDICATOR; KKS CODE: MBV30CO501/5 02 /503	10	EA				
3	2700121153		PRESSURE GAUGE; BOURDON TUBE SENSING ELEMENT GLYCERINE FILLED, RANGE : 0TO 2 BAR, DIAL SIZE: 2 INCH, PANEL MOUNTED,CONNECTION: BACK 1/4 INCHNPTM, BOURDON AND CASING MATERIAL: SS316, MOVEMENT : SS316, LEAST COUNT: 0.1,	10	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602582
DATE : 21.05.2026
REQ No : 1012602222
REQ TITLE : GAUGE 1012602222
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 01.06.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ACCURACY: 1%, MAKE: WIKA.						
4	2700121154		PRESSURE GAUGE; BOURDON TUBE SENSING ELEMENT GLYCERINE FILLED, RANGE : 0TO 40 BAR, DIAL SIZE: 2 INCH, PANEL MOUNTED,CONNECTION: BAC K 1/4 INCHNPTM, BOURDON AND CASING MATERIAL: SS316, MOVEMENT : SS316, LEAST COUNT: 0.1, ACCURACY: 1%, MAKE: WIKA.	15	EA				
5	2700121155		PRESSURE GAUGE; BOURDON TUBE SENSING ELEMENT GLYCERINE FILLED, RANGE : 0TO 25 BAR, DIAL SIZE: 2 INCH, PANEL MOUNTED,CONNECTION: BAC K 1/4 INCHNPTM, BOURDON AND CASING MATERIAL: SS316, MOVEMENT : SS316, LEAST COUNT: 0.1, ACCURACY: 1%, MAKE: WIKA.	10	EA				
6	2700121156		PRESSURE GAUGE; BOURDON TUBE SENSING ELEMENT GLYCERINE FILLED, RANGE : 0TO 60 BAR, DIAL SIZE: 2 INCH, PANEL MOUNTED,CONNECTION: BAC K 1/4 INCHNPTM, BOURDON AND CASING MATERIAL: SS316, MOVEMENT : SS316, LEAST COUNT: 0.1, ACCURACY: 1%, MAKE: WIKA.	10	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602582
DATE : 21.05.2026
REQ No : 1012602222
REQ TITLE : GAUGE 1012602222
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 01.06.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
7	2700121157		PRESSURE GAUGE; BOURDON TUBE SENSING ELEMENT GLYCERINE FILLED, RANGE : 0TO 100 BAR, DIAL SIZE: 2 INCH, PANEL MOUNTED,CONNECTION: BA CK 1/4 INCHNPTM, BOURDON AND CASING MATERIAL: SS316, MOVEMENT : SS316, LEAST COUNT: 0.1, ACCURACY: 1%, MAKE: WIKA.	10	EA				
8	2700042760		GAUGE_PRESSURE; RANGE: 0 TO 1000MM H2O; DIAL SIZE: 100MM;SIZE/CONNECTION: 3/8IN BSPP; TUBE MATERIAL: PHOSPHOR BRZ GR. C5212R;TYPE: BELLOW; ACCURACY: +/-2%; MFR: NAGANO KEIKI CO LTD: MPN:GL20-231-180000	15	EA				
9	2700038645		GAUGE_PRESSURE; RANGE: 0 TO 250BAR; DIAL SIZE: 100MM; SIZE/CONNECTION:1/2IN MALE BSPP; CASE MATERIAL: SS; TUBE MATERIAL: 316L SS; T YPE:BOURDON TUBE; ACCURACY: +/-1%; CONNECTION MATERIAL: 316L SS; CONNECTIONLOCATION: LOWER BACK/BOTTOM; MOUNT: PANEL, SURFACE; FIL L ED: 99.7%GLYCERIN; MFR: WIKA ALEXANDER WIEGAND SE & CO KG: MPN: 233.50.100:ADDITIONAL INFO: INGRESS	10	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602582
DATE : 21.05.2026
REQ No : 1012602222
REQ TITLE : GAUGE 1012602222
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 01.06.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PROTECTION: IP65 PER EN 60 52 9/ IEC 529						
10	2700026958		GAUGE_PRESSURE; RANGE: 0 TO 4BAR; DIAL SIZE: 150MM; SIZE/CONNECTION:1/2IN MNPT; CASE MATERIAL: SS; TUBE MATERIAL: 316L SS; TYPE: BORDONTUBE; ACCURACY: +/-1%; CONNECTION LOCATION: BOTTOM; FILLED: 98%GLYCERIN/SILICONE OIL; MFR: NUOVA FIMA SRL: MPN: MGS18.3.C: AD DITIONALINFO: INGRESS PROTECTION: IP65 PER EN 60 529/IEC 529; APPLICATION: NGPRS	10	EA				
11	2700026960		GAUGE_PRESSURE; RANGE: 0 TO 6BAR; DIAL SIZE: 150MM; SIZE/CONNECTION:1/2IN MNPT; CASE MATERIAL: SS; TUBE MATERIAL: 316L SS; TYPE: BORDONTUBE; ACCURACY: +/-1%; CONNECTION LOCATION: BOTTOM; FILLED: 98%GLYCERIN/SILICONE OIL; MFR: NUOVA FIMA SRL: MPN: MGS18.3.C: AD DITIONALINFO: INGRESS PROTECTION: IP65 PER EN 60 529/IEC 529; APPLICATION: NGPRS	10	EA				
12	2700026966		GAUGE_PRESSURE; RANGE: 0 TO 40BAR; DIAL SIZE: 150MM; SIZE/CONNECTION:1/2IN MNPT; CASE MATERIAL: SS; TUBE MATERIAL: 316L SS; TYPE: B	20	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602582
DATE : 21.05.2026
REQ No : 1012602222
REQ TITLE : GAUGE 1012602222
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 01.06.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			OURDONTUBE; ACCURACY: +/-1%; CONNECTION LOCATION: BOTTOM; FILLED: 98%GLYCERIN/SILICONE OIL; MFR: NUOVA FIMA SRL: MPN: MGS18.3.C: A D DITIONALINFO: INGRESS PROTECTION: IP65 PER EN 60 529/IEC 529; W/ACCESSORIESSYPHON MP 5/3; 316L SS; 1/2IN SW 1/2IN FNPT; APPLICATI ON : NGPRS						
13	2700030857		GAUGE_PRESSURE; RANGE: 0 TO 60BAR; TYPE: PRECISION; ACCURACY: +/-0.02%	20	EA				
14	2700026956		GAUGE_PRESSURE; RANGE: 0 TO 16BAR; DIAL SIZE: 150MM; SIZE/CONNECTION:1/2IN MNPT; CASE MATERIAL: SS; TUBE MATERIAL: 316L SS; TYPE: B OURDONTUBE; ACCURACY: +/-1%; CONNECTION LOCATION: BOTTOM; FILLED: 98%GLYCERIN/SILICONE OIL; MFR: NUOVA FIMA SRL: MPN: MGS18.3.C: A D DITIONALINFO: INGRESS PROTECTION: IP65 PER EN 60 529/IEC 529; APPLICATION: NGPRS	10	EA				
15	2700026940		GAUGE_PRESSURE; RANGE: 0 TO 0.6BAR; DIAL SIZE: 150MM; SIZE/CONNECTION:1/2IN-14 NPT; CASE MATERIAL: SS; TUBE MATERIAL: 316L SS; TYPE	10	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602582
DATE : 21.05.2026
REQ No : 1012602222
REQ TITLE : GAUGE 1012602222
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 01.06.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			: BOURDONTUBE; ACCURACY: +/-1%; CONNECTION LOCATION: BOTTOM; FILLED: 98%GLYCERIN/SILICONE OIL; MFR: NUOVA FIMA SRL: MPN: M 01.18.3 . A.G.2.43MT25 T32 C40: APPLICATION: BLENDING PLANT; KKS CODE: 40GEM93CP501/3;40GET95CP510/11/12/18/20/22; 41/42/45GEU91CP502/5						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

STANDARD TERMS & CONDITIONS

- 1) RFQ Document Disclaimer: The PDF version of this Request for Quotation (RFQ) is provided for convenience only and contains a summary of key information. It does not include all technical details, requirements, or specifications. Bidders must refer to the complete system documentation and all referenced materials to obtain full and accurate information necessary for preparing their proposals.
- 2) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 3) Quotation to be submitted only in local currency U.A.E Dirhams
- 4) DEWA Standard Payments: Payment will be made within 30 days from the date the Supplier/Contractor submits a complete and accurate invoice, together with all required supporting documents, subject to the material and/or services having been duly accepted.

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012602582
DATE	: 21.05.2026
REQ No	: 1012602222
REQ TITLE	: GAUGE 1012602222
DELIVERY LOCATION	: 0003 - D STORES, JAPS
CLOSING DATE	: 01.06.2026
CLOSING TIME	: 10:00:00

5) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

6) The offered product and/or services in the Quotation, shall be confirming and in accordance with DEWA Energy Management Policy & EnMS Manual.

7) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer. If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

8)Data Privacy, Security and Sharing:

a) Third-party shall handle DEWA data in accordance with all applicable laws, regulations, and DEWA policies.

b) DEWA data shall not be shared outside UAE, in line with DESC ISR requirements.

c) DEWA's Non-Disclosure Agreement (NDA) and External Party Acknowledgment (EPA) shall be signed by the third-party and their sub-contractors who handle DEWA data prior to the contract commencement.

d) DEWA reserves the right to withhold data from third parties if deemed sensitive.

e) Access to data must be restricted to authorized, named third-party employees only and DEWA must be informed of any changes in employment status of those with access.

f) Third party shall not disclose, transfer or share any DEWA data with other third parties (government, semi government, private) without obtaining DEWA's authorized data owner written approval.

g) Upon the completion/ termination of the agreement the external party shall securely delete all DEWA's data in their custody/ control including the backup and provide written confirmation and evidence to DEWA upon the data deletion completion as per agreed data disposal process, this is to address risk of data remanence.

9) Liquidated Damages for PO total value in excess of AED 50,000:

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602582
DATE : 21.05.2026
REQ No : 1012602222
REQ TITLE : GAUGE 1012602222
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 01.06.2026
CLOSING TIME : 10:00:00

If the Contractor/Supplier delays or fails to deliver, fails to commence or perform the services, DEWA has the right to deduct an amount equal to 1.25% per day/week of the total PO fee for the services/supplies delayed, not performed or not delivered, subject to a cap of 10% of the total PO fee without recourse to any judicial proceedings, as compensation for the delay or failure to perform. If the deducted amount exceeds 10% of the total PO fee, without prejudice to any of DEWA's rights under the applicable law, DEWA shall be entitled to terminate the PO immediately without the need for any notice or judicial proceedings against the defaulting Supplier, and without the need to prove the damage.

- 10) Indemnity: The Supplier shall indemnify DEWA from and against all claims, damages, costs and liabilities brought by any third party against DEWA arising out of or in connection with any of acts or omissions of the Supplier/Contractor, or any failure to perform its obligations under this PO.
- 11) Dispute Resolution: Any dispute arising out of or in connection with this PO shall be settled through mutual good faith negotiation and understanding between the Parties: Failing amicable settlement, the dispute shall finally be referred to the courts having appropriate jurisdiction in the Emirate of Dubai.
- 12) Intellectual Property Rights: The Supplier/Contractor shall not use DEWA's intellectual property, including logos, trademarks, service marks, trade names, service names, and brand names, whether in a press release or otherwise, without obtaining DEWA's prior written consent. All intellectual property rights in the deliverables created or developed, under this PO, shall be solely owned by DEWA.
- 13) Assignment and Transfer: The Supplier/Contractor shall not assign this PO or any part thereof without the prior written consent of DEWA. Such consent shall not relieve the Contractor of any of its obligations or duties under this PO.
- 14) Force Majeure: If either party is affected by a Force Majeure event, it will promptly notify the other party of the nature and extent thereof. Neither party will be deemed to be in breach of this PO, by reason of any delay or non-performance, of any of its obligations hereunder, due to any Force Majeure event of which it has notified the other party. The time for performance of these obligations will be extended accordingly as may be fair and reasonable in the circumstances. Provided always that if the duration of such delay or impediment exceeds thirty (30) days, either party may give a fifteen (15) working days' notice to terminate a specific item or the PO in its entirety.
- 15) Certificate of Conformity for Green Materials and Services Specifications: The Bidder shall, wherever applicable, provide a Certificate of conformity issued by accredited body/ laboratory as proof of compliance with the applicable green materials, services and specifications.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012602582
DATE : 21.05.2026
REQ No : 1012602222
REQ TITLE : GAUGE 1012602222
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 01.06.2026
CLOSING TIME : 10:00:00

16) Taking Over Certificate: TOC shall be issued only after full delivery or completion of the service or deliverables. TOC will be issued conditionally ("conditional TOC") with the reasonable guarantee/observation in case of any defects after delivery or completion of the PO.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP