

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012603232  
**DATE** : 25.06.2026  
**REQ No** : 1012603392  
**REQ TITLE** : SUPPLY OF SAFETY VALVES  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 01.07.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3600044036		DISC_VALVE; VALVE SIZE: 2 X 1IN; PRESSURE RATING: 600/300LB, 22BAR (G);MFR: SVC INC: APPLICATION: VALVE; RF; ANSI STD; 365DEG C; 21 .4BAR SETPRESSURE; 21.8BAR C.D.T.P; 7% BLOW DOWN; 10% OVER PRESSURE; 1.2TPHCERTIFIED CAPACITY; 0.916SQ IN AREA; 0.125IN LIFT; E L E T TER; STEAMFLUID; SA216 GR. WCB BODY; MODEL: SSRW; SMART VALVE CO; KKS CODE:10/20/30LBG45 AA191	1	EA				
2	3600054894		VALVE_RELIEF; SIZE: 1 X 3/4IN; CONNECTION: RF FLANGED; DESIGN RATING:300 X 150LB; SET PRESSURE: 7.1BAR; BODY MATERIAL: CS ASME SA21 6 GR.WCB; TYPE: PRESSURE SAFETY; PRESSURE/TEMPERATURE RATING: 60DEG C; TRIM:CS ASME SA216 GR. WCB BONNET, 316 SS ASME SA479 NOZZLE , 316 SS ASMESA479 DISC, LOW ALY STL SPRING, 316 SS UPPER STEM, CS LEVER, 440C SSBALL; PROCESS FLUID: FUEL OIL; STANDARD: ANSI; MF R: SVC INC: MPN: SSRW:ADDITIONAL INFO: AREA: 0.11SQ IN; BLOWDOWN: 10PCT; FLOW FLOW CAPACITY:6.2TON/HR; CDTP: 7.1BAR; ORIFICE: D; L	1	SET				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012603232  
**DATE** : 25.06.2026  
**REQ No** : 1012603392  
**REQ TITLE** : SUPPLY OF SAFETY VALVES  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 01.07.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			IFT : 0.112N; OVER PRESSURERATING: 10PCT; PRI DESIGN PRESSURE RATING: 24BAR; SEC DESIGN PRESSURERATING: 24BAR; COMPLETE ASSEMBLY; A PPLI CATION: DFO TANK; 5M FILLINGLINE; DWG: 8043-015-00; KKS CODE: 00EGA10AA191						
3	3600054904		VALVE_RELIEF; SIZE: 1 X 3/4IN; CONNECTION: RF FLANGED; DESIGN RATING:150LB; SET PRESSURE: 7.1BAR; BODY MATERIAL: CS ASME SA216 GR. W CB; TYPE:PRESSURE SAFETY; PRESSURE/TEMPERATURE RATING: 60DEG C; TRIM: CS ASMESA216 GR. WCB BONNET, 316 SS ASME SA479 NOZZLE, 316 SS ASME SA479 DISC,LOW ALY STL SPRING, 316 SS UPPER STEM, CS LEVER, 440C SS BALL; PROCESSFLUID: FUEL OIL; STANDARD: ANSI; MFR: SVC INC : MPN: SSRW: ADDITIONALINFO: AREA: 0.11SQ IN; BLOWDOWN: 10PCT; FLOW FLOW CAPACITY: 6.2TON/HR;CDTP: 7.1BAR; ORIFICE: D; LIFT: 0 .112N ; OVER PRESSURE RATING: 10PCT;PRI DESIGN PRESSURE RATING: 9BAR; SEC DESIGN PRESSURE	1	SET				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012603232  
**DATE** : 25.06.2026  
**REQ No** : 1012603392  
**REQ TITLE** : SUPPLY OF SAFETY VALVES  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 01.07.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			RATING: 9BAR;COMPLETE ASSEMBLY; APPLICATION: DF O TANK 3M AND 5M RETURN LINE; DFOTANK 2M AND 6M FILLING LINE; DFO TANK 3M RETURN LINE; DWG: 8043-005-00;KKS CODE: 00EGB10AA1 91; 00EGB20AA194; 00EGD25AA191; 00EGD31AA192/194						
4	3600054914		VALVE_RELIEF; SIZE: 1 X 3/4IN; CONNECTION: RF FLANGED; DESIGN RATING:150LB; SET PRESSURE: 7.1BAR; BODY MATERIAL: CS ASME SA216 GR. W CB; TYPE:PRESSURE SAFETY; PRESSURE/TEMPERATURE RATING: 60DEG C; TRIM: CS ASMESA216 GR. WCB BONNET, 316 SS ASME SA479 NOZZLE, 316 SS ASME SA479 DISC,LOW ALY STL SPRING, 316 SS UPPER STEM, CS LEVER, 440C SS BALL; PROCESSFLUID: FUEL OIL; STANDARD: ANSI; MFR: SVC INC : MPN: SSRW: ADDITIONALINFO: AREA: 0.11SQ IN; BLOWDOWN: 10PCT; FLOW FLOW CAPACITY: 6TON/HR;CDTP: 6.59BAR; ORIFICE: D; LIFT: 0. 112N; OVER PRESSURE RATING: 10PCT;PRI DESIGN PRESSURE RATING: 9BAR; SEC DESIGN PRESSURE RATING: 9BAR;COMPLETE ASSEMBLY; APPLICATIO	1	SET				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012603232  
**DATE** : 25.06.2026  
**REQ No** : 1012603392  
**REQ TITLE** : SUPPLY OF SAFETY VALVES  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 01.07.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			N: DFO RECIRCULATION; DWG: 8043-005-00;KKS CODE: 00EGD14/15AA191						
5	3600054934		VALVE_RELIEF; SIZE: 1 X 3/4IN; CONNECTION: RF FLANGED; DESIGN RATING:150LB; SET PRESSURE: 3BAR; BODY MATERIAL: CS ASME SA216 GR. WC B; TYPE:PRESSURE SAFETY; PRESSURE/TEMPERATURE RATING: 60DEG C; TRIM: CS ASMESA216 GR. WCB BONNET, 316 SS ASME SA479 NOZZLE, 316 SS ASME SA479 DISC,LOW ALY STL SPRING, 316 SS UPPER STEM, CS LEVER, 440C SS BALL; PROCESSFLUID: FUEL OIL; STANDARD: ANSI; MFR: SVC I NC : MPN: SSRW: ADDITIONALINFO: AREA: 0.11SQ IN; BLOWDOWN: 10PCT; FLOW FLOW CAPACITY: 4TPH; CDTP:3BAR; ORIFICE: D; LIFT: 0.112N; OV ER PRESSURE RATING: 10PCT; PRI DESIGNPRESSURE RATING: 4BAR; SEC DESIGN PRESSURE RATING: 4BAR; COMPLETEASSEMBLY; APPLICATION: DFO S TORA GE TANK SUCTION HEADER; TRANSFERSUCTION HEADER BEFORE TANK M NUMBER 5; DFO	1	SET				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012603232  
**DATE** : 25.06.2026  
**REQ No** : 1012603392  
**REQ TITLE** : SUPPLY OF SAFETY VALVES  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 01.07.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SUCTION HEADER LINE; RETURNHEADER AFTER JAPS TANK 6 ; DFO TANK 5M SUCTION LINE SAFETY VALVE; DFOTRANSFER SUCTION HEADER LINE; DFO TANK 2 JAPS SUCTION LINE; DFO TANK 1JAPS RETURN LINE ; DFOT ANK 1 JAPS FILLING AND DFO TANK 6M SUCTION LINE;DWG: 8043-007-00; KKS CODE: 00EGC10AA191; 00EGC37AA191;00EGD91/92/61/62/66/6 7AA191; 00EGC20AA192						
6	3600054993		VALVE_RELIEF; SIZE: 1 X 3/4IN; CONNECTION: RF FLANGED; DESIGN RATING:300 X 150LB; SET PRESSURE: 7.1BAR; BODY MATERIAL: CS ASME SA21 6 GR.WCB; TYPE: PRESSURE SAFETY; PRESSURE/TEMPERATURE RATING: 60DEG C; TRIM:CS ASME SA216 GR. WCB BONNET, 316 SS ASME SA479 NOZZLE , 316 SS ASMESA479 DISC, LOW ALY STL SPRING, 316 SS UPPER STEM, CS LEVER, 440C SSBALL; PROCESS FLUID: FUEL OIL; STANDARD: ANSI; MF R: SVC INC: MPN: SSRW:ADDITIONAL INFO: AREA: 0.11SQ IN; BLOWDOWN: 10PCT; FLOW FLOW	1	SET				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012603232  
**DATE** : 25.06.2026  
**REQ No** : 1012603392  
**REQ TITLE** : SUPPLY OF SAFETY VALVES  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 01.07.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CAPACITY:6.2TON/HR; CDTP: 7.1BAR; ORIFICE: D; LIFT : 0.112N; OVER PRESSURERATING: 10PCT; PRI DESIGN PRESSURE RATING: 9BAR; SEC DESIGN PRESSURERATING: 9BAR; COMPLETE ASSEMBLY; APP LICA TION: DFO TANK; 1M RETURN LINE;DWG: 8043-002-00; KKS CODE: 00EGA20AA193						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

### **SPECIAL NOTES / INSTRUCTIONS:**

SUPPLY OF SAFETY VALVES <-> SPARES FOR STEAM AND DFO SYSTEM AT M  
STATION JABEL ALI COC AND MTC TO BE PROVIDED ALONG WITH DELIVERY.For any  
additional information / details, please contact:  
nivas.angusamy@dewa.gov.ae / +971503338429

### **STANDARD TERMS & CONDITIONS**

1) RFQ Document Disclaimer: The PDF version of this Request for Quotation (RFQ) is provided for convenience only and contains a summary of key information. It does not include all technical details, requirements, or specifications. Bidders must refer to the complete system documentation and all referenced materials to obtain full and accurate information necessary for preparing their proposals.

2) Prices should be 'DDP' delivery duty paid at DEWA stores.

**MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.**

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

<b>RFQ NUMBER</b>	: 2012603232
<b>DATE</b>	: 25.06.2026
<b>REQ No</b>	: 1012603392
<b>REQ TITLE</b>	: SUPPLY OF SAFETY VALVES
<b>DELIVERY LOCATION</b>	: 0022 - M STORES, JAPS
<b>CLOSING DATE</b>	: 01.07.2026
<b>CLOSING TIME</b>	: 10:00:00

- 3) Quotation to be submitted only in local currency U.A.E Dirhams
- 4) DEWA Standard Payments: Payment will be made within 30 days from the date the Supplier/Contractor submits a complete and accurate invoice, together with all required supporting documents, subject to the material and/or services having been duly accepted.
- 5) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 6) The offered product and/or services in the Quotation, shall be confirming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 7) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer. If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.
- 8) Data Privacy, Security and Sharing:
  - a) Third-party shall handle DEWA data in accordance with all applicable laws, regulations, and DEWA policies.
  - b) DEWA data shall not be shared outside UAE, in line with DESC ISR requirements.
  - c) DEWA's Non-Disclosure Agreement (NDA) and External Party Acknowledgment (EPA) shall be signed by the third-party and their sub-contractors who handle DEWA data prior to the contract commencement.
  - d) DEWA reserves the right to withhold data from third parties if deemed sensitive.
  - e) Access to data must be restricted to authorized, named third-party employees only and DEWA must be informed of any changes in employment status of those with access.
  - f) Third party shall not disclose, transfer or share any DEWA data with other third parties (government, semi government, private) without obtaining DEWA's authorized data owner written approval.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

<b>RFQ NUMBER</b>	: 2012603232
<b>DATE</b>	: 25.06.2026
<b>REQ No</b>	: 1012603392
<b>REQ TITLE</b>	: SUPPLY OF SAFETY VALVES
<b>DELIVERY LOCATION</b>	: 0022 - M STORES, JAPS
<b>CLOSING DATE</b>	: 01.07.2026
<b>CLOSING TIME</b>	: 10:00:00

g) Upon the completion/ termination of the agreement the external party shall securely delete all DEWA#s data in their custody/ control including the backup and provide written confirmation and evidence to DEWA upon the data deletion completion as per agreed data disposal process, this is to address risk of data remanence.

9) Liquidated Damages for PO total value in excess of AED 50,000:

If the Contractor/Supplier delays or fails to deliver, fails to commence or perform the services, DEWA has the right to deduct an amount equal to 1.25% per day/week of the total PO fee for the services/supplies delayed, not performed or not delivered, subject to a cap of 10% of the total PO fee without recourse to any judicial proceedings, as compensation for the delay or failure to perform. If the deducted amount exceeds 10% of the total PO fee, without prejudice to any of DEWA's rights under the applicable law, DEWA shall be entitled to terminate the PO immediately without the need for any notice or judicial proceedings against the defaulting Supplier, and without the need to prove the damage.

10) Indemnity: The Supplier shall indemnify DEWA from and against all claims, damages, costs and liabilities brought by any third party against DEWA arising out of or in connection with any of acts or omissions of the Supplier/Contractor, or any failure to perform its obligations under this PO.

11) Dispute Resolution: Any dispute arising out of or in connection with this PO shall be settled through mutual good faith negotiation and understanding between the Parties: Failing amicable settlement, the dispute shall finally be referred to the courts having appropriate jurisdiction in the Emirate of Dubai.

12) Intellectual Property Rights: The Supplier/Contractor shall not use DEWA's intellectual property, including logos, trademarks, service marks, trade names, service names, and brand names, whether in a press release or otherwise, without obtaining DEWA's prior written consent. All intellectual property rights in the deliverables created or developed, under this PO, shall be solely owned by DEWA.

13) Assignment and Transfer: The Supplier/Contractor shall not assign this PO or any part thereof without the prior written consent of DEWA. Such consent shall not relieve the Contractor of any of its obligations or duties under this PO.

14) Force Majeure: If either party is affected by a Force Majeure event, it will promptly notify the other party of the nature and extent thereof. Neither party will be deemed to be in breach of this PO, by reason of any delay or non-performance, of any of its obligations hereunder, due to any Force Majeure event of which it has notified the other party. The time for performance of these obligations will be extended accordingly as may be fair and reasonable in the circumstances. Provided always that if the duration of such delay or impediment exceeds thirty (30) days, either party may give a fifteen (15) working days' notice to terminate a specific item or the PO in its entirety.

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2012603232  
**DATE** : 25.06.2026  
**REQ No** : 1012603392  
**REQ TITLE** : SUPPLY OF SAFETY VALVES  
**DELIVERY LOCATION** : 0022 - M STORES, JAPS  
**CLOSING DATE** : 01.07.2026  
**CLOSING TIME** : 10:00:00

15) Certificate of Conformity for Green Materials and Services Specifications: The Bidder shall, wherever applicable, provide a Certificate of conformity issued by accredited body/ laboratory as proof of compliance with the applicable green materials, services and specifications.

16) Taking Over Certificate: TOC shall be issued only after full delivery or completion of the service or deliverables. TOC will be issued conditionally ("conditional TOC") with the reasonable guarantee/observation in case of any defects after delivery or completion of the PO.

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**