

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3600087573		WIRE ROPE;5TON;AIR SERVICE ROOM;OEM CERTIFICATE NO. W600939220/00939221/00939218;NOMINAL DIAMETER 10,0 MM ;LENGTH96M;CONSTRUCTION 8 X 17 Z/S COMPACTED;STEELCORE ;SURFACE OF WIREGALVANIZED ;NOMINAL TENSILE STRENGTH 2160 N/MM2;TYPE OF LAY ORDINARY LAY;DIRECTION OF L AY LEFT-HANDED ;ACTUAL BREAKING LOAD 116,00 KN; ACCORDINGTO DIN EN 10264-1/-2 / 12385-1/-2/-3/-4/-10+A1;WIRE ROPE TERMINATION:FUSED & TAPERED;K-RO	1	EA				
2	3600087574		WIRE ROPE;2TON;EDG-I;OEM CERTIFICATE NO. W6 00687201 ;NOMINAL DIAMETER15,0 MM ;LENGTH 29M;CONSTRUCTION 5X15 / 5X26 ZS ;STEELCORE ;S URFACE OFWIRE GALVANIZED ;NOMINAL TENSILE STRENGTH 2160 N/MM2;TYPE OF LAYORDINARY LAY ;DIRECTION OF LAY LEFT-HANDED ;ACTUAL BREAKI N G LOAD 244,3KN; ACCORDING TO DIN EN 12385- 1-4 +10, DIN EN 13411-4, DIN EN10264-1-2012-3, DIN EN	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ISO 12100;WIRE ROPE TERMINATION: F USED &TAPERED;K-RO						
3	3600087575		WIRE ROPE;2TON;EDG-II;OEM CERTIFICATE NO. W6 00687201 ;NOMINAL DIAMETER15,0 MM ;LENGTH 29M;CONSTRUCTION 5X15 / 5X26 ZS ;STEELCORE ; SURFACE OFWIRE GALVANIZED ;NOMINAL TENSILE STRENGTH 2160 N/MM2;TYPE OF LAYORDINARY LAY ;DIRECTION OF LAY LEFT-HANDED ;ACTUAL BREAK I NG LOAD 244,3KN; ACCORDING TO DIN EN 12385-1-4 +10, DIN EN 13411-4, DIN EN10264-1-2012-3, DIN EN ISO 12100;WIRE ROPE TERMINATION : FUSED &TAPERED;K-RO	1	EA				
4	3600087576		WIRE ROPE;6TON;PERMEATE PUMP;OEM CERTIFICATE NO.W600939220/00939221/00939218;NOMINAL DIAMETER 10,0 MM ;LENGTH53M;CONSTRUCTION 8 X 17 Z/S COMPACTED;STEELCORE ;SURFACE OF WIREGALVANIZED ;NOMINAL TENSILE STRENGTH 2160 N/MM2;TYPE OF LAY ORDINARY LAY;DIRECTION OF L AY LEFT-HANDED ;ACTUAL BREAKING LOAD 116,00	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			KN;ACCORDING TO DIN EN 10264-1/-2 / 12385-1/-2/-3/-4/-10+A1;WIRE ROPETERMINATION: FUSE D & TAPERED;K-RO						
5	3600087577		WIRE ROPE;5TON;POTABLE PUMP;OEM CERTIFICATE NO.W600939220/00939221/00939218;NOMINAL DIAMETER 10,0 MM ;LENGTH53M;CONSTRUCTION 8 X 1 7 Z/S COMPACTED;STEELCORE ;SURFACE OF WIREGALVANIZED ;NOMINAL TENSILE STRENGTH 2160 N/MM2;TYPE OF LAY ORDINARY LAY;DIRECTION OF LA Y LEFT-HANDED ;ACTUAL BREAKING LOAD 116,00 KN;ACCORDING TO DIN EN 10264-1/-2 / 12385-1/-2/-3/-4/-10+A1;WIRE ROPETERMINATION: FUSED & TAPERED;K-RO	1	EA				
6	3600087578		WIRE ROPE;3TON;RO-FF;OEM CERTIFICATE NO.W600939220/00939221/00939218;NOMINAL DIAMETER 10,0 MM ;LENGTH110M;CONSTRUCTION 8 X 17 Z/S CO MPACTED;STEELCORE ;SURFACE OF	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			WIRE GALVANIZED ;NOMINAL TENSILE STRENGTH 2160 N/MM2;TYPE OF LAY ORDINARY LAY;DIRECTION OF LAY LEFT -HANDLED ;ACTUAL BREAKING LOAD 116,00 KN;ACCORDING TO DIN EN 10264-1/-2 / 12385-1/-2/-3/-4/-10+A1;WIRE ROPE TERMINATION: FUSED & TAPERED ;K-RO						
7	3600087579		WIRE ROPE;1.5TON;REMINERALISATION;OEM CERTIFICATE NO.W6 00939219;NOMINAL DIAMETER 10,0 MM ;LENGTH 62M;CONSTRUCTION 8 X 19 Z/S COMPACTED;SYNTHETIC CORE ;SURFACE OF WIRE GALVANIZED ;NOMINAL TENSILE STRENGTH 1770 N/MM2;TYPE OF LAY ORDINARY LAY ;DIRECTION OF LAY LEFT- HANDLED;ACTUAL BREAKING LOAD 68,20 KN; ACCORDING TO DIN EN 10264-2 / 12385-2;WIRE ROPE TERMINATION: FUSED & TAPERED;K-RO	1	EA				
8	3600087580		WIRE ROPE;10TON;RO-GF;OEM CERTIFICATE NO.W6 00939219 ;NOMINAL DIAMETER 14,0 MM ;LENGTH 48M;CONSTRUCTION 8 X 17 Z/S COMPACTED;STEELCO	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			RE;SURFACE OF WIRE GALVANIZED ;NOMINAL TENSILE STRENGTH 2160 N/MM2;TYPE OF LAY ORDINARY LAY ;DIRECTION OF LAY LEFT-HANDED ;ACTUAL B R EAKING LOAD215,00 KN; ACCORDING TO DIN EN 10264-1/-2 / 12385-1/-2/-3/-4/-10+A1;WIREROPE TERMINATION: FUSED & TAPERED;K-RO						
9	3600087631		WIRE ROPE;40TON;INTAKE II;OEM CERTIFICATE NO.22866400 / 1,0;NOMINALDIAMETER 30,0 MM ;LENGTH 96M;CONSTRUCTION 35 X 7 S/S KOMPRIMIERT /COMPACTED;CORE PLASTIC-COATED STEEL CORE;SURFACE OF WIREGALVANIZED;NOMINAL TENSILE STRENGTH 2160 N/MM2;TYPE OF LAY ORDINARY LAY;DI RECTION OF LAY LEFT-HANDED;ACTUAL BREAKING LOAD 995,40 KN; ACCORDINGTO DIN EN 12385-1/2/4;WIRE ROPE TERMINATION: FUSED & TAPERED ;K-RO	1	EA				
10	3600087632		WIRE ROPE;2TON;DMF PUMP;OEM CERTIFICATE NO.DN-321952/1/89874;NOMINALDIAMETER 10,0 MM ;LENGTH 22M;CONSTRUCTION 8 X 19 Z/S	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			COMPACTED; COREINTERNAL PLASTIC COMPONENT;SURFACE OF WIRE GALVANIZED;NOMINAL TENSILESTRENGTH 1770 N/MM2;TYPE OF LAY ORDINARY LAY ;DIRECTION O F LAYLEFT-HANDED ;ACTUAL BREAKING LOAD 79,8 KN; ACCORDING TO EN12385-1/-2/-4+A1, EN 10264-1/-2/-3 ;WIRE ROPE TERMINATION: FUSED &TAPE RED;K-RO						
11	3600087633		WIRE ROPE;1TON;DAF I;OEM CERTIFICATE NO.DN-325488/ 4/ 4 ;NOMINALDIAMETER 7,0 MM ;LENGTH 38M;CONSTRUCTION 15 X 7 Z/S COMPACTED;STEELC ORE;SURFACE OF WIRE GALVANIZED;NOMINAL TENSILE STRENGTH 1960 N/MM2;TYPEOF LAY ORDINARY LAY ;DIRECTION OF LAY LEFT-HANDED ;ACTUAL B R EAKING LOAD45,00 KN; ACCORDING TO EN ISO 12100 / EN 12385-1,2,4 +A 1 / EN10264-1-3;WIRE ROPE TERMINATION: FUSED & TAPERED;K-RO	1	EA				
12	3600087634		WIRE ROPE;1TON;DAF II;OEM CERTIFICATE NO.DN-325488/ 4/ 4 ;NOMINALDIAMETER 7,0 MM	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			;LENGTH 38M;CONSTRUCTION 15 X 7 Z/S COMPACTED;STEEL CORE;SURFACE OF WIRE GALVANIZED;NOMINAL TENSILE STRENGTH 1960N/MM2;TYPE OF LAY ORDINARY LAY ;DIRECTION OF LAY LEFT-HANDED ;ACTUALBRE AKING LOAD 45,00 KN; ACCORDING TO EN ISO 12100 / EN 12385-1,2,4 +A 1/ EN 10264-1-3;WIRE ROPE TERMINATION: FUSED & TAPERED;K-RO						
13	3600087635		WIRE ROPE;1TON;DAF III;OEM CERTIFICATE NO.DN-325488/ 4/ 4 ;NOMINALDIAMETER 7,0 MM ;LENGTH 38M;CONSTRUCTION 15 X 7 Z/S COMPACTED;STEE LCORE;SURFACE OF WIRE GALVANIZED;NOMINAL TENSILE STRENGTH 1960N/MM2;TYPE OF LAY ORDINARY LAY ;DIRECTION OF LAY LEFT-HANDED ;ACTUAL B REAKING LOAD 45,00 KN; ACCORDING TO EN ISO 12100 / EN 12385-1,2,4 +A 1/ EN 10264-1-3;WIRE ROPE TERMINATION: FUSED & TAPERED;K-RO	1	EA				
14	3600087636		WIRE ROPE;2TON;DMF II VALVE;OEM CERTIFICATE NO.DN-321952/1/89874;NOMINALDIAMETER 10,0 MM ;LENGTH 34M;CONSTRUCTION 8 X 19 Z/S COMPACT	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ED;STEELCORE WITH INTERNAL PLASTIC COMPONENT;SURFACE OF WIREGALVANIZED;NOMINAL TENSILE STRENGTH 1770 N/MM2;TYPE OF LAY ORDINARY LA Y ;DIRECTION OF LAY LEFT-HANDED ;ACTUAL BREAKING LOAD 72,6 KN; ACCORDINGTO EN 10264-1/-2/-3 / 12385-1/-2/-4+A1 ;WIRE ROPE TERMINATI ON : FUSED &TAPERED;K-RO						
15	3600087637		WIRE ROPE;2TON;DMF CURVED II;OEM CERTIFICATE NO.CSLE1202312-2491;NOMINALDIAMETER 8,0 MM ;LENGTH 58M;CONSTRUCTION 6X36;STEELCORE;SUR FACE OF WIREGALVANIZED;NOMINAL TENSILE STRENGTH 1960 N/MM2;TYPE OF LAY ORDINARY LAY;DIRECTION OF LAY RIGHT-HANDED ;ACTUAL BREAKING LOAD 44,7 KN; ACCORDINGTO DIN EN 10264-1/-2 / 12385-1/-2/-3/-4/-10+A1;WIRE ROPE TERMINATION:FUSED & TAPERED;K-RO	1	EA				
16	3600087638		WIRE ROPE;3TON;CIP;OEM CERTIFICATE NO.W600939220/00939221/00939218;NOMINAL	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			DIAMETER 10,0 MM ;LENGTH58M;CONSTRUCTION8 X 17 Z/S COMP A CTED;STEELCORE;SURFACE OF WIREGALVANIZED;NOMINAL TENSILE STRENGTH 2160 N/MM2;TYPE OF LAY ORDINARY LAY;DIRECTION OF LAY RIGHT-HAND ED ;ACTUAL BREAKING LOAD 116,00 KN;ACCORDING TO DIN EN 10264-1/-2 / 12385-1/-2/-3/-4/-10+A1;WIRE ROPETERMINATION: FUSED & TAPERED; K-R O						
17	3600087639		WIRE ROPE;6TON;ELECTRICAL BUILDING 2ND FLOOR;OEM CERTIFICATE NO.W600939220/00939221/00939218;NOMINAL DIAMETER 10,0 MM ;LENGTH 77M;CONSTRUCTION8 × 17 Z/S COMPACTED;STEELCORE;SURFACE OF WIREGALVANIZED;NOMINAL TENSILE STRENGTH 2160 N/MM2;TYPE OF LAY ORDINARY LAY;DIRECTION OF LAY RIGHT-HANDED ;ACTUAL BREAKING LOAD 116,00 KN;ACCORDING TO DIN EN 10264-1/-2 / 12385-1/-2/-3/-4/-10+A1;WIRE ROPE TERMINATION: FUSED & TAPERED;K-RO	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
18	3600087640		WIRE ROPE;3TON;CHLORINATION;OEM CERTIFICATE NO.DN-333022/1/1;NOMINALDIAMETER 10,0 MM ;LENGTH 43M;CONSTRUCTION 8 X 19 Z/S COMPACTED; COREINTERNAL PLASTIC COMPONENT;SURFACE OF WIRE GALVANIZED;NOMINAL TENSILESTRENGTH 1770 N/MM2;TYPE OF LAY ORDINARY LAY ;DIRECTION O F LAYRIGHT-HANDED ;ACTUAL BREAKING LOAD 79,8 KN; ACCORDING TO DIN EN12385-1/-2/-4+A1, EN 10264-1/-2/-3 ;WIRE ROPE TERMINATION: FUS ED &TAPERED;K-RO	1	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Supply of Wire rope

STANDARD TERMS & CONDITIONS

1) RFQ Document Disclaimer: The PDF version of this Request for Quotation (RFQ) is provided for convenience only and contains a summary of key information. It does not include all technical details, requirements, or specifications. Bidders must refer to the complete system documentation and all referenced materials to obtain full and accurate information necessary for preparing their proposals.

2) Prices should be 'DDP' delivery duty paid at DEWA stores.

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

3) Quotation to be submitted only in local currency U.A.E Dirhams

4) DEWA Standard Payments: Payment will be made within 30 days from the date the Supplier/Contractor submits a complete and accurate invoice, together with all required supporting documents, subject to the material and/or services having been duly accepted.

5) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

6) The offered product and/or services in the Quotation, shall be confirming and in accordance with DEWA Energy Management Policy & EnMS Manual.

7) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer. If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

8)Data Privacy, Security and Sharing:

a) Third-party shall handle DEWA data in accordance with all applicable laws, regulations, and DEWA policies.

b) DEWA data shall not be shared outside UAE, in line with DESC ISR requirements.

c) DEWA's Non-Disclosure Agreement (NDA) and External Party Acknowledgment (EPA) shall be signed by the third-party and their sub-contractors who handle DEWA data prior to the contract commencement.

d) DEWA reserves the right to withhold data from third parties if deemed sensitive.

e) Access to data must be restricted to authorized, named third-party employees only and DEWA must be informed of any changes in employment status of those with access.

f) Third party shall not disclose, transfer or share any DEWA data with other third parties (government, semi government, private) without obtaining DEWA's authorized data owner written approval.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

g) Upon the completion/ termination of the agreement the external party shall securely delete all DEWA's data in their custody/ control including the backup and provide written confirmation and evidence to DEWA upon the data deletion completion as per agreed data disposal process, this is to address risk of data remanence.

9) Liquidated Damages for PO total value in excess of AED 50,000:

If the Contractor/Supplier delays or fails to deliver, fails to commence or perform the services, DEWA has the right to deduct an amount equal to 1.25% per day/week of the total PO fee for the services/supplies delayed, not performed or not delivered, subject to a cap of 10% of the total PO fee without recourse to any judicial proceedings, as compensation for the delay or failure to perform. If the deducted amount exceeds 10% of the total PO fee, without prejudice to any of DEWA's rights under the applicable law, DEWA shall be entitled to terminate the PO immediately without the need for any notice or judicial proceedings against the defaulting Supplier, and without the need to prove the damage.

10) Indemnity: The Supplier shall indemnify DEWA from and against all claims, damages, costs and liabilities brought by any third party against DEWA arising out of or in connection with any of acts or omissions of the Supplier/Contractor, or any failure to perform its obligations under this PO.

11) Dispute Resolution: Any dispute arising out of or in connection with this PO shall be settled through mutual good faith negotiation and understanding between the Parties: Failing amicable settlement, the dispute shall finally be referred to the courts having appropriate jurisdiction in the Emirate of Dubai.

12) Intellectual Property Rights: The Supplier/Contractor shall not use DEWA's intellectual property, including logos, trademarks, service marks, trade names, service names, and brand names, whether in a press release or otherwise, without obtaining DEWA's prior written consent. All intellectual property rights in the deliverables created or developed, under this PO, shall be solely owned by DEWA.

13) Assignment and Transfer: The Supplier/Contractor shall not assign this PO or any part thereof without the prior written consent of DEWA. Such consent shall not relieve the Contractor of any of its obligations or duties under this PO.

14) Force Majeure: If either party is affected by a Force Majeure event, it will promptly notify the other party of the nature and extent thereof. Neither party will be deemed to be in breach of this PO, by reason of any delay or non-performance, of any of its obligations hereunder, due to any Force Majeure event of which it has notified the other party. The time for performance of these obligations will be extended accordingly as may be fair and reasonable in the circumstances. Provided always that if the duration of such delay or impediment exceeds thirty (30) days, either party may give a fifteen (15) working days' notice to terminate a specific item or the PO in its entirety.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012603745
DATE : 18.07.2026
REQ No : 1012603734
REQ TITLE : Supply of Wire rope
DELIVERY LOCATION : 0015 - K STORES, JAPS
CLOSING DATE : 23.07.2026
CLOSING TIME : 10:00:00

15) Certificate of Conformity for Green Materials and Services Specifications: The Bidder shall, wherever applicable, provide a Certificate of conformity issued by accredited body/ laboratory as proof of compliance with the applicable green materials, services and specifications.

16) Taking Over Certificate: TOC shall be issued only after full delivery or completion of the service or deliverables. TOC will be issued conditionally ("conditional TOC") with the reasonable guarantee/observation in case of any defects after delivery or completion of the PO.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP