

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605429
DATE : 14.10.2026
REQ No : 1012605640
REQ TITLE : Spares field instruments GT &
DELIVERY LOCATION : 0026 - H4 STORES,WARSAN
CLOSING DATE : 20.10.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700131436		SENSOR TEMPERATURE, RESISTANCE TEMPERATURE DETECTOR, MAKE: WIKA, PARTNO: 61554945,# SERIAL NO: 870042HU, 2×PT100/A/4(F), TR40 CABLE RTDSENSOR (TUBING), SPECIFICATIONS ACCORDING TO DATA SHEET: TE 60.40,ELECTRICAL APPROVAL: ATEX, IGNITION PROTECTION TYPE: EX I, ZONE 1 GAS [II 2G EX IA IIC T1#T6 GB], DESIGN: JUNCTION BOX MOUNTED AT THE END OFTHE CABLE, 2XPT100, 4-WIRE CLASS A, IEC 60751, TEMPERA TURE RANGE OFSELECTED CLASS: -30...+300 DEG C, SENSOR: THIN FILM, PROBE DESIGN:STRAIGHT, LEAD WIRE INSULATION: ARMOUR OVER PTFE, APP PLICATION RANGE-60...+250 DEG C, CABLE LENGTH [W]: 400 MM, CABLE ENDING: CABLE ENDSLEEVEs, PROCESS CONNECTION: WITHOUT, PROBE DIAMETE R: 8 MM, PROBEMATERIAL: STAINLESS STEEL 316L, INSERTION LENGTH [A]: 210 MM, MECHANICALREQUIREMENTS: STANDARD PROBE TIP, STRIPPED LEN	3	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605429
DATE : 14.10.2026
REQ No : 1012605640
REQ TITLE : Spares field instruments GT &
DELIVERY LOCATION : 0026 - H4 STORES,WARSAN
CLOSING DATE : 20.10.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			GTH [L]: 150 MM, INGRESSPROTECTION: IP54, IEC 60529, DUST-PROTECTED/PROTECTION AGAINST SPLASHINGWATER, LOWER AMBIENT TEMPERATURE: -4 0 DEG C, CABLE ENTRY C: SENSORENTRY, WITH ADDITIONAL HEAD AND ARMORED FLEXBLE TUBE, CONNECTION HEAD:KN4-A (ALUMINUM), CABLE ENTRY: M 20 X 1.5, HEAD INSTRUMENT CONNECTION:M20 X 1.5, TERMINAL BLOCK/TRANSMITTER: CERAMIC TERMINAL BLOCK, ARMOUROVER PTFE, APPLICATION RAN GE -60...+250 DEG C, L2 : 5600 MM, STRIPPEDLENGTH [L]: 200 MM, CABLE ENDING: RING TERMINAL						
2	2700131545		SENSOR TEMPERATURE, RESISTANCE TEMPERATURE DETECTOR, MAKE: WIKA, PARTNUMBER: 14300806, SERIAL NO: 110BKKUA, 2X PT100/AA/4(F), IEC 60 751,TR10-C RTD ASSEMBLY WITH FABRICATED THREADED PROTECTION TUBE,SPECIFICATIONS ACCORDING TO DATA SHEET: TE 60.03, 2XPT100, 4-WIRE,	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605429
DATE : 14.10.2026
REQ No : 1012605640
REQ TITLE : Spares field instruments GT &
DELIVERY LOCATION : 0026 - H4 STORES,WARSAN
CLOSING DATE : 20.10.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CLASSAA, IEC 60751, TEMPERATURE RANGE OF SELECTED CLASS: 0...+150 DEG C, HEAD/ HOUSING: BSZ-H, ALUMINUM, EXTENDED FLIP-TOP, CABLE ENTRY: 2X THREAD(FEMALE), THREAD SIZE CABLE ENTRY: 2X M20 X 1.5, TRANSMITTER: WITHOUT(TERMINAL BLOCK), CONNECTION TO NECK TUBE: M24 X 1,5, PROTECTION TUBE:STRAIGHT, THREAD, FORM 2G DIN 43772, PROTECTION TUBE DIAMETER: 9X1 MM,PROCESS CONNECTION: G 1/2 B, PROTECTION TUBE MATERIAL: STAINLESS STEEL1.4571, INSERTION LENGTH [A] [U1]: 185 MM, NECK LENGTH [MH/N]: 130 MM,DIAMETER MEASURING INSERT: 6 MM, SHEATH MATERIAL MEASURING INSERT:STAINLESS STEEL 1.4571, DESIGN: SUBMERGED / NO SOLDERING LUGS, SEALING:WITHOUT, PROTECTION TUBE TOTAL LENGTH (SPARE) [L]: 330 MM, MEASURINGINSERT LENGTH (SPARE) [L5]: 340 MM						
3	2700131546		SENSOR TEMPERATURE, RESISTANCE TEMPERATURE DETECTOR, MAKE: WIKA,	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605429
DATE : 14.10.2026
REQ No : 1012605640
REQ TITLE : Spares field instruments GT &
DELIVERY LOCATION : 0026 - H4 STORES,WARSAN
CLOSING DATE : 20.10.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PARTNUMBER: 14300760, SERIAL NO: 110BOTSM, 2X PT100/AA/4(F), IEC 60 751,TR10-C RTD ASSEMBLY WITH FABRICATED THREADED PROTECTION TUBE,SPECIFICATIONS ACCORDING TO DATA SHEET: TE 60.03, 2XPT100, 4-WIRE, CLASSAA, IEC 60751, TEMPERATURE RANGE OF SELECTED CLASS: 0...+150 DEG C, HEAD/ HOUSING: BSZ-H, ALUMINUM, EXTENDED FLIP-TOP, CABLE EN TRY: 2X THREAD(FEMALE), THREAD SIZE CABLE ENTRY: 2X M20 X 1.5, TRANSMITTER: WITHOUT(TERMINAL BLOCK), CONNECTION TO NECK TUBE: M24 X 1,5, PROTECTION TUBE:STRAIGHT, THREAD, FORM 2G DIN 43772, PROTECTION TUBE DIAMETER: 9X1 MM,PROCESS CONNECTION: G 1/2 B, PROTECTION T UBE MATERIAL: STAINLESS STEEL1.4571, INSERTION LENGTH [A] [U1]: 355 MM, NECK LENGTH [MH/N]: 130 MM,DIAMETER MEASURING INSERT: 6 MM, SHEATH MATERIAL MEASURING INSERT:STAINLESS STEEL 1.4571, DESIGN: SUBMERGED / NO						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605429
DATE : 14.10.2026
REQ No : 1012605640
REQ TITLE : Spares field instruments GT &
DELIVERY LOCATION : 0026 - H4 STORES,WARSAN
CLOSING DATE : 20.10.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SOLDERING LUGS, SEALING:WITHOUT, PROTECTION TUBE TOTAL LENGTH (SPARE) [L]: 500 MM, MEASURINGINSERT LENGTH (SPARE) [L5]: 510 MM						
4	2700132017		SENSOR TEMPERATURE, RESISTANCE TEMPERATURE DETECTOR, MAKE: WIKA, PARTNUMBER: 84339341, SERIAL NO: 9000N75H/9000N752/9000N74N, 2 X PT 100/B/4(W), TR10-B RTD ASSEMBLY FOR ADDITIONAL THERMOWELL, SPECIFICATIONSACCORDING TO DATA SHEET: TE 60.02, 2XPT100, 3-WIRE, CLASS B , IEC 60751,TEMPERATURE RANGE OF SELECTED CLASS: -196...+600 DEG C, HEAD / HOUSING:BSZ-H, ALUMINUM, EXTENDED FLIP-TOP, CABLE ENTRY: 2 X 1/2 IN NPT, CABLEGLAND: DCF-1/2 IN NPT(M) IN NPB, IP66 CABLE-6 TO 11.7 MM WITH PVCSHROUD, CABLE PLUG: 1/2 IN NPT(M) IN NPB; IP66 ALLEN TYPE, TRANSMITTER:WITHOUT (TERMINAL BLOCK), CONNECTION TO NECK TUBE: 1/2 NPT, NECK TUBE:NIPPLE, THREAD SIZE: 1/2 NPT, NECK TUBE MATERIAL: STAINLESS STEEL, NECKLENGTH	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605429
DATE : 14.10.2026
REQ No : 1012605640
REQ TITLE : Spares field instruments GT &
DELIVERY LOCATION : 0026 - H4 STORES,WARSAN
CLOSING DATE : 20.10.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			[MH/N]: 50 MM (APPROX. 2 INCH), INSERTION LENGTH [A] [L1/A/U2]:102 MM, DIAMETER MEASURING I NSERT: 6 MM, SHEATH MATERIAL MEASURINGINSERT: STAINLESS STEEL 316 TI, SEALING: WITHOUT, MEASURING INSERTLENGTH (SPARE) [L5]: 177 MM						
5	2700132018		THERMOWELL THREADED TW15 FOR TEMPERATURE SENSOR, MAKE: WIKA, MODEL:84339335, SOLID MACHINED, SPECIFICATIONS ACCORDING TO DATA SHEET: TW95.15, HEAD DESIGN: HEXAGON, THERMOWELL STYLE: STRAIGHT, UNIT OFMEASURE: METRIC (MM), PROCESS THREAD [P OR E]: G 3/8, CONNECTION TOTHERMOMETER [N]: 1/2 NPT FEMALE, INSERTION LENGTH [U]: 60 MM, HEADLENGTH [H]: 45 MM, MATERIAL: STAINLESS STEEL 316/316L, BORE SIZE [B ORD1]: 0.260 INCH (6.6 MM), ROOT DIAMETER [Q]: 14 MM, TIP DIAMETER [V ORF3]: 14 MM, BORE DEPTH / STEM LENGTH (US) [A]: 98 MM, TI P THICKNESS[TT]: 0.250 INCH (6.4 MM), INSPECTION CERTIFICATE ACC. TO DIN EN 102043.1,	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605429
DATE : 14.10.2026
REQ No : 1012605640
REQ TITLE : Spares field instruments GT &
DELIVERY LOCATION : 0026 - H4 STORES,WARSAN
CLOSING DATE : 20.10.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			CERTIFICATE LANGUAGE: ENGLISH AND GERMAN, THER MOWELL / PROTECTIONTUBE, TEST CERTIFICATES: WETTED PARTS MATERIAL (METAL CONTENTS) PER DINEN ISO 15156 (NACE MR 0175).						
6	2700138163		SENSOR TEMPERATURE, RESISTANCE TEMPERATURE DETECTOR, MAKE: WIKA, PARTNO: 14716786, MODEL: TR10-B-ZZZZ-24HM-BHB2-ZZ-AZZ-ZZZ-0120- 60R -Z-ZZ,TR10-B RTD ASSEMBLY FOR ADDITIONAL THERMOWELL, SPECIFICATIONS ACCORDINGTO DATA SHEET: TE 60.02, 2XPT100, 4-WIRE, CLASS A, IEC 60751,TEMPERATURE RANGE OF SELECTED CLASS: -30...+300 DEG C, HEAD / HOUSING:BSZ-H, ALUMINUM, EXTENDED FLIP-TOP, CABLE ENTRY: 2X THRE AD (FEMALE),THREAD SIZE CABLE ENTRY: 2X M20 X 1.5, TRANSMITTER: WITHOUT (TERMINALBLOCK), CONNECTION TO NECK TUBE: M24 X 1.5, NECK TU BE: WITHOUT, NECKLENGTH [MH/N]: WITHOUT, INSERTION LENGTH [A] [L1/A/U2]: 120 MM, DIAMETERMEASURING INSERT: 6 MM, SHEATH	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605429
DATE : 14.10.2026
REQ No : 1012605640
REQ TITLE : Spares field instruments GT &
DELIVERY LOCATION : 0026 - H4 STORES,WARSAN
CLOSING DATE : 20.10.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MATERIAL MEA SURING INSERT: STAINLESSSTEEL 1.4571, DESIGN: SUBMERGED / NO SOLDERING LUGS, SEALING: WITHOUT,MEASURING INSERT LENGTH (SPARE) [L5]: 145 MM, FOR 61/62/63MBA51CT101A,61/62/63MBX01CT101/102/103 A/B/C, 61/62/63MBX03/6CT101/102A/B						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Spares field instruments GT <(>&<)> BOP at Al Aweer "H" station phase-4.

STANDARD TERMS & CONDITIONS

- 1) RFQ Document Disclaimer: The PDF version of this Request for Quotation (RFQ) is provided for convenience only and contains a summary of key information. It does not include all technical details, requirements, or specifications. Bidders must refer to the complete system documentation and all referenced materials to obtain full and accurate information necessary for preparing their proposals.
- 2) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 3) Quotation to be submitted only in local currency U.A.E Dirhams
- 4) DEWA Standard Payments: Payment will be made within 30 days from the date the Supplier/Contractor submits a complete and accurate invoice, together with all required supporting documents,
MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012605429
DATE	: 14.10.2026
REQ No	: 1012605640
REQ TITLE	: Spares field instruments GT &
DELIVERY LOCATION	: 0026 - H4 STORES,WARSAN
CLOSING DATE	: 20.10.2026
CLOSING TIME	: 10:00:00

subject to the material and/or services having been duly accepted.

5) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

6) The offered product and/or services in the Quotation, shall be confirming and in accordance with DEWA Energy Management Policy & EnMS Manual.

7) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer. If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

8)Data Privacy, Security and Sharing:

a) Third-party shall handle DEWA data in accordance with all applicable laws, regulations, and DEWA policies.

b) DEWA data shall not be shared outside UAE, in line with DESC ISR requirements.

c) DEWA's Non-Disclosure Agreement (NDA) and External Party Acknowledgment (EPA) shall be signed by the third-party and their sub-contractors who handle DEWA data prior to the contract commencement.

d) DEWA reserves the right to withhold data from third parties if deemed sensitive.

e) Access to data must be restricted to authorized, named third-party employees only and DEWA must be informed of any changes in employment status of those with access.

f) Third party shall not disclose, transfer or share any DEWA data with other third parties (government, semi government, private) without obtaining DEWA's authorized data owner written approval.

g) Upon the completion/ termination of the agreement the external party shall securely delete all DEWA's data in their custody/ control including the backup and provide written confirmation and evidence to DEWA upon the data deletion completion as per agreed data disposal process, this is to address risk of data remanence.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012605429
DATE	: 14.10.2026
REQ No	: 1012605640
REQ TITLE	: Spares field instruments GT &
DELIVERY LOCATION	: 0026 - H4 STORES,WARSAN
CLOSING DATE	: 20.10.2026
CLOSING TIME	: 10:00:00

9) Liquidated Damages for PO total value in excess of AED 50,000:

If the Contractor/Supplier delays or fails to deliver, fails to commence or perform the services, DEWA has the right to deduct an amount equal to 1.25% per day/week of the total PO fee for the services/supplies delayed, not performed or not delivered, subject to a cap of 10% of the total PO fee without recourse to any judicial proceedings, as compensation for the delay or failure to perform. If the deducted amount exceeds 10% of the total PO fee, without prejudice to any of DEWA's rights under the applicable law, DEWA shall be entitled to terminate the PO immediately without the need for any notice or judicial proceedings against the defaulting Supplier, and without the need to prove the damage.

10) Indemnity: The Supplier shall indemnify DEWA from and against all claims, damages, costs and liabilities brought by any third party against DEWA arising out of or in connection with any of acts or omissions of the Supplier/Contractor, or any failure to perform its obligations under this PO.

11) Dispute Resolution: Any dispute arising out of or in connection with this PO shall be settled through mutual good faith negotiation and understanding between the Parties: Failing amicable settlement, the dispute shall finally be referred to the courts having appropriate jurisdiction in the Emirate of Dubai.

12) Intellectual Property Rights: The Supplier/Contractor shall not use DEWA's intellectual property, including logos, trademarks, service marks, trade names, service names, and brand names, whether in a press release or otherwise, without obtaining DEWA's prior written consent. All intellectual property rights in the deliverables created or developed, under this PO, shall be solely owned by DEWA.

13) Assignment and Transfer: The Supplier/Contractor shall not assign this PO or any part thereof without the prior written consent of DEWA. Such consent shall not relieve the Contractor of any of its obligations or duties under this PO.

14) Force Majeure: If either party is affected by a Force Majeure event, it will promptly notify the other party of the nature and extent thereof. Neither party will be deemed to be in breach of this PO, by reason of any delay or non-performance, of any of its obligations hereunder, due to any Force Majeure event of which it has notified the other party. The time for performance of these obligations will be extended accordingly as may be fair and reasonable in the circumstances. Provided always that if the duration of such delay or impediment exceeds thirty (30) days, either party may give a fifteen (15) working days' notice to terminate a specific item or the PO in its entirety.

15) Certificate of Conformity for Green Materials and Services Specifications: The Bidder shall, wherever applicable, provide a Certificate of conformity issued by accredited body/ laboratory as proof of compliance with the applicable green materials, services and specifications.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605429
DATE : 14.10.2026
REQ No : 1012605640
REQ TITLE : Spares field instruments GT &
DELIVERY LOCATION : 0026 - H4 STORES,WARSAN
CLOSING DATE : 20.10.2026
CLOSING TIME : 10:00:00

16) Taking Over Certificate: TOC shall be issued only after full delivery or completion of the service or deliverables. TOC will be issued conditionally ("conditional TOC") with the reasonable guarantee/observation in case of any defects after delivery or completion of the PO.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP