

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605774
DATE : 30.10.2026
REQ No : 1012606381
REQ TITLE : CONTROL VALVE KIT SEAL
DELIVERY LOCATION : 0018 - L2 STORES, JAPS
CLOSING DATE : 05.11.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3600088407		KIT_SEAL; TYPE: SOFT GOODS;10IN;2500LB;GLOBE TYPE;CONTAINS:GLAND PCKNGSIZE:45MM OD,32MM ID,45MM THICK;BALANCE SEAL SIZE:149.6MM OD, 126.60MMID,15MM THICK;GSKT 2 QTY. SIZE:257MM OD,233MM ID,4.7MM THICK;GASKET SIZE:309MM OD,281MM ID,4.7MM THICK;TEMP150°C AND PRESS. 150 BAR;KKSCODE;81/82/83/84HAC70 AA151/AA152 F/100% FW CV;AS PER SAMPLE	2	SET				
2	3600088408		KIT_TYPE: VALVE; 12 IN:150LB; ANSI STD; MODEL: 840H;CONTAINS:PACKINGSPACER SIZE:45MM OD,30MM ID,80 MM THICK;GLNAD PCKNG SIZE:45 MM O D,32MMID,26MM THICK;BALANCE SEAL SIZE:334MM OD,305MM ID,13.5MM THICK;GSKTSIZE:380MM OD,359MM ID,3.2MM THICK;GSKT SIZE:345MM OD,32 2M M ID,3.2MMTHICK ;TEMP150°C AND PRESS. 150 BAR;KKS CODE: 80PGB31AA101; 80PGB32AA102F/CCW SUPPLY AND RETURN HEADER CONTROL VALVE;A S P ER SAMPLE	2	SET				
3	3600088409		KIT _TYPE:VALVE:8X8IN; 300LB; ANSI STD; GLOBE	2	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605774
DATE : 30.10.2026
REQ No : 1012606381
REQ TITLE : CONTROL VALVE KIT SEAL
DELIVERY LOCATION : 0018 - L2 STORES, JAPS
CLOSING DATE : 05.11.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TYPE; CONTAINS:GLAND PCKNGSIZE:38MM OD,25MM ID,26.7MM THICK;BALANCE SEAL SIZE:204.6MM OD,176.70ID,33MM THICK;GSKT 2 QTY. SIZE:251.5MM OD,230MM ID,3.4MM THICK;GSKTSIZE:275MM OD,254MM ID,3.4MM THICK;TEMP150°C AND PRES S . 150 BAR;KKSCODE: 81/82/83/84LCA20 AA151/AA152 F/DEAERATOR DESAL CONDENSATE CONTROLVALVE;AS PER SAMPLE						
4	3600088410		KIT_TYPE: VALVE;8IN; 150LB; ANSI STD; MODEL: 840G; CONTAINS;GLAND PCKNGSIZE:38MM OD,26MM ID,26MM LG;BALANCE SEAL SIZE:178.6MM OD,15 1MM ID,13.3MM LG;GASKET 2QTY. SIZE:251MM OD,131MM ID,3.5MM THICK;GASKET SIZE:275MM OD,257MM ID,3.5MM THICK;TEMP150°C AND PRESS. 150B AR;KKS-80GHC60AA101 F/GLOBE VALVE OF CONDENSATE HEADER CONTROL VALVE;ASPER SAMPLE	2	SET				
5	3600088411		KIT_TYPE: VALVE;6IN; 150LB; ANSI STD; GLOBE TYPE;CONTAINS:GLNAD PCKNGSIZE:38.2MM	2	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605774
DATE : 30.10.2026
REQ No : 1012606381
REQ TITLE : CONTROL VALVE KIT SEAL
DELIVERY LOCATION : 0018 - L2 STORES, JAPS
CLOSING DATE : 05.11.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			OD,25MM ID,26.5 THICK;BALANCE SEAL SIZE:179MM OD,1 51MM ID,13.3MM THICK;GSKT 2QTY.SIZE:196MM OD,178MM ID,3.1MM THICK;GSKT SIZE:220MM OD,201MM ID,3.1MM THICK;TEMP150°C AND PRESS. 150 B AR;KKS CODE: 81/82/83/84LAA10 AA151 F/DEAERATOR START-UP PRESSURECONTROL VALVE;AS PER SAMPLE						
6	3600088412		KIT_TYPE: VALVE;6IN; 300LB; ANSI STD; GLOBE TYPE;CONTAINS:GLNAD PCKNGSIZE:38.5MM OD,25MM ID,26MM THICK;BALANCE SEAL SIZE:150MM OD,1 25MM ID,10.5MM THICK;GSKT 2QTY.SIZE:197MM OD,177MM ID,3.2MM THICK;GSKT SIZE:220MM OD,201MM ID,3.2MM THICK;TEMP150°C AND PRESS. 150 B AR;KKS CODE: 81/82/83/84LCA50 AA151/AA152 F/CONDENSATE CONTROL VALVE;ASPER SAMPLE	2	SET				
7	3600088413		KIT_TYPE: VALVE;6IN; 1500LB; ANSI STD; GLOBE TYPE;CONTAINS:GLNAD PCKNGSIZE:38MM OD,25MM ID,26MM THICK;BALANCE SEAL SIZE:150MM OD,12	2	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605774
DATE : 30.10.2026
REQ No : 1012606381
REQ TITLE : CONTROL VALVE KIT SEAL
DELIVERY LOCATION : 0018 - L2 STORES, JAPS
CLOSING DATE : 05.11.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			5MM ID,10.5MM THICK;GSKT 2QTY.SIZE:199MM OD,179MM ID,3.25MM THICK;GSKT SIZE:223MM OD,203MM ID,3.25MM THICK;TEMP150°C AND PRESS. 150B AR;KKS CODE: 81/82/83/84LBA70 AA152 F/HP STEAM START-UP CONTROL VALVE(VENT);AS PER SAMPLE						
8	3600088414		KIT_TYPE: VALVE;4IN; 2500LB; ASME STD; GLOBE TYPE;CONTAINS:GLNAD PCKNGSIZE:37.5MM OD,25MM ID,42MM THICK;BALANCE SEAL SIZE:149.6MM O D,126.5MMID,15MM THICK;GSKT 2QTY.SIZE:204MM OD,175MM ID,4.5MM THICK;GSKT QTY.2SIZE:263MM OD,232MM ID,4.5MM THICK;TEMP150°C AND PRE S S. 150 BAR;KKSCODE: 81/82/83/84HAC70 AA153 F/30% FEED WATER DRAG CONTROL VALVE;AS PERSAMPLE	2	SET				
9	3600088415		KIT_TYPE: VALVE;3IN; 300LB; ANSI STD; GLOBE TYPE;CONTAINS:GLNAD PCKNGSIZE:38.30MM OD,25MM ID,24.5MM THICK;BALANCE SEAL SIZE:79.9MM O D,61.5MMID,9.8MM THICK;GSKT 3QTY.SIZE:114.5MM OD,97.8MM ID,3.3MM THICK;GSKTQTY.2 SIZE:133MM OD,118.7MM ID,3.2MM THICK;TEMP150°C A ND	2	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605774
DATE : 30.10.2026
REQ No : 1012606381
REQ TITLE : CONTROL VALVE KIT SEAL
DELIVERY LOCATION : 0018 - L2 STORES, JAPS
CLOSING DATE : 05.11.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PRESS. 150BAR;KKS CODE: 81/82/83/84HAD50 AA151 F/DEAERATOR AUX PURGING STEAMCONTROL VALVE;AS PER SAMPLE						
10	3600088416		KIT_TYPE: VALVE;3IN; 300LB; ANSI STD; GLOBE TYPE;CONTAINS:GLNAD PCKNGSIZE:38.30MM OD,25MM ID,27MM THICK;BALANCE SEAL SIZE:54.6MM OD ,36.6MMID,9.8MM THICK;GSKT 2QTY.SIZE:114.8MM OD,97.5MM ID,3.5MM THICK;GSKTSIZE:132.3MM OD,117.5MM ID,3.3MM THICK;TEMP150°C AND PRE S S. 150 BAR;KKSCODE: 81/82/83/84LCA10 AA151/AA152 F/DEAERATOR MAKE-UP WATER CONTROLVALVE;AS PER SAMPLE	2	SET				
11	3600088417		KIT_TYPE: VALVE;2IN; 300LB; ANSI STD; GLOBE TYPE;CONTAINS:GLNAD PCKNGSIZE:38.30MM OD,25MM ID,26MM THICK;BALANCE SEAL SIZE:54.7MM OD ,36.8MMID,9.8MM THICK;GSKT 2QTY.SIZE:78.5MM OD,65.9MM ID,3.25MM THICK;GSKTQTY.2 SIZE:96MM OD,81MM ID,3.6MM THICK;TEMP150°C AND PRE S S. 150 BAR;KKSCODE:81/82/83/84GAC20 AA151 F/BLOW DOWN COOLING CONTROL VALVE;AS PERSAMPLE	2	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605774
DATE : 30.10.2026
REQ No : 1012606381
REQ TITLE : CONTROL VALVE KIT SEAL
DELIVERY LOCATION : 0018 - L2 STORES, JAPS
CLOSING DATE : 05.11.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
12	3600088418		KIT_TYPE: VALVE;2IN; 1500LB; ASME STD; GLOBE TYPE;CONTAINS:GLNAD PCKNGSIZE:29.MM OD,15MM ID,46MM THICK;BALANCE SEAL SIZE:54MM OD,37.8MM ID,13MM THICK;PACKING CARBON SIZE:28.5MMOD,16MM ID,15.5MM THICK:GSKT 2QTY.SIZE:92MM OD,71.8MM ID,3.4MM THICK;GSKT SIZE:150MM OD ,129MM ID,3.4MM THICK;TEMP150°C AND PRESS. 150 BAR;KKSCODE:81/82/83/84HAD60 AA151 F/HP PEGGING STEAM CONTROL VALVE (DRAGVALVE);AS PER SAMPLE	2	SET				
13	3600088419		KIT_TYPE: VALVE2IN; 1500LB; ANSI STD; GLOBE TYPE;CONTAINS:GLNAD PCKNGSIZE:38.3MM OD,25MM ID,26.8MM THICK;BALANCE SEAL SIZE:54.7MM O D,36.8MMID,9.8MM THICK;GSKT 2QTY.SIZE:88.5MM OD,72.6MM ID,3.3MM THICK;GSKTSIZE:119.7MM OD,98.1MM ID,3.3MM THICK;TEMP150°C AND PRES S . 150 BAR;KKSCODE:81/82/83/84LAE70 AA151/AA152 F/HP SPRAY WATER (ATTEMPERATOR)CONTROL VALVE;AS PER SAMPLE	2	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605774
DATE : 30.10.2026
REQ No : 1012606381
REQ TITLE : CONTROL VALVE KIT SEAL
DELIVERY LOCATION : 0018 - L2 STORES, JAPS
CLOSING DATE : 05.11.2026
CLOSING TIME : 10:00:00

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

CONTROL VALVE KIT SEAL AS PER SAMPLE FOR L2-MBR

Contact ehab.bahour@dewa.gov.ae

STANDARD TERMS & CONDITIONS

- 1) RFQ Document Disclaimer: The PDF version of this Request for Quotation (RFQ) is provided for convenience only and contains a summary of key information. It does not include all technical details, requirements, or specifications. Bidders must refer to the complete system documentation and all referenced materials to obtain full and accurate information necessary for preparing their proposals.
- 2) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 3) Quotation to be submitted only in local currency U.A.E Dirhams
- 4) DEWA Standard Payments: Payment will be made within 30 days from the date the Supplier/Contractor submits a complete and accurate invoice, together with all required supporting documents, subject to the material and/or services having been duly accepted.
- 5) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 6) The offered product and/or services in the Quotation, shall be confirming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 7) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in **MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.**

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012605774
DATE	: 30.10.2026
REQ No	: 1012606381
REQ TITLE	: CONTROL VALVE KIT SEAL
DELIVERY LOCATION	: 0018 - L2 STORES, JAPS
CLOSING DATE	: 05.11.2026
CLOSING TIME	: 10:00:00

connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer. If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

8)Data Privacy, Security and Sharing:

- Third-party shall handle DEWA data in accordance with all applicable laws, regulations, and DEWA policies.
- DEWA data shall not be shared outside UAE, in line with DESC ISR requirements.
- DEWA's Non-Disclosure Agreement (NDA) and External Party Acknowledgment (EPA) shall be signed by the third-party and their sub-contractors who handle DEWA data prior to the contract commencement.
- DEWA reserves the right to withhold data from third parties if deemed sensitive.
- Access to data must be restricted to authorized, named third-party employees only and DEWA must be informed of any changes in employment status of those with access.
- Third party shall not disclose, transfer or share any DEWA data with other third parties (government, semi government, private) without obtaining DEWA's authorized data owner written approval.
- Upon the completion/ termination of the agreement the external party shall securely delete all DEWA's data in their custody/ control including the backup and provide written confirmation and evidence to DEWA upon the data deletion completion as per agreed data disposal process, this is to address risk of data remanence.

9) Liquidated Damages for PO total value in excess of AED 50,000:

If the Contractor/Supplier delays or fails to deliver, fails to commence or perform the services, DEWA has the right to deduct an amount equal to 1.25% per day/week of the total PO fee for the services/supplies delayed, not performed or not delivered, subject to a cap of 10% of the total PO fee without recourse to any judicial proceedings, as compensation for the delay or failure to perform. If the deducted amount exceeds 10% of the total PO fee, without prejudice to any of DEWA's rights under the applicable law, DEWA shall be entitled to terminate the PO immediately without the need for any notice or judicial proceedings against the defaulting Supplier, and without the need to prove the damage.

10) Indemnity: The Supplier shall indemnify DEWA from and against all claims, damages, costs and liabilities brought by any third party against DEWA arising out of or in connection with any of acts or omissions of the Supplier/Contractor, or any failure to perform its obligations under this PO.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012605774
DATE	: 30.10.2026
REQ No	: 1012606381
REQ TITLE	: CONTROL VALVE KIT SEAL
DELIVERY LOCATION	: 0018 - L2 STORES, JAPS
CLOSING DATE	: 05.11.2026
CLOSING TIME	: 10:00:00

11) Dispute Resolution: Any dispute arising out of or in connection with this PO shall be settled through mutual good faith negotiation and understanding between the Parties: Failing amicable settlement, the dispute shall finally be referred to the courts having appropriate jurisdiction in the Emirate of Dubai.

12) Intellectual Property Rights: The Supplier/Contractor shall not use DEWA's intellectual property, including logos, trademarks, service marks, trade names, service names, and brand names, whether in a press release or otherwise, without obtaining DEWA's prior written consent. All intellectual property rights in the deliverables created or developed, under this PO, shall be solely owned by DEWA.

13) Assignment and Transfer: The Supplier/Contractor shall not assign this PO or any part thereof without the prior written consent of DEWA. Such consent shall not relieve the Contractor of any of its obligations or duties under this PO.

14) Force Majeure: If either party is affected by a Force Majeure event, it will promptly notify the other party of the nature and extent thereof. Neither party will be deemed to be in breach of this PO, by reason of any delay or non-performance, of any of its obligations hereunder, due to any Force Majeure event of which it has notified the other party. The time for performance of these obligations will be extended accordingly as may be fair and reasonable in the circumstances. Provided always that if the duration of such delay or impediment exceeds thirty (30) days, either party may give a fifteen (15) working days' notice to terminate a specific item or the PO in its entirety.

15) Certificate of Conformity for Green Materials and Services Specifications: The Bidder shall, wherever applicable, provide a Certificate of conformity issued by accredited body/ laboratory as proof of compliance with the applicable green materials, services and specifications.

16) Taking Over Certificate: TOC shall be issued only after full delivery or completion of the service or deliverables. TOC will be issued conditionally ("conditional TOC") with the reasonable guarantee/observation in case of any defects after delivery or completion of the PO.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2012605774
DATE : 30.10.2026
REQ No : 1012606381
REQ TITLE : CONTROL VALVE KIT SEAL
DELIVERY LOCATION : 0018 - L2 STORES, JAPS
CLOSING DATE : 05.11.2026
CLOSING TIME : 10:00:00

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP