REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026

REQ No : 1012606853

REQ TITLE : Repair kits for NG, FW & Stea

DELIVERY LOCATION : 0017 - L1 STORES, JAPS

CLOSING DATE : 03.12.2026

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3700002964		KIT_TYPE: VALVE; STYLE: SERVICE, NATURAL GAS; CONTAINS: DISC; PTFE SOFTSEAT (SPECIAL PROFILED TYPE OD 99.93 ID 71.75 THICKNESS 10MM) , O RINGRUBBER ID 20.23MM DIA 2.6MM, PACKING PTFE CUP AND CONE TYPE OD 22.2MM,ID 14.20, RING HEIGHT 3.5MM, TOTAL HEIGHT 21MM, TOTA L 6 RINGS ; LOCKRING SS 316L OD 15.4MM, ID 13.25 THICKNESS 0.44MM; MFR: CONTROMATICS;MFR: REVERSE ENGINEERING; ADDITIONAL INFO: PACK ED AS A SET; DIMENSIONSPROVIDED ARE APPROXIMATE; APPLICATION: FULL LEG BUTTERFLY VALVE; 3IN;150LB; C.S BODY; 316SS DISC; PTFE SOFT S EAT AND SEAL; MODEL: 1151-1120;CONTROMATICS; ASSY SUITABLE FOR NEC CLASS 1 DIV 2 GR. D AREA; HRSG DUCTBURNER; KKS CODE: 71HHG11AA001	30	SET				
2	2300051295		KIT_REPAIR; FOR HRSG FEED WATER 100% CONTROL VALVE (CV); SUITABLE FORFEED WATER SERVICE AT 170 BAR PRESSURE AND 350°C TEMPERATURE; K KS:71HAC06AA051; KIT CONSISTS OF: (1) ONE SET	11	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE	: 27.11.2026
REQ No	: 1012606853
REQ TITLE	: Repair kits for NG, FW & Stea
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 03.12.2026
CLOSING TIME	: 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			BALANCE SEAL WITH 3 RINGS (1PC PURE GRAPHITE RING APPROX. OD 280MM × ID 254MM × T11 .5 MM AND 2 PCSBRAIDED GRAPHITE RINGS THK 3.25MM, TOTAL THK 18MM); (2) TWO PCS SEATGASKET, SPIRAL WOUND WITHOUT INNER & OUTER RING, SI ZE APPROX. 300.4MM ×275.6MM × 4.5MM, MATERIAL SS304 + GRAPHITE; (3) ONE PC BONNET GASKET,SPIRAL WOUND WITHOUT INNER & OUTER RIN G, S IZE APPROX. 384.4MM × 357.6MM× 4.5MM, MATERIAL SS304 + GRAPHITE; (4) ONE PC BALANCE CYLINDER GASKET,SPIRAL WOUND WITHOUT INNER & OU TER RING, SIZE APPROX. 333.4MM × 313.6MM× 4.5MM, MATERIAL SS304 + GRAPHITE; (5) ONE SET GLAND PACKING, CUP &CONE TYPE, TOTAL 7 RINGS (2 PCS BRAIDED GRAPHITE, 1 PC METAL REINFORCEDGRAPHITE, 5 PCS PURE GRAPHITE), APPROX. OD 44.90MM × ID 31.92MM, TOTALTHK 46 MM; ADDI					

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026
REQ No : 1012606853
REQ TITLE : Repair kits for NG, FW & Stea
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TIONAL DATA: COC, COO & MTC REQUIRED. SAMPLER CAN BECOLLECTED FROM DEWA JAPS.						
3	2300051272		"KIT_REPAIR; FOR HRSG FEED WATER 30% CONTROL VALVE (CV); SUITABLE FORFEED WATER SERVICE AT 170 BAR PRESSURE AND 350°C TEMPERATURE; K KS:71HAC06AA053; KIT CONSISTS OF:1. ONE SET BALANCE SEAL WITH 3 RINGS; 1 PC PURE GRAPHITE RING, APPROX.OD 149 MM × ID 126.45 MM × TH ICKNESS 8.25 MM, AND 2 PCS BRAIDED GRAPHITERINGS, THICKNESS 3.25 MM EACH; TOTAL THICKNESS 14.75 MM.2. TWO PCS SEAT GASKET; SPI RAL W OUND GASKET WITHOUT INNER AND OUTERRING; SIZE APPROX. 206 MM × 176 MM × 4.5 MM; MATERIAL: SS304 + GRAPHITE.3. ONE PC BONNET G ASKET; SPIRAL WOUND GASKET WITHOUT INNER AND OUTERRING; SIZE APPROX. 262.4 MM × 232 MM × 4.5 MM; MATERIAL: SS304 +GRAPHITE.4. ONE PC BALA NCE CYLINDER GASKET; SPIRAL WOUND GASKET	6	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026
REQ No : 1012606853
REQ TITLE : Repair kits for NG, FW & Stea
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			WITHOUT INNERAND OUTER RING; SIZE APPROX. 182 MM × 151 MM × 4.5 MM; MATERIAL: SS30 4+ GRAPH ITE.5. ONE SET GLAND PACKING; CUP AND CONE TYPE; TOTAL 7 RINGS; CONSISTINGOF 2 PCS BRAIDED GRAPHITE END RINGS, WITH METAL REINFORCE MENT INBUILTIN ONE END RING, AND 5 PCS PURE GRAPHITE RINGS; APPROX. OD 44.9 MM × ID31.8 MM; TOTAL THICKNESS 46 MM.ADDIT IONAL DATA: COC, COO & MTC REQUIRED. SAMPLE CAN BE COLLECTED FROMDEWA JAPS."						
4	2300051273		"KIT_REPAIR; FOR HRSG DEAERATOR DUMPING STEAM C.V; SUITABLE FOR STEAM AT7 BAR PRESSURE AND 175°C TEMPERATURE; KKS: 71/72/73LAA01AA0 51; KITCONSISTS OF:1. ONE PC SEAT GASKET; SPIRAL WOUND GASKET WITHOUT INNER ANDOUTER RING; OD 276.4 MM × ID 255.6 MM × THICKNESS 3 . 2 MM; MATERIAL:SS304 + GRAPHITE.2. THREE PCS BONNET GASKET; SPIRAL WOUND GASKET WITHOUT INNER AND OUTERRING; OD 252.4 MM ×	6	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026
REQ No : 1012606853
REQ TITLE : Repair kits for NG, FW & Stea
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ID 23 1 M M × THICKNESS 3.2 MM; MATERIAL: SS304 +GRAPHITE.3. ONE PC BALANCE SEAL; SPRING ENERGISED SEAL; OD 230 MM × ID 202.66 MM× THICK NESS 13.35 MM; MATERIAL: 316 + TFE.4. SEVEN PCS GLAND PACKING; CUP AND CONE TYPE; OD 38.4 MM × ID 25 MM ×INDIVIDUAL THICKNESS 4 MM ; TOTA L HEIGHT 28 MM; MATERIAL: GLASS FILLEDV-TFE-TA.ADDITIONAL DATA: COC, COO & MTC REQUIRED."						
5	2300051274		"KIT_REPAIR; FOR DEAERATOR PEGGING STEAM C.V; SUITABLE FOR STEAM AT 116BAR PRESSURE AND 323°C TEMPERATURE; KKS: 71/72/73HAD02AA051; KITCONSISTS OF:1. ONE PC BONNET GASKET; SPIRAL WOUND GASKET WITHOUT INNER AND OUTERRING; OD 145 MM × ID 121 MM × THICKNESS 4.5 M M; MATERIAL: SS304 +GRAPHITE.2. TWO PCS BONNET GASKET; SPIRAL WOUND GASKET WITHOUT INNER AND OUTERRING; OD 109 MM × ID 93 MM × TH ICKN	6	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026
REQ No : 1012606853
REQ TITLE : Repair kits for NG, FW & Stea
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ESS 3.2 MM; MATERIAL: SS304 +GRAPHITE.3. ONE PC SEAT GASKET; SPIRAL WOUND GASKET WITHOUT INNER AND OUTER RING;OD 65 MM × ID 4 9 MM × THICKNESS 3.2 MM; MATERIAL: SS304 + GRAPHITE.4. ONE SET BALANCE SEAL; OD 54 MM × ID 38 MM; MATERIAL: GRAPHITE; TOTALHEIGHT 12.90 MM ; THREE-PIECE CONSTRUCTION CONSISTING OF ONE PUREGRAPHITE RING, 6.3 MM THICK, AND TWO BRAIDED GRAPHITE RINGS, 3.30 MMTHICK EACH.5. SIX PCS GLAND PACKING; CUP AND CONE TYPE; OD 38 MM × ID 25.2 MM;TOTAL HEIGHT 41.55 MM; MATERIAL: GRAPHITE; CONSTRUCTION C ONSISTING OFTWO BRAIDED GRAPHITE RINGS WITH ONE METAL REINFORCEMENT PIECE, PLUS FOURPURE GRAPHITE PIECES.ADDITIONAL DATA: COC, CO O & MTC REQU IRED."						
6	2300051367		REPAIR KIT: PACKING, BODY GASKET, SEAT RING GASKET, SEAL RING, & BACKUPRING , PART NO :6,	8	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026

REQ No : 1012606853

REQ TITLE : Repair kits for NG, FW & Stea

DELIVERY LOCATION : 0017 - L1 STORES, JAPS

CLOSING DATE : 03.12.2026

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			10, 12, 23, & 24, GT NO 1 FUEL GAS TERMPE RATURECONTROL VALVE A, SIZE: DN50 , RATING ANSI: 1500, SUITABLE FOR WATERSERVICE AT DESIGN PRESSURE 175 BARG AND DESIGN TEMPERATU R E 360°C.9 NOS.GLAND PACKING RINGS CONSISTING OF 5 NOS. P#6610 DIE-FORMED FLEXIBLEEXPANDED GRAPHITE CUT RINGS AND 4 NOS. P#6528 BR AI D ADAPTER RINGS MADEOF HIGH-STRENGTH CARBON FIBER CUT ROPE (OD 25.3 MM × ID 15.9 MM ×SECTION THICKNESS 5.1 MM, TOTAL HEIGHT 45.9 MM), 1 NO. BODY GASKET,MATERIAL T#1806-GR-G00 SS316L + GRAPHITE (OD 115.3 MM × ID 94.9 MM ×THICKNESS 4.7 MM), 3 NOS. SEAT RING GA SKET S, SPIRAL WOUND TYPE,MATERIAL SUS316L STEEL SEAT, WITHOUT INNER AND OUTER RING (OD 73 MM × ID53.54 MM × THICKNESS 4.6 MM, TOTA L HEI GHT 13.8 MM), 1 NO. SPRINGENERGIZED SEAL RING, MANUFACTURED FROM A COMBINATION OF TEFLON / ELGILOY (TEC) (OD 44.9 MM × ID 33.9 MM ×					

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026

REQ No : 1012606853

REQ TITLE : Repair kits for NG, FW & Stea

DELIVERY LOCATION : 0017 - L1 STORES, JAPS

CLOSING DATE : 03.12.2026

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			THICKNESS 6.8 MM), AND 1 NO. BACKUP RING, MATERIAL TEFLON (OD 44.39 MM × ID 34.99 MM × THICKNESS3.3 MM).KKS NO: 71LAB20AA051, 71LA B22AA051ALL THE MENTIONED SIZES AREAPPROXIMATE ONLY, PLEASE COLLECT THE SAMPLE FROM JAPS.						
7	2300051368		REPAIR KIT: BODY GASKET, PACKING, SEAT RING GASKET, OUTER SEAL RING,INNER SEAL RING , & CAGE GASKET , PART NO :7, 11, 19, 24, 25, & 26,CONDENSATE HEADER PRESSURE CONTROL VALVE, SIZE: DN250 , RATING ANSI:300, SUITABLE FOR WATER SERVICE AT DESIGN PRESSURE 18 BARG AND DESIGNTEMPERATURE 130℃.1 NO. BODY GASKET, SPIRAL WOUND TYPE, MATERIALP#2600-G00-M SS316L + GRAPHITE, WITHOUT INNER AND OUTER R ING (OD 283 MM× ID 263 MM × THICKNESS 5 MM), 6 NOS. GLAND PACKING RINGS, MATERIALP#4519M, ROPE-CUT RING TYPE MANUFACTURED FROM W HIT E PTFE REINFORCEDWITH CARBON FIBER AND SPECIAL LUBRICANT (OD 41.67 MM × ID 25.47 MM	2	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026
REQ No : 1012606853
REQ TITLE : Repair kits for NG, FW & Stea
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			×SECTION THICKNESS 8.8 MM, TOTAL HEIGHT 52. 8 MM), 2 NOS. SEAT RINGGASKETS, SPIRAL WOUND TYPE, MATERIAL T#1806-GR-G00 SS316L + GRAPHITE,WITHOUT INNER AND OUTER RING (OD 250 M M × I D 237 MM × THICKNESS 5 MM,TOTAL HEIGHT 10 MM), 1 NO. OUTER SEAL RING, MATERIAL 20%GLASS5%GRAPH.TEF (OD 200.48 MM × ID 192.88 MM × TH ICKNESS 6.2 MM), AND 1 NO.INNER SEAL RING, MATERIAL EPDM (OD 193.64 MM × ID 176.64 MM × THICKNESS5.3 MM).KKS NO: 70LCA18AA0 51ALL TH E MENTIONED SIZES ARE APPROXIMATEONLY, PLEASE COLLECT THE SAMPLE FROM JAPS.						
8	2300051369		REPAIR KIT: BODY GASKET, PACKING, SEAT RING GASKET, SEAL RING , & CAGEGASKET , PART NO :7, 11, 19, 24, & 25, HP/LP BYPASS SPRAY WAT ER BACKUP VALVE, SIZE: DN250 , RATING ANSI: 300, SUITABLE FOR WATER SERVICE ATDESIGN PRESSURE 18 BARG AND DESIGN TEMPERATURE 130° C .1 NO. BODY GASKET,SPIRAL WOUND TYPE,	2	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026
REQ No : 1012606853
REQ TITLE : Repair kits for NG, FW & Stea
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MATERIAL P#2600-G00-M SS316L + GRAPHITE, WITHOUTINNER AND OUTER RING (OD 290 MM × ID 270 MM × THICKNESS 5 MM), 6 NOS.GLAND PACKING RINGS, MATERIAL P#4519M, ROPE-CUT RING TYPE MANUFACTUREDFROM WHITE PTFE REINFORCED WITH CA RBO N FIBER AND SPECIAL LUBRICANT (OD41.91 MM × ID 25.91 MM × SECTION THICKNESS 8.4 MM, TOTAL HEIGHT 50.4MM), 2 NOS. SEAT RING GASK ETS, SPIRAL WOUND TYPE, MATERIAL SUS316LSTEEL SEAT, WITHOUT INNER AND OUTER RING (OD 250 MM × ID 236.8 MM ×THICKNESS 5 MM, TOTAL H EIGHT 10 MM), AND 1 NO. SEAL RING, SPRINGENERGIZED SEAL RING TYPE, MANUFACTURED FROM A COMBINATION OF TEFLON /ELGILOY (TEC) (OD 20 0.46 M M × ID 187.46 MM × THICKNESS 8.1 MM).KKS NO:7 0LCA18AA025ALL THE MENTIONED SIZES ARE APPROXIMATE ONLY, PLEASECOLLECT THE SAM PLE FRO M JAPS.					

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026
REQ No : 1012606853
REQ TITLE : Repair kits for NG, FW & Stea
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
9	2300051370		REPAIR KIT: BODY GASKET, PACKING, & SEATRING GASKET , PART NO :7, 11, &22, ST NO 1 IP EXTRACTION PRESSURE CONTROL VALVE, SIZE: DN10 0 , RATINGANSI: 300, SUITABLE FOR STEAM SERVICE AT DESIGN PRESSURE 26.5 BARG ANDDESIGN TEMPERATURE 280°C.1 NO. BODY GASKET, SPIRA L WOUND TYPE, MATERIALT#1806-GR-G00 SS316L + GRAPHITE, WITHOUT INNER AND OUTER RING (OD 152.05MM × ID 134.55 MM × THICKNESS 3.65 M M) , 7 NOS. GLAND PACKING RINGS,MATERIAL P#6315CL, DIE-FORMED FLEXIBLE EXPANDED GRAPHITE RINGS (OD 31.82MM × ID 19.22 MM × SECTION THIC KNESS 6.75 MM, TOTAL HEIGHT 47.25 MM),AND 1 NO. SEAT RING GASKET, SPIRAL WOUND TYPE, MATERIAL SUS316L STEELSEAT, WITHOUT INNER AND OUTER RING (OD 121.63 MM × ID 110.33 MM ×THICKNESS 3.33 MM).KKS NO: 74LBD15AA051ALL THE MENTIONED SIZES AREAPPROXIMATE ONLY, PLEASE	2	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026
REQ No : 1012606853
REQ TITLE : Repair kits for NG, FW & Stea
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			COLLECT THE SAMPLE FROM JAPS.						
10	2300051363		REPAIR KIT: BODY GASKET, PACKING, SEAT RING GASKET, OUTER SEAL RING,INNER SEAL RING, & CAGE GASKET , PART NO :7, 11, 19, 24, 25, & 2 6, HRSGNO 1 DEAERATOR LEVEL CONTROL VALVE A& B, SIZE: DN250 , RATING ANSI: 150,SUITABLE FOR WATER SERVICE AT DESIGN PRESSURE 14.5 B ARG AND DESIGNTEMPERATURE 130°C.1 NO. BODY GASKET, SPIRAL WOUND TYPE, MATERIALP#2600-G00-M SS316L + GRAPHITE, WITHOUT INNER AND OUTE R RING (OD 287 MM× ID 268 MM × THICKNESS 4.5 MM), 2 NOS. SEAT AND CAGE GASKETS, SPIRALWOUND TYPE, MATERIAL P#2600-G00-M SS316L + GR APHITE, WITHOUT INNER ANDOUTER RING (OD 250 MM × ID 236 MM × THICKNESS 4.5 MM), 1 NO. INNER SEALRING, MATERIAL EPDM (OD 193.3 6 MM × ID 176.16 MM × THICKNESS 8.6 MM,TOTAL HEIGHT 5.1 MM), 1 NO. OUTER SEAL RING, MATERIAL 20% GLASS FILLED,5% GRAPHITE FILLED T EFLON (OD 202.5 MM × ID 197.9 MM × THICKNESS 3.8MM,	8	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026
REQ No : 1012606853
REQ TITLE : Repair kits for NG, FW & Stea
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TOTAL HEIGHT 6.1 MM), AND 6 NOS. GLAND PACKING RINGS, MATERIALP#4519M, ROPE-CU T RING T YPE MANUFACTURED FROM WHITE PTFE REINFORCEDWITH CARBON FIBER AND SPECIAL LUBRICANT (OD 42 MM × ID 25.6 MM × SECTIONTHICKNE SS 8.2 MM , TOTAL HEIGHT 49.68 MM).KKS NO: 71LCA12AA051,71LCA13AA051ALL THE MENTIONED SIZES ARE APPROXIMATE ONLY, PLEASE COLLECTTHE SAMPLE FR OM JAPS.						
11	2300051364		REPAIR KIT: BODY GASKET, & PACKING , PART NO :7, & 11, HRSG NO 1DEAERATOR MAKE UP LEVEL CONTROL VALVE A & B, SIZE: DN80 , RATING AN SI:300, SUITABLE FOR WATER SERVICE AT DESIGN PRESSURE 18 BARG AND DESIGNTEMPERATURE 60℃. 2 NOS. BODY GASKETS, SPIRAL WOUND TYPE, MATERIALT#1806-GR-G00 SS316L + GRAPHITE, WITHOUT INNER AND OUTER RING (OD 123.8MM × ID 107.5 MM × THICKNESS 3.55 MM), AND 6 NOS. GLA	8	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026
REQ No : 1012606853
REQ TITLE : Repair kits for NG, FW & Stea
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ND PACKING RINGS,MATERIAL P#4519M, ROPE-CUT RING TYPE MANUFACTURED FROM WHITE PTFEREINFORCED WITH CARBON FIBER AND SPECIAL LUBR ICAN T (OD 22.4 MM × ID12.7 MM × SECTION THICKNESS 4.8 MM, TOTAL HEIGHT 28.8 MM).KKS NO:71LCA16AA051, 71LCA17AA051ALL THE MENTIONED SIZE S ARE APPROXIMATE ONLY,PLEASE COLLECT THE SAMPLE FROM JAPS.						
12	2300051365		REPAIR KIT: BODY GASKET, PACKING, SEAT RING GASKET, OUTER SEAL RING,INNER SEAL RING, & CAGE GASKET , PART NO :4,7, 11, 19, 24, 25, & 26, CCWDIFFERENTIAL PRESSURE CONTROL VALVE A&B, SIZE: DN300 , RATING ANSI: 150,SUITABLE FOR WATER SERVICE AT DESIGN PRESSURE 13 BAR G AND DESIGNTEMPERATURE 70°C.1 NO. BODY GASKET, SPIRAL WOUND TYPE, MATERIALP#2600-G00-M SS316L + GRAPHITE, WITHOUT INNER AND OU TER RING (OD 336 MM× ID 315 MM × THICKNESS 5 MM), 6 NOS. GLAND PACKING RINGS, MATERIALP#4519M,	3	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606341

DATE : 27.11.2026

REQ No : 1012606853

REQ TITLE : Repair kits for NG, FW & Stea

DELIVERY LOCATION : 0017 - L1 STORES, JAPS

CLOSING DATE : 03.12.2026

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ROPE-CUT RING TYPE MANUFACTURED FRO M WHI TE PTFE REINFORCEDWITH CARBON FIBER AND SPECIAL LUBRICANT (OD 40.13 MM × ID 24.13 MM ×SECTION THICKNESS 8.2 MM, TOTAL HEIGHT 49.2 MM), 1 NO. SEAT RING GASKET,SPIRAL WOUND TYPE, MATERIAL P#2600-G00-M SS 316L + GRAPHITE, WITHOUTINNER AND OUTER RING (OD 297 MM × ID 2 84.4 MM × THICKNESS 5 MM), 1 NO.CAGE GASKET, SPIRAL WOUND TYPE, MATERIAL P#2600-G00-M SS 316L +GRAPHITE, WITHOUT INNER AN D OUTER RI NG (OD 302 MM × ID 288.6 MM ×THICKNESS 5 MM), 1 NO. OUTER SEAL RING, MATERIAL 20%GLASS 5%GRAPH.TEF(OD 245 MM × ID 234 MM × THICKNES S 9.3 MM), AND 1 NO. INNER SEAL RING,MATERIAL EPDM (OD 225 MM × ID 211.4 MM × THICKNESS 6.8 MM).KKS NO:70PGB11AA051, 70 PGB11AA052AL L THE MENTIONED SIZES ARE APPROXIMATE ONLY,PLEASE COLLECT THE SAMPLE FROM JAPS.					

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012606341
DATE	: 27.11.2026
REQ No	: 1012606853
REQ TITLE	: Repair kits for NG, FW & Stea
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 03.12.2026
CLOSING TIME	: 10:00:00

Repair kits for NG, FW <(>&<)> Steam system valves as per sample.
Contact Person - basil.joy@dewa.gov.ae

STANDARD TERMS & CONDITIONS

1) RFQ Document Disclaimer: The PDF version of this Request for Quotation (RFQ) is provided for convenience only and contains a summary of key information. It does not include all technical details, requirements, or specifications. Bidders must refer to the complete system documentation and all referenced materials to obtain full and accurate information necessary for preparing their proposals.

2) Prices should be 'DDP' delivery duty paid at DEWA stores.

3) Quotation to be submitted only in local currency U.A.E Dirhams

4) DEWA Standard Payments: Payment will be made within 30 days from the date the Supplier/Contractor submits a complete and accurate invoice, together with all required supporting documents, subject to the material and/or services having been duly accepted.

5) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

6) The offered product and/or services in the Quotation, shall be confirming and in accordance with DEWA Energy Management Policy & EnMS Manual.

7) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012606341
DATE	: 27.11.2026
REQ No	: 1012606853
REQ TITLE	: Repair kits for NG, FW & Stea
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 03.12.2026
CLOSING TIME	: 10:00:00

connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer. If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

8)Data Privacy, Security and Sharing:
a) Third-party shall handle DEWA data in accordance with all applicable laws, regulations, and DEWA policies.
b) DEWA data shall not be shared outside UAE, in line with DESC ISR requirements.
c) DEWA's Non-Disclosure Agreement (NDA) and External Party Acknowledgment (EPA) shall be signed by the third-party and their sub-contractors who handle DEWA data prior to the contract commencement.
d) DEWA reserves the right to withhold data from third parties if deemed sensitive.
e) Access to data must be restricted to authorized, named third-party employees only and DEWA must be informed of any changes in employment status of those with access.
f) Third party shall not disclose, transfer or share any DEWA data with other third parties (government, semi government, private) without obtaining DEWA#s authorized data owner written approval.
g) Upon the completion/ termination of the agreement the external party shall securely delete all DEWA#s data in their custody/ control including the backup and provide written confirmation and evidence to DEWA upon the data deletion completion as per agreed data disposal process, this is to address risk of data remanence.

9) Liquidated Damages for PO total value in excess of AED 50,000:
If the Contractor/Supplier delays or fails to deliver, fails to commence or perform the services, DEWA has the right to deduct an amount equal to 1.25% per day/week of the total PO fee for the services/supplies delayed, not performed or not delivered, subject to a cap of 10% of the total PO fee without recourse to any judicial proceedings, as compensation for the delay or failure to perform. If the deducted amount exceeds 10% of the total PO fee, without prejudice to any of DEWA's rights under the applicable law, DEWA shall be entitled to terminate the PO immediately without the need for any notice or judicial proceedings against the defaulting Supplier, and without the need to prove the damage.

10) Indemnity: The Supplier shall indemnify DEWA from and against all claims, damages, costs and liabilities brought by any third party against DEWA arising out of or in connection with any of acts or omissions of the Supplier/Contractor, or any failure to perform its obligations under this PO.

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012606341
DATE	: 27.11.2026
REQ No	: 1012606853
REQ TITLE	: Repair kits for NG, FW & Stea
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 03.12.2026
CLOSING TIME	: 10:00:00

11) Dispute Resolution: Any dispute arising out of or in connection with this PO shall be settled through mutual good faith negotiation and understanding between the Parties: Failing amicable settlement, the dispute shall finally be referred to the courts having appropriate jurisdiction in the Emirate of Dubai.

12) Intellectual Property Rights: The Supplier/Contractor shall not use DEWA's intellectual property, including logos, trademarks, service marks, trade names, service names, and brand names, whether in a press release or otherwise, without obtaining DEWA's prior written consent. All intellectual property rights in the deliverables created or developed, under this PO, shall be solely owned by DEWA.

13) Assignment and Transfer: The Supplier/Contractor shall not assign this PO or any part thereof without the prior written consent of DEWA. Such consent shall not relieve the Contractor of any of its obligations or duties under this PO.

14) Force Majeure: If either party is affected by a Force Majeure event, it will promptly notify the other party of the nature and extent thereof. Neither party will be deemed to be in breach of this PO, by reason of any delay or non-performance, of any of its obligations hereunder, due to any Force Majeure event of which it has notified the other party. The time for performance of these obligations will be extended accordingly as may be fair and reasonable in the circumstances. Provided always that if the duration of such delay or impediment exceeds thirty (30) days, either party may give a fifteen (15) working days' notice to terminate a specific item or the PO in its entirety.

15) Certificate of Conformity for Green Materials and Services Specifications: The Bidder shall, wherever applicable, provide a Certificate of conformity issued by accredited body/ laboratory as proof of compliance with the applicable green materials, services and specifications.

16) Taking Over Certificate: TOC shall be issued only after full delivery or completion of the service or deliverables. TOC will be issued conditionally ("conditional TOC") with the reasonable guarantee/observation in case of any defects after delivery or completion of the PO.

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012606341
DATE	: 27.11.2026
REQ No	: 1012606853
REQ TITLE	: Repair kits for NG, FW & Stea
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 03.12.2026
CLOSING TIME	: 10:00:00

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP

DISCLAIMER : THIS IS A SYSTEM GENERATED DOCUMENT , DOSEN'T NEED SIGNATURE.