REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026

REQ No : 1012606854

REQ TITLE : Repair kits for HRSG DB CAF,

DELIVERY LOCATION : 0017 - L1 STORES, JAPS

CLOSING DATE : 03.12.2026

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2300051371		FLAPPER DISC; FOR HRSG DUCT BURNER COOLING AIR FAN NON-RETURN VALVE(NRV); MATERIAL: EPDM RUBBER (ETHYLENE PROPYLENE DIENE MONOMER); APPROX. SIZE: 131.53 MM LENGTH × 108 MM WIDTH × 1.5 MM THICKNESS;PARABOLIC PERFORATED DESIGN WITH MOUNTING HOLES; SUITABLE FOR COO L INGAIR FAN NRV SERVICE. ALL MENTIONED SIZES ARE APPROXIMATE ONLY; SAMPLECAN BE COLLECTED FROM JAPS.	8	SET				
2	2300051347		REPAIR KIT: BODY GASKET, PACKING, & SEAT RING GASKET , PART NO :7, 11, &19, AUX B AUX.STEAM ATTEMPERATOR SPRAY WATER PR.CONTROL VAL VE, SIZE:DN25 , RATING ANSI: 1500, SUITABLE FOR WATER SERVICE AT DESIGN PRESSURE155 BARG AND DESIGN TEMPERATURE 170°C.1 NO. BODY GA SKET, SPIRAL WOUNDTYPE, MATERIAL T#1806-GR-G00 SS316L + GRAPHITE, WITHOUT INNER AND OUTERRING (OD 61.3 MM × ID 49.25 MM × THICKN ESS 5 MM), 1 NO. SEAT AND CAGEGASKET, SPIRAL WOUND TYPE, MATERIAL T#1806-GR-G00 SS316L +	5	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			GRAPHITE,WITHOUT INNER AND OUTER RING (OD 43. 4 MM × ID 33.3 MM × THICKNESS 3.38MM), AND 8 NOS. GLAND PACKING RINGS CONSISTING OF 4 NOS. PURE GRAPHITECUT RINGS AND 4 NOS. G RAPHI TE CUT ROPE RINGS, MATERIAL P#6610 / P#6528(OD 22.5 MM × ID 12.75 MM × SECTION THICKNESS 5.05 MM, TOTAL HEIGHT 40.5MM).KKS NO : 77LA E02AA051, 76LAE02AA051ALL THE MENTIONED SIZES AREAPPROXIMATE ONLY, PLEASE COLLECT THE SAMPLE FROM JAPS.						
3	2300051348		REPAIR KIT: BODY GASKET, & PACKING , PART NO :7, & 11, AUXILIARY BOILERNO 1 INTERMITTENT BLOWDOWN TANK LEVEL CONTROL VALVE, SIZE: D N100 ,RATING ANSI: 150, SUITABLE FOR SATURATED WATER SERVICE AT DESIGNPRESSURE 7 BARG AND DESIGN TEMPERATURE 110°C.1 NO. BODY GAS K ET, SPIRALWOUND TYPE, MATERIAL T#1806-GR-G00 SS316L + GRAPHITE, WITHOUT INNER ANDOUTER RING (OD 150.9 MM × ID 133.4	3	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MM × THICKNES S 3.5 MM), AND 6 NOS.GLAND PACKING RINGS, MATERIAL P#4519M, ROPE-CUT RING TYPE MANUFACTUREDFROM WHITE PTFE REINFORCED WITH CARBON FIBE R AND SPECIAL LUBRICANT (OD22.4 MM × ID 12.7 MM × SECTION THICKNESS 4.8 MM, TOTAL HEIGHT 28.8 MM).KKS NO: 76HAN03AA052, 77HAN0 3AA05 2ALL THE MENTIONED SIZES AREAPPROXIMATE ONLY, PLEASE COLLECT THE SAMPLE FROM JAPS.						
4	2300051275		"KIT_REPAIR; FOR HP/LP & STARTUP BYPASS PCV OP NOZZLE; SUITABLE FORSTEAM/WATER MIXTURE AT 90 BAR PRESSURE AND 560°C TEMPERATURE; KK S:71LBH12AA051; 74LBF11AA051; 75LBF11AA051; KIT CONSISTS OF:1. TWO PCSNOZZLE PACKING; OD 82 MM × ID 66 MM × THICKNESS 8.3 MM; MATE R IAL:GRAFOIL - PURE EXPANDED/EXFOLIATED GRAPHITE.2. ONE PC GASKET; CUT FROMSHEET GRAPHITE; OD 82 MM × ID 66 MM × THICKNESS 2.3 MM; M ATERIAL:GRAPHITE.ADDITIONAL DATA: COC, COO & MTC REQUIRED."	22	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
5	2300051276		"KIT_REPAIR; FOR HP/LP & STARTUP BYPASS PCV SE NOZZLE; SUITABLE FORSTEAM/WATER MIXTURE AT 90 BAR PRESSURE AND 560°C TEMPERATURE; KK S:71LBH12AA051; 74LBF11AA051; 75LBF11AA051; KIT CONSISTS OF:1. FOUR PCS NOZZLE PACKING; OD 72 MM × ID 56 MM × THICKNESS 8.3 MM; MATE RIAL: GRAFOIL - PURE EXPANDED/EXFOLIATED GRAPHITE.2. ONE PC GASKET; CUT FROM SHEET GRAPHITE; OD 72 MM × ID 56 MM ×THICKNESS 1.2 MM; MATERIAL: GRAPHITE.ADDITIONAL DATA: COC, COO & MTC REQUIRED."	60	SET				
6	2300051349		REPAIR KIT: BODY GASKET, & PACKING , PART NO :7, & 11, AUXILIARY BOILER1 SAH DRAIN TANK LEVEL CONTROL VALVE, SIZE: DN50 , RATING AN SI: 300,SUITABLE FOR SATURATED WATER SERVICE AT DESIGN PRESSURE 24 BARG ANDDESIGN TEMPERATURE 225°C. 1 NO. BODY GASKET, SPIRAL WO U ND TYPE,MATERIAL T#1806-GR-G00 SS316L + GRAPHITE, WITHOUT INNER AND OUTER RING(OD 82.6 MM × ID 71.5 MM × THICKNESS 3.65 MM), AND 6	3	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			N OS. GLAND PACKINGRINGS, MATERIAL P#4519M, ROPE-CUT RING TYPE MANUFACTURED FROM WHITE PTFEREINFORCED WITH CARBON FIBER AND SPECI AL L UBRICANT (OD 22.4 MM × ID12.7 MM × SECTION THICKNESS 4.8 MM, TOTAL HEIGHT 28.8 MM).KKS NO:76LCN01AA051, 77LCN01AA051ALL THE ME NTION ED SIZES ARE APPROXIMATE ONLY,PLEASE COLLECT THE SAMPLE FROM JAPS.						
7	2300051350		REPAIR KIT: BODY GASKET, PACKING & SEATRING GASKET, PART NO :7, 11& 22,AUXILIARY BOILER NO 1 IGNITION GAS PRESSURE CONTROL VALVE A & B, SIZE:DN80 , RATING ANSI: 150, SUITABLE FOR NG PROPANE GAS SERVICE AT DESIGNPRESSURE 6 BARG AND DESIGN TEMPERATURE 50°C.1 NO. BOD Y GASKET, SPIRALWOUND TYPE, MATERIAL T#1806-GR-G00 SS316L + GRAPHITE, WITHOUT INNER ANDOUTER RING (OD 124.19 MM × ID 108.68 MM × THI CKNESS 3.7 MM), AND 3 NOS.GLAND PACKING	5	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			RINGS, MATERIAL P#4519M / S/M#636, ROPE-CUT RING TYPEMANUFACTURED FROM WHITE PTFE REI NFORCE D WITH CARBON FIBER AND SPECIALLUBRICANT (OD 21.55 MM × ID 12.15 MM × SECTION THICKNESS 5 MM, TOTALHEIGHT 15 MM).KKS NO: 76E KG02AA0 51, 76EKG02AA052, 77EKG02AA051,77EKG02AA052ALL THE MENTIONED SIZES ARE APPROXIMATE ONLY, PLEASE COLLECTTHE SAMPLE FROM JAPS .					
8	2300051351		REPAIR KIT: BODY GASKET, & PACKING , PART NO :7, & 11, AUXILIARY BOILERNO 1 NATURAL GAS FLOW CONTROL VALVE A & B (SMALL), SIZE: DN1 50 ,RATING ANSI: 150, SUITABLE FOR NG SERVICE AT DESIGN PRESSURE 6 BARG ANDDESIGN TEMPERATURE 50°C. 1 NO. BODY GASKET, SPIRAL WOU N D TYPE, MATERIALT#1806-GR-G00 SS316L + GRAPHITE, WITHOUT INNER AND OUTER RING (OD 187.33MM × ID 169.65 MM × THICKNESS 3.6 MM), AN D 6 NOS. GLAND PACKINGCOMPONENTS CONSISTING OF 3 NOS. P#4519M TEFLON CUT	5	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			RINGS AND 3 NOS.S/M#363 SELF-MOLDED TRIANGULAR PACKING PI ECE S, MANUFACTURED FROM WHITEPTFE, CARBON FIBER AND SPECIAL LUBRICANT (OD 31.8 MM × ID 19 MM ×SECTION THICKNESS 6.4 MM, TOTAL HEIG HT 2 0.1 MM, TRIANGLE PIECE LENGTH66 MM WITH ALL THREE SIDES 14.6 MM).KKS NO: 76EKG01AA052, 76EKG01AA054,77EKG01AA052, 77EKG01AA054 ALL T HE MENTIONED SIZES ARE APPROXIMATE ONLY,PLEASE COLLECT THE SAMPLE FROM JAPS.						
9	2300051352		REPAIR KIT: BODY GASKET, PACKING, SEAT RING GASKET, PACKING BOTTOM RING,OUTER SEAL RING, INNER SEAL RING, & CAGE GASKET , PART NO : 7, 11, 19,21, 24, 25, & 26, AUXILIARY BOILER NO 1 NATURAL GAS FLOW CONTROL VALVE A& B(LARGE), SIZE: DN300 , RATING ANSI: 150, SUI T ABLE FOR NG SERVICE ATDESIGN PRESSURE 6 BARG AND DESIGN TEMPERATURE 50°C. 1 NO. BODY GASKET,SPIRAL WOUND TYPE, MATERIAL P#2600-G0 0-	5	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			M SS316L + GRAPHITE, WITHOUTINNER AND OUTER RING (OD 336 MM × ID 315 MM × THICKNESS 5 MM), 2 NOS.SEAT AND CAGE GASKETS, SPIRAL W OUN D TYPE, MATERIAL P#2600-G00-M SS316L+ GRAPHITE, WITHOUT INNER AND OUTER RING (OD 301 MM × ID 289 MM ×THICKNESS 5 MM), 1 NO. INN ER S EAL RING, MATERIAL FKM(FLUOROCARBON/VITON® ELASTOMER) (OD 225 MM × ID 216 MM × THICKNESS 6.8MM, TOTAL HEIGHT 6.8 MM), 1 NO. OU TER S EAL RING, MATERIAL TEFLON (OD246 MM × ID 234.7 MM × THICKNESS 5.65 MM, TOTAL HEIGHT 9.25 MM), AND 8NOS. GLAND PACKING COMPONE NTS CO NSISTING OF 3 NOS. P#4519M TEFLON CUTRINGS AND 5 NOS. S/M#363 SELF-MOLDED TRIANGULAR PACKING PIECES,MANUFACTURED FROM WHITE PTFE, CA RBON FIBER AND SPECIAL LUBRICANT (OD 46MM × ID 41.5 MM × SECTION THICKNESS 8 MM, TOTAL HEIGHT 64 MM, TRIANGLEPIECE LENGTH 66 MM WITH ALL THREE SIDES 14.6 MM).KKS NO:						

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			76EKG01AA051,76EKG 01AA053, 77EKG01AA051, 77EKG01AA053ALL THE MENTIONED SIZES AREAPPRO XIMATE ONLY , PLEASE COLLECT THE SAMPLE FROM JAPS.						
10	2300051353		REPAIR KIT: BODY GASKET, & PACKING , PART NO :7, & 11, AUXILIARY BOILERDIESEL FUEL OIL FLOW CONTROL VALVE A & B (SMALL), SIZE: DN40 , RATINGANSI: 300, DESIGN PRESSURE 43(BARG); DESIGN TEMPERATURE 55 (C);GLANDPACKING: APPROX. OD 21.7 MM × ID 12.3 MM × THK 5 MM, QT Y. 6 PCS, TOTALSTACK HEIGHT APPROX. 30 MM; ROPE-CUT PACKING RINGS, WHITE, MADE OF PTFE,CARBON FIBER AND SPECIAL LUBRICANT.BODY G ASK ET: APPROX. OD 123.84 MM ×ID 108 MM × THK 3.6 MM, QTY. 1 PC; SS316L + GRAPHITE SPIRAL WOUNDGASKET, WITHOUT INNER AND OUTER RING S.KK S NO: 76EGD01AA052,76EGD01AA054, 77EGD01AA052, 77EGD01AA054ALL THE MENTIONED SIZES AREAPPROXIMATE ONLY, PLEASE COLLECT THE SAM PLE F ROM JAPS.	5	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
11	2300051366		REPAIR KIT: BODY GASKET, & PACKING , PART NO :7, & 11, HRSG NO 1INTERMITTENT BLOWDOWN TANK LEVEL CONTROL VALVE, SIZE: DN100 , RATIN GANSI: 300, SUITABLE FOR WATER SERVICE AT DESIGN PRESSURE 10 BARG ANDDESIGN TEMPERATURE 120°C. 1 NO. BODY GASKET, SPIRAL WOUND TY P E,MATERIAL T#1806-GR-G00 SS316L + GRAPHITE, WITHOUT INNER AND OUTER RING(OD 150.9 MM × ID 133.4 MM × THICKNESS 3.2 MM), AND 6 NOS . GLANDPACKING RINGS, MATERIAL P#4519M, ROPE-CUT RING TYPE MANUFACTURED FROMWHITE PTFE REINFORCED WITH CARBON FIBER AND SPECIAL LU BRI CANT (OD 22.4MM × ID 12.7 MM × SECTION THICKNESS 4.8 MM, TOTAL HEIGHT 28.8 MM).KKSNO: 71HAN14AA051,72HAN14AA051,73HAN14AA051ALL THE MENTIONED SIZES AREAPPROXIMATE ONLY, PLEASE COLLECT THE SAMPLE FROM JAPS.	4	SET				
12	2300051354		REPAIR KIT: BODY GASKET, & PACKING , PART NO :7, & 11, AUXILIARY BOILERNO 1 DIESEL FUEL OIL	5	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026

REQ No : 1012606854

REQ TITLE : Repair kits for HRSG DB CAF,

DELIVERY LOCATION : 0017 - L1 STORES, JAPS

CLOSING DATE : 03.12.2026

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FLOW CONTROL VALVE A & B (LARGE), SIZE: DN80 ,RATING ANSI: 300, SUITABLE FOR DIESEL OIL SERVICE AT DESIGN PRESSURE 43BARG AND DESIGN TEMPERATURE 55°C.1 NO. BODY GASKET, SP IRAL WOUND TYPE,MATERIAL T#1806-GR-G00 SS316L + GRAPHITE, WITHOUT INNER AND OUTER RING(OD 124.4 MM × ID 108.18 MM × THICKNESS 3. 85 MM), AND 6 NOS. GLANDPACKING RINGS, MATERIAL P#4519M, ROPE-CUT RING TYPE MANUFACTURED FROMWHITE PTFE REINFORCED WITH CARBON FIB ER A ND SPECIAL LUBRICANT (OD 22.4MM × ID 12.7 MM × SECTION THICKNESS 4.8 MM, TOTAL HEIGHT 28.8 MM).KKSNO: 76EGD01AA051, 76EGD01AA0 53, 7 7EGD01AA051, 77EGD01AA053ALL THEMENTIONED SIZES ARE APPROXIMATE ONLY, PLEASE COLLECT THE SAMPLE FROMJAPS.					
13	2300051355		REPAIR KIT: BODY GASKET, & PACKING , PART NO :7, & 11, AUXILIARY BOILERNO 1 CONTINUOUS BLOWDOWN TANK LEVEL CONTROL VALVE, SIZE: DN8	3	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026

REQ No : 1012606854

REQ TITLE : Repair kits for HRSG DB CAF,

DELIVERY LOCATION : 0017 - L1 STORES, JAPS

CLOSING DATE : 03.12.2026

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			0 , RATINGANSI: 150, SUITABLE FOR SATURATED WATER SERVICE AT DESIGN PRESSURE 7BARG AND DESIGN TEMPERATURE 175°C.1 NO. BODY GASKET , SPIRAL WOUND TYPE,MATERIAL T#1806-GR-G00 SS316L + GRAPHITE, WITHOUT INNER AND OUTER RING(OD 123.5 MM × ID 107.2 MM × THICKNESS 3 .7 5 MM), AND 6 NOS. GLANDPACKING RINGS, MATERIAL P#4519M, ROPE-CUT RING TYPE MANUFACTURED FROMWHITE PTFE REINFORCED WITH CARBON FI BER AND SPECIAL LUBRICANT (OD 21.51MM × ID 12.11 MM × SECTION THICKNESS 5 MM, TOTAL HEIGHT 30 MM). KKS NO:76HAN01AA051, 77HAN01AA0 51AL L THE MENTIONED SIZES ARE APPROXIMATE ONLY,PLEASE COLLECT THE SAMPLE FROM JAPS.					
14	2300051356		REPAIR KIT: BODY GASKET, PACKING, & SEAT RING GASKET , PART NO :7, 11, &18, AUXILIARY BOILER NO 1 AUXILIARY STEAM PRESSURE CONTROL V ALVE, SIZE:DN100 , RATING ANSI: NA, SUITABLE FOR STEAM SERVICE AT DESIGN PRESSURE107 BARG AND DESIGN TEMPERATURE 535°C.2 NOS. BOD Y	3	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			GASKETS, SPIRAL WOUNDTYPE, MATERIAL T#1808-GR-Y00 SS316L + GRAPHITE, WITHOUT INNER AND OUTERRING (OD 151.04 MM × ID 132.84 MM × THIC KNESS 4.6 MM, TOTAL HEIGHT 9.2MM), 9 NOS. GLAND PACKING RINGS CONSISTING OF 5 NOS. P#6610 PUREGRAPHITE CUT RINGS AND 4 NOS. P# 6710 DIE-FORMED FLEXIBLE EXPANDEDGRAPHITE CUT RINGS (OD 41.37 MM × ID 25.97 MM × SECTION THICKNESS 8.3MM, TOTAL HEIGHT 74.7 MM), A ND 1 N O. SEAT RING GASKET, SPIRAL WOUNDTYPE, MATERIALT#1808-GR-YOO SS 316L + GRAPHITE , WITHOUT INNER AND OUTERRING (OD 120.75 MM × ID 108 .59 MM × THICKNESS 3.3 MM).KKS NO:76LBG01AA051, 77LBG01AA051ALL THE MENTIONED SIZES ARE APPROXIMATE ONLY,PLEASE COLLECT TH E SAMPLE FROM JAPS.						
15	2300051357		REPAIR KIT: BODY GASKET, PACKING, SEAT RING GASKET, OUTER SEAL RING, &INNER SEAL RING ,	3	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PART NO :7, 11, 19, 24, & 25, AUXILIARY BOI LERDEARETOR HEATING STEAM PRSSURE CONTROL VALVE, SIZE: DN50 , RATING ANSI:300, SUITABLE FOR STEAM SERVICE AT DESIGN PRESSURE 24 B A RG AND DESIGNTEMPERATURE 350°C.1 NO. BODY GASKET, SPIRAL WOUND TYPE, MATERIALP#2600-G00-M SS316L + GRAPHITE, WITHOUT INNER AND OU TE R RING (OD 194.29MM × ID 173.29 MM × THICKNESS 5 MM), 7 NOS. GLAND PACKING RINGS,MATERIAL P#6315CL, DIE-FORMED FLEXIBLE EXPANDED GR APHITE RINGS (OD31.81 MM × ID 19.21 MM × SECTION THICKNESS 6.8 MM, TOTAL HEIGHT 47.6MM), 1 NO. SEAT RING GASKET, SPIRAL WOUND T YPE, MATERIAL SUS403,WITHOUT INNER AND OUTER RING (OD 157.34 MM × ID 146.54 MM × THICKNESS 5MM), 1 NO. OUTER SEAL RING, MATERIAL G RAPHI TE (OD 128.77 MM × ID 122.17MM × THICKNESS 6.4 MM), AND 1 NO. INNER SEAL RING, MATERIAL ASTM A439TYPE D3 (OD 119.57 MM × ID 1 15.57 MM × THICKNESS 6.4 MM).KKS NO:76LBG02AA051,					

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			77LBG02AA051ALL THE MENTIONED SIZES ARE APPROXIMATE ONLY,PLEASE COLLECT THE SAMP LE FROM JAPS.						
16	2300051358		REPAIR KIT: BODY GASKET, PACKING, SEAT RING GASKET, OUTER SEAL RING, &INNER SEAL RING , PART NO :7, 11, 19, 24, & 25, AUXILIARY BOI LER SAHHEATING TEMPERATURE CONTROL VALVE, SIZE: DN50 , RATING ANSI: 300,SUITABLE FOR STEAM SERVICE AT DESIGN PRESSURE 24 BARG AND DESIGNTEMPERATURE 350°C.1 NO. BODY GASKET, SPIRAL WOUND TYPE, MATERIALP#2600-G00-M SS316L + GRAPHITE, WITHOUT INNER AND OUTER RIN G (OD 193.62MM × ID 172.62 MM × THICKNESS 5 MM), 7 NOS. GLAND PACKING RINGS,MATERIAL P#6315CL, DIE-FORMED FLEXIBLE EXPANDED GRAPHI TE RINGS (OD31.72 MM × ID 19.12 MM × SECTION THICKNESS 6.8 MM, TOTAL HEIGHT 47.6MM), 1 NO. SEAT RING GASKET, SPIRAL WOUND TYPE, MA TERI AL SUS403,WITHOUT INNER AND OUTER RING (OD	5	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			157.52 MM × ID 146.72 MM × THICKNESS 5MM), 1 NO. OUTER SEAL RING, MATERIAL GRAPHITE (OD 128.64 MM × ID 122.04MM × THICKNESS 6.5 MM), AND 1 NO. INNER SEAL RING, MATERIAL ASTM A439TYPE D3 (OD 119.58 MM × ID 115.58 M M × TH ICKNESS 6.5 MM).KKS NO:76LBG03AA051, 77LBG03AA051ALL THE MENTIONED SIZES ARE APPROXIMATE ONLY,PLEASE COLLECT THE SAMPLE FROM JAPS.						
17	2300051359		REPAIR KIT: BODY GASKET, PACKING, & SEAT RING GASKET , PART NO :7, 11, &22, AUXILIARY BOILER NO 1 DIESEL FUEL OIL BURNER ATOMIZING S TEAM PRESS.CONTROL VALVE, SIZE: DN40 , RATING ANSI: 300, SUITABLE FOR STEAM SERVICEAT DESIGN PRESSURE 24 BARG AND DESIGN TEMPERAT UR E 350°C. 1 NO. BODYGASKET, SPIRAL WOUND TYPE, MATERIAL T#1806-GR-G00 SS316L + GRAPHITE,WITHOUT INNER AND OUTER RING (OD 82.33 MM × ID 71.13 MM × THICKNESS 3.6MM), 7 NOS. GLAND PACKING RINGS, MATERIAL P#6315CL, DIE-FORMED FLEXIBLEEXPANDED GRAPHITE RINGS (OD 2 2.14	3	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MM × ID 12.74 MM × SECTION THICKNESS5.1 MM, TOTAL HEIGHT 35.7 MM), AND 1 NO. SEAT RING GASKET, SPIRAL WOUNDTYPE, MATERIAL SUS 403, WITHOUT INNER AND OUTER RING (OD 66.31 MM × ID57.11 MM × THICKNESS 3.6 MM). KKS NO: 76LBG04AA051, 77LBG04AA051ALL THEMENTIONE D SIZE S ARE APPROXIMATE ONLY, PLEASE COLLECT THE SAMPLE FROMJAPS.					
18	2300051360		REPAIR KIT: BODY GASKET, PACKING, & SEAT RING GASKET , PART NO :7, 11, &19, AUXILIARY BOILER NO 1 SUPERHEATER ATTEMPRATOR SPRAY WAT ER TEMP.CONTROL VALVE, SIZE: DN100 , RATING ANSI: 1500, SUITABLE FOR WATERSERVICE AT DESIGN PRESSURE 155 BARG AND DESIGN TEMPERAT U RE 175°C. 1 NO.BODY GASKET, SPIRAL WOUND TYPE, MATERIAL T#1806-GR-G00 SS316L +GRAPHITE, WITHOUT INNER AND OUTER RING (OD 151.5 MM × ID 133.7 MM ×THICKNESS 4.5 MM), 1 NO. SEAT GASKET, SPIRAL WOUND TYPE, MATERIALT#1806-GR-G00 SS316L + GRAPHITE,	3	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			WITHOUT INNER AN D O UTER RING (OD 119.2MM × ID 102.4 MM × THICKNESS 4.65 MM), AND 9 NOS. GLAND PACKING RINGSCONSISTING OF 5 NOS. P#6610 GRAPHITE RI NGS AND 4 NOS. P#6528 GRAPHITECUT ROPE RINGS (OD 31.8 MM × ID 19 MM × SECTION THICKNESS 6.4 MM, TOTALHEIGHT 34.5 MM).KKS NO: 76LAE 01AA0 51, 77LAE01AA051ALL THE MENTIONEDSIZES ARE APPROXIMATE ONLY, PLEASE COLLECT THE SAMPLE FROM JAPS.						
19	2300051361		REPAIR KIT: BODY GASKET, PACKING, & SEAT RING GASKET, SEAL RING, & CAGEGASKET , PART NO :7, 11, 19, 24, & 25, AUXILIARY BOILER FEED WATER 100%CONTROL VALVE A & B, SIZE: DN250 , RATING ANSI: 1500, DESIGN PRESSURE155(BARG); DESIGN TEMPERATURE 175 (C);GLAND PACKING : OD 41.2 × ID 25.75× THK 8.35 MM, TOTAL HEIGHT 75.15 MM; 5 PCS P#6610 DIE-FORMED FLEXIBLEEXPANDED GRAPHITE RINGS + 4 PCS P#6528 B RA ID ADAPTER CUT ROPE RINGSMADE OF HIGH-STRENGTH CARBON FIBER.SEAT & CAGE	5	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			GASKET: OD 250 × ID 236.8× THK 5 MM, P#2600-G00-M, SS304 + GRAPHITE, SPIRAL WOUND GASKET WITHOUTINNER AND OUTER RING, QTY: 2 PCS.BODY GASKET: OD 288 × ID 268.4 × THK 5MM, P#2600-G00-M, S S304 + GRAPHITE, SPIRAL WOUND GASKET WITHOUT INNERAND OUTER RING, QTY: 1 PC.SPRING-ENERGIZED SEAL RING: OD 200.8 × ID188.86 × THK 7.1 MM , TEFLON / ELGILOY (TEC) COMBINATION, QTY: 2 PCS. KKSNO: 76LAB01AA051, 76LAB01AA052, 77LAB01AA051, 77LAB01AA052 ALL THE MENTIONED SI ZES ARE APPROXIMATE ONLY, PLEASE COLLECT THE SAMPLE FROM JAPS.					
20	2300051362		REPAIR KIT: PACKING, BODY GASKET, INSIDE FACE SEAL,O RING, BACKUP RING,SEAL RING, & RETAINING RING , PART NO :6, 10, 12,17, 22, 23, & 30,AUXILIARY BOILER NO 1 FEEDWATER FLOW CONTROL VALVE C, SIZE: DN150 ,RATING ANSI: 1500, SUITABLE FOR WATER SERVICE AT DESIGN P R	3	SET				

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ESSURE 155BARG AND DESIGN TEMPERATURE 175℃.9 NOS. GLAND PACKING RINGS CONSISTINGOF 5 NOS. P#6610 DIE-FORMED FLEXIBLE EXPANDED GR AP HITE RINGS AND 4 NOS.P#6528 BRAID ADAPTER RINGS MADE OF HIGH-STRENGTH CARBON FIBER CUT ROPE(OD 41.35 MM × ID 25.36 MM × SECTION THIC KNESS 8.2 MM, TOTAL HEIGHT 73.8MM), 1 NO. BODY GASKET, SPIRAL WOUND TYPE, MATERIAL T#1806-GR-G00 SS316L+ GRAPHITE, WITHOUT INN ER AN D OUTER RING (OD 241.00 MM × ID 214.38 MM ×THICKNESS 4.7 MM), 2 NOS. BACKUP RINGS, MATERIAL TEFLON (OD 103.24 MM ×ID 91.18 MM × THI CKNESS 3.21 MM, TOTAL HEIGHT 6.42 MM), 1 NO. RETAININGRING, MATERIAL SUS F6NM, LOCKING RING TYPE (OD 119.41 MM × ID 108.01 MM × THIC KNESS 1.15 MM), 2 NOS. INSIDE FACE SEALS, SPRING ENERGIZED SEALRING TYPE, MANUFACTURED FROM A COMBINATION OF TEFLON/INCONEL (OD 126.					

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER : 2012606359

DATE : 27.11.2026
REQ No : 1012606854
REQ TITLE : Repair kits for HRSG DB CAF,
DELIVERY LOCATION : 0017 - L1 STORES, JAPS
CLOSING DATE : 03.12.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			37MM × ID 113.43 MM × THICKNESS 6.2 MM, TOTAL HEIGHT 12.4 MM), AND 2 NOS.SPRING ENERGIZED SEAL RINGS, MANUFACTURED FROM A COMBINATIO N OFTEFLON/ELGILOY (TEC) (OD 104.69 MM × ID 90.95 MM × THICKNESS 7.57 MM,TOTAL HEIGHT 15.14 MM). 1 NO. O-RING, RUBBER, A PPROX. OD 1 15 MM × ID105 MM × CROSS-SECTION DIAMETER 5 MM.KKS NO: 76LAB01AA053,77LAB01AA053ALL THE MENTIONED SIZES ARE APPROXIMATE ONLY, PLEAS ECOLLECT THE SAMPLE FROM JAPS.						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Repair kits for HRSG DB CAF, NG, DFO, FW <(>&<)> Steam system valves as per sample.

Contact Person - basil.joy@dewa.gov.ae

STANDARD TERMS & CONDITIONS

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012606359
DATE	: 27.11.2026
REQ No	: 1012606854
REQ TITLE	: Repair kits for HRSG DB CAF,
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 03.12.2026
CLOSING TIME	: 10:00:00

1) RFQ Document Disclaimer: The PDF version of this Request for Quotation (RFQ) is provided for convenience only and contains a summary of key information. It does not include all technical details, requirements, or specifications. Bidders must refer to the complete system documentation and all referenced materials to obtain full and accurate information necessary for preparing their proposals.

2) Prices should be 'DDP' delivery duty paid at DEWA stores.

3) Quotation to be submitted only in local currency U.A.E Dirhams

4) DEWA Standard Payments: Payment will be made within 30 days from the date the Supplier/Contractor submits a complete and accurate invoice, together with all required supporting documents, subject to the material and/or services having been duly accepted.

5) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

6) The offered product and/or services in the Quotation, shall be confirming and in accordance with DEWA Energy Management Policy & EnMS Manual.

7) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer. If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

8)Data Privacy, Security and Sharing:
a) Third-party shall handle DEWA data in accordance with all applicable laws, regulations, and DEWA policies.

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012606359
DATE	: 27.11.2026
REQ No	: 1012606854
REQ TITLE	: Repair kits for HRSG DB CAF,
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 03.12.2026
CLOSING TIME	: 10:00:00

b) DEWA data shall not be shared outside UAE, in line with DESC ISR requirements.
c) DEWA's Non-Disclosure Agreement (NDA) and External Party Acknowledgment (EPA) shall be signed by the third-party and their sub-contractors who handle DEWA data prior to the contract commencement.
d) DEWA reserves the right to withhold data from third parties if deemed sensitive.
e) Access to data must be restricted to authorized, named third-party employees only and DEWA must be informed of any changes in employment status of those with access.
f) Third party shall not disclose, transfer or share any DEWA data with other third parties (government, semi government, private) without obtaining DEWA#s authorized data owner written approval.
g) Upon the completion/ termination of the agreement the external party shall securely delete all DEWA#s data in their custody/ control including the backup and provide written confirmation and evidence to DEWA upon the data deletion completion as per agreed data disposal process, this is to address risk of data remanence.

9) Liquidated Damages for PO total value in excess of AED 50,000:
If the Contractor/Supplier delays or fails to deliver, fails to commence or perform the services, DEWA has the right to deduct an amount equal to 1.25% per day/week of the total PO fee for the services/supplies delayed, not performed or not delivered, subject to a cap of 10% of the total PO fee without recourse to any judicial proceedings, as compensation for the delay or failure to perform. If the deducted amount exceeds 10% of the total PO fee, without prejudice to any of DEWA's rights under the applicable law, DEWA shall be entitled to terminate the PO immediately without the need for any notice or judicial proceedings against the defaulting Supplier, and without the need to prove the damage.

10) Indemnity: The Supplier shall indemnify DEWA from and against all claims, damages, costs and liabilities brought by any third party against DEWA arising out of or in connection with any of acts or omissions of the Supplier/Contractor, or any failure to perform its obligations under this PO.

11) Dispute Resolution: Any dispute arising out of or in connection with this PO shall be settled through mutual good faith negotiation and understanding between the Parties: Failing amicable settlement, the dispute shall finally be referred to the courts having appropriate jurisdiction in the Emirate of Dubai.

12) Intellectual Property Rights: The Supplier/Contractor shall not use DEWA's intellectual property, including logos, trademarks, service marks, trade names, service names, and brand names, whether in a press release or otherwise, without obtaining DEWA's prior written consent. All intellectual property rights in the deliverables created or developed, under this PO, shall be solely owned by DEWA.

13) Assignment and Transfer: The Supplier/Contractor shall not assign this PO or any part thereof without the prior written consent of DEWA. Such consent shall not relieve the Contractor of any of its

REQUEST FOR QUOTATION
LOCAL PURCHASE SECTION

RFQ NUMBER	: 2012606359
DATE	: 27.11.2026
REQ No	: 1012606854
REQ TITLE	: Repair kits for HRSG DB CAF,
DELIVERY LOCATION	: 0017 - L1 STORES, JAPS
CLOSING DATE	: 03.12.2026
CLOSING TIME	: 10:00:00

obligations or duties under this PO.

14) Force Majeure: If either party is affected by a Force Majeure event, it will promptly notify the other party of the nature and extent thereof. Neither party will be deemed to be in breach of this PO, by reason of any delay or non-performance, of any of its obligations hereunder, due to any Force Majeure event of which it has notified the other party. The time for performance of these obligations will be extended accordingly as may be fair and reasonable in the circumstances. Provided always that if the duration of such delay or impediment exceeds thirty (30) days, either party may give a fifteen (15) working days' notice to terminate a specific item or the PO in its entirety.

15) Certificate of Conformity for Green Materials and Services Specifications: The Bidder shall, wherever applicable, provide a Certificate of conformity issued by accredited body/ laboratory as proof of compliance with the applicable green materials, services and specifications.

16) Taking Over Certificate: TOC shall be issued only after full delivery or completion of the service or deliverables. TOC will be issued conditionally ("conditional TOC") with the reasonable guarantee/observation in case of any defects after delivery or completion of the PO.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP

DISCLAIMER : THIS IS A SYSTEM GENERATED DOCUMENT , DOSEN'T NEED SIGNATURE.