

RFQ NUMBER : 2332501145

DATE : 05.05.2025

REQ No : 1032502069

REQ TITLE : Inspection & dynamic

DELIVERY LOCATION

CLOSING DATE : 15.05.2025

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1		ITEM-00001	INSPECTION, BALANCING, AND CERTIFICATION OF	4	AU				
			SINGLE STAGE CENTRIFUGAL FANASSEMBLY						
			(DPH2 GSC FAN)SPECIFICATIONS: #TYPE: #SINGLE						
			STAGE C						
			ENTRIFUGAL FAN ASSEMBLY-#MODEL:#GSC						
			FAN:#FLOW:#RADIAL:#CAPACITY:#420 CUBIC						
			METERS/HOUR.#MOTOR						
			CAPACITY:#2.2KW·#RPM:#3000·#MANUFACTUR						
			ER:#BOLOROCCHI, ITALYSCOPE OF						
			WORK:1.#COLLECTION AND						
			DELIVERY:COLLECTION AND DELIVERY OF THE						
			FAN ASSEMBLY FROM 'D' STATION, JAPS,JEB						
			EL ALI.2.#PLANE BALANCING:PLANE BALANCING OF						
			THE ASSEMBLY BY THE SUPPLIER IN THEIR						
			WORKSHOP.3.#MOTOR CONDITION CHECK:CHECK						
			THE MOTOR						
			CONDITION AND REPLACE MOTOR BEARINGS IF						
			REQUIRED BY THESUPPLIER IN THEIR						
			WORKSHOP.4.#INSTALLATION:INSTALL THE FAN						
			ASSEMBLY AFTER IN						
			SPECTION AND BALANCING AT THE SITE WITH100%						
			CONTACT TO ITS BASEPLATE, WITHOUT PIPE						
			TENSION OR DEVIATION.5.#REPORTING:SUBMIT A						



RFQ NUMBER : 2332501145

DATE : 05.05.2025

REQ No : 1032502069

REQ TITLE : Inspection & dynamic

DELIVERY LOCATION

CLOSING DATE : 15.05.2025

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			DETAIL						
			ED REPORT TO THE DEWA CONCERNED						
			ENGINEER.6.#CERTIFICATION:PROVIDE A TEST						
			CERTIFICATE AS PER ISO 1940-1:2003 AND						
			BALANCING GRADEG2.5						
			ALONG WITH DELIVERY.7.#VIBRATION LEVEL						
			MAINTENANCE:MAINTAIN THE FAN ASSEMBLY						
			VIBRATION LEVEL AT A MAXIMUM OF						
			3.00MM/SECDURING TRIAL						
			OPERATION AT THE SITE TO BE ACCEPTED BY						
			DEWA.8. IMMEDIATE ATTENTION AND						
			RECTIFICATION:IMMEDIATE ATTENTION AND						
			RECTIFICATION DRIVE T						
			HRU IS REQUIRED IF ANYABNORMALITY IS FOUND						
			IN THE OPERATION OF THE FAN ASSEMBLY						
			AFTERINSTALLATION#8.9. VENDOR						
			RESPONSIBILITY:VENDOR						
			NEEDS TO TAKE THE ASSEMBLY TO THEIR						
			PREMISES, RECTIFY AND RETURNTHE UNIT WITH						
			PRIOR IMPORTANCE IF ANY ABNORMALITY IS						
			FOUND IN THEOP						
			ERATION OF THE FAN ASSEMBLY AFTER						
			INSTALLATION#FOR DETAILS CONTACT :HAJI						



RFQ NUMBER : 2332501145

DATE : 05.05.2025

REQ No : 1032502069

REQ TITLE : Inspection & dynamic

DELIVERY LOCATION

CLOSING DATE : 15.05.2025

CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ABDULLAH,0526970925,HAJI.SHAIK@DEWA.GOV.AE ABDELRAHMAN,05056						
			78916, ABDEL.ALZAROONI@DEWA.GOV.AE						

TOTAL AMOUNT IN WORDS: TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Inspection <(>&<)> dynamic

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.



RFQ NUMBER : 2332501145

DATE : 05.05.2025

REQ No : 1032502069

REQ TITLE : Inspection & dynamic

DELIVERY LOCATION

CLOSING DATE : 15.05.2025 **CLOSING TIME** : 10:00:00

SUPPLIER'S REMARKS:

SUPPLIER'S SIGNATURE AND STAMP