

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1		ITEM-00001	COMPLETE OVERHAULING OF BOOSTER PUMP FOR DIP PH1 PUMPING STATION. PUMPDDETAILS: EQUIPMENT NO. 50269126, CLYDE UNION PUMP MODEL: DVL-3 50X300,HEAD-140M, FLOW-263L/S, RPM-1475, 630KW.SCOPE OF WORKTHE FOLLOWING OUTLINES THE MANDATORY AND OPTIONAL SCOPE OF WORK FOR THEO VERHAUL OF BOOSTER PUMPS AND THEIR ACCESSORIES AT THE BOOSTER PUMPINGSTATION.1.0 MANDATORY SCOPE OF WORK:A) THE CONTRACTOR IS RESPON SIBLE FOR TRANSPORTING THE PUMP ASSEMBLY TOAND FROM THE DEWA SITE TO THEIR WORKSHOP. DEWA WILL NOT PROVIDETRANSPORTATION. FOR LOADIN G AND UNLOADING, THE CONTRACTOR MAY USE DEWA#SOVERHEAD CRANE AT THE PUMPING STATION, WITH PROPER COORDINATION WITHDEWA REPRESENTATIV ES. B) REPLACEMENT OF THE MECHANICAL SEAL, COUPLINGBUSH RENEWAL, GLAND PACKING RENEWAL, AND BEARING REPLACEMENT	1	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ASREQUIRED. C) OVERH AULING OF THE PUMP (REFER TO ANNEXURE I FOR MANDATORYAND ANNEXURE II FOR OPTIONAL WORK). D) EXTERNAL PAINTING OF THE PUMP. E)RECTIFI CATION OF ANY ISSUES THAT ARISE AFTER INSTALLATION/LOAD TESTING.THIS SHALL BE DONE ON SITE IF POSSIBLE, AND IF NOT, THE CONTRACTOR I SRESPONSIBLE IN COLLECTING THE PUMP AND MOVED IT BACK TO THEIR FACILITY.F) IF ANY PART IS FOUND DEFECTIVE, THE CONTRACTOR IS RESPONS IBLE FORREPAIRING OR REPLACING IT. DEWA WILL PROVIDE AVAILABLE SPARES. IF ANYSPARE PARTS ARE UNAVAILABLE, THE CONTRACTOR MUST ARRANG E THEM AND SUBMITTHE COST FOR DEWA APPROVAL BEFORE PLACING AN ORDER. G) ONCE THE PUMP ISFULLY ASSEMBLED, THE PUMP MUST BE PRESSURE H YDRO TESTED IN THECONTRACTOR FACILITY TO MAKE SURE THE PUMP IS WELL ASSEMBLED AND						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			THAT THERE ARE NO LEAKS. 2.0 REQUIREMENTS PRIOR TO QUOTATION SUBMISSION: A) THE CONTRACTOR MUST VISIT THE SITE TO FAMILIARIZE THEMSELVES WITH THE SCOPE OF WORK AND POTENTIAL COMPLEXITIES BEFORE SUBMITTING A QUOTATION. B) DEWA WILL NOT ACCEPT ANY CLAIMS FOR ADDITIONAL CHARGES BEYOND THE AGREED RATES OR PRICES DURING OR AFTER THE EXECUTION OF THE WORK. C) THE CONTRACTOR WILL BE PROVIDED WITH AN EQUIPMENT SHUTDOWN SCHEDULE IN COORDINATION WITH THE OPERATIONS & MAINTENANCE DEPARTMENT OF THE WATER DIVISION. D) A TIME SCHEDULE OR BAR CHART SHOWING EACH ACTIVITY MUST BE SUBMITTED. E) UPON COMPLETION, AN INSPECTION CHECKLIST AND QUALITY PROCEDURE DOCUMENTATION, WHERE APPLICABLE, MUST BE SUBMITTED. F) THE CONTRACTOR IS RESPONSIBLE FOR SITE SUPERVISION,						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			COORDINATION OF FIELD ACTIVITIES, AND THE SUPPLY OF REQUIRED TECHNICIANS, TOOLS, EQUIPMENT, AND RESOURCES NECESSARY TO EXECUTE THE CONTRACT.3.0 TAKEOVER: UPON COMPLETION OF ALL WORK WITHIN THE SCOPE OF THE CONTRACT, THE CONTRACTOR MUST NOTIFY DEWA IN WRITING. A CERTIFICATE OF COMPLETION WILL BE ISSUED AFTER A FINAL INSPECTION, CONFIRMING THAT THE WORK HAS BEEN ACCEPTED AND TAKEN OVER BY DEWA FOLLOWING THE NECESSARY CONDITION MONITORING CHECKS.4.0 WARRANTY: A) ALL WORK WILL CARRY A WARRANTY OF 8,000 HOURS OF OPERATION OR ONE YEAR, WHICHEVER COMES FIRST. B) THE WARRANTY WILL TAKE EFFECT FROM THE DATE OF DEWA'S OFFICIAL TAKEOVER OF THE COMPLETED JOB. C) IF ANY DEFECTS ARE IDENTIFIED DURING THE WARRANTY PERIOD, THE CONTRACTOR MUST RECTIFY THEM WITHIN THE TIMEFRAME						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ET BY DEWA WITHOUT ADDITIONAL COST ORCOMPENSATION.5.0 DOCUMENTATION:UPON SATISFACTORY COMPLETION OF THE WORK AND HANDOVER, THE CONTR ACTORMUST SUBMIT THE FOLLOWING DOCUMENTS TO DEWA: #INITIAL INSPECTION REPORT (MENTIONING THE REQUIRED SPARES ANDREQUIRED ACTIONS).-#J OB COMPLETION REPORT (INCLUDING ALL OVERHAULING ACTIONS DONE).-#INCLUDING ALL PROPER PHOTOS, EQUIPMENT SERIAL NUMBER, AND EQUIPMENTTA GGING.#REQUISITION FOR SPARE PARTS PLANNING BASED ON THE CURRENT CONDITIONOF THE EQUIPMENTANNEXURE I # DETAILED MANDATORY SCOPE OF W ORK FOR BOOSTER PUMP OVERHAUL1.#DISMANTLING: THE CONTRACTOR SHALL DISMANTLE THE PUMP ACCORDING TODEWA ENGINEER#S INSTRUCTIONS. SKILL ED WORKMANSHIP AND CARE MUST BEAPPLIED DURING REMOVAL.2.#OVERHAULING: THE CONTRACTOR SHALL DISMANTLE THE ROTATING						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ASSEMBLY IN THEIR WORKSHOP AND RECORD ALL FINDINGS, INCLUDING PHOTOGRAPHS OF DETERIORATED COMPONENTS. THE SHAFT MUST BE INSPECTED FOR STRAIGHTNESS, AND WORKING AREAS SHOULD BE RECONDITIONED. IMPELLER, BEARINGS, MECHANICAL SEAL, GLAND SLEEVE, AND WEAR RINGS MUST BE THOROUGHLY CHECKED AND REPLACED IF NECESSARY. ALL PARTS FOUND DEFECTIVE MUST BE REPAIRED OR REPLACED, WITH AVAILABLE SPARES SUPPLIED BY DEWA. IF SPARES ARE UNAVAILABLE, THE CONTRACTOR MUST ARRANGE THEM AND SEEK APPROVAL FROM DEWA FOR ADDITIONAL COSTS. THE PUMP CASING MUST BE CLEANED AND INSPECTED FOR DAMAGE, AND ANY NECESSARY REPAIRS MUST BE CARRIED OUT USING SANDBLASTING AND FOOD-GRADE EPOXY COATING. 3.#ASSEMBLY: REASSEMBLY OF THE EQUIPMENT MUST FOLLOW STANDARD PROCEDURES, ENSURING THE PROPER						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FIT AND CLEARANCES. THE ROTOR ASSEMBLY SHOULD BE DYNAMICALLY BALANCED PER ISO 1940/1 STANDARDS. A DETAILED RECORD OF ALL ACTIVITIES MUST BE MAINTAINED, AND ANY DEVIATIONS FROM SET VALUES WILL BE DETERMINED BY DEWA.4.#CONSUMABLES & ACCESSORIES: MANUFACTURING OF MECHANICAL SEAL COOLING PIPE FITTINGS, SHAFT LOCK NUTS, LOCK WASHERS, DOWEL PINS, BEARING SPACERS, HOLDING DOWN BOLTS, AND VARIOUS GASKETS, INCLUDING THE SUPPLY OF O-RINGS. ANNEXURE II # OPTIONAL MACHINING WORKS1.#IMPELLER MACHINING: THIS INCLUDES GRIT BLASTING AND NON-DESTRUCTIVE TESTING (NDT) TO IDENTIFY CRACKS, SKIMMING THE WEAR RING AREAS, AND FITTING NEW RINGS.2.#SHAFT MACHINING: THE SHAFT WILL UNDERGO CHROME PLATING ON BEARING SEATING AREAS AND MECHANICAL SEAL SEATING AREAS, ALONG WITH METAL REBUILDING						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			AND STRAIGHTENING (UP TO A 4-THOU MAXIMUM BEND).3.#BEARING HOUSING MACHINING: MACHINING A ND RESLEEING OF BOTH DE ANDNDE BEARING HOUSING BORES.4.#MECHANICAL SEAL FACE: MACHINING AND REPAIRING OF THE PUMP#S TOP ANDBOTTOM C ASING HALVES AT THE MECHANICAL SEAL FACE.5.#PUMP CASINGS: SKIMMING AND GROOVING OF SUCTION AND DISCHARGE FLANGESON THE PUMP CASING.M ACHINING WORKS MUST COMPLY WITH THE LATEST STANDARDS, AND PRIORAPPROVAL FROM THE DEWA ENGINEER IS REQUIRED BEFORE COMMENCING ANYMACH INING TASKS. ANY DAMAGES DONE ON ANY PROVIDED SPARES FROM DEWA, THECONTRACTOR IS HELD RESPONSIBLE IN REPLACING THE DAMAGED MATERIAL AT NOADDITIONAL COST TO DEWA.KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION.						
2		ITEM-00001	MACHINING AND ASSEMBLY OF PUMP CASE WEAR	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			RING WITH COMPLETE PUMPASSEMBLY FOR DIP PH1 CLYDE UNION PUMP.SCOPE OF WORK1.#MACHINING AND ASSEMBLY OF PUMP CASE WEAR RING: THE CONTRACTOR WILLMACHINE AND ASSEMBLE THE PUMP CASE WEAR RING, USING THE MATERIALPROVIDED BY DEWA .2.#COMPLIANCE WITH SPECIFICATIONS: MATERIAL AND DIMENSIONS MUSTSTRICTLY FOLLOW THE PROVIDED SAMPLE.3.#ROTOR ASSEMBLY TESTING: AFTER INSTALLING THE CASE WEAR RING, THEROTOR ASSEMBLY MUST UNDERGO TESTING TO ENSURE PROPER FUNCTIONING.4.#PAYMENT TERMS: PAYMENTS WILL BE PROCESSED UPON APPROVAL FROM THEDEWA ENGINEER.5.#WARRANTY: A ONE-YEAR WARRANTY WILL APPLY FOLLOWING THE INSTALLATIONAND SUCCESSFU L TESTING OF THE PUMP.6.#RESPONSIBILITY FOR ERRORS: IN THE EVENT OF ANY MACHINING ERRORS, THECONTRACTOR WILL BE HELD RESPONSIBLE AND						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			MUST PROVIDE NEW MATERIALS AT NO ADDITIONAL COST. THESE REPLACEMENT MATERIALS MUST MEET THE SAME SPECIFICATIONS AS THOSE ORIGINALLY SUPPLIED BY DEWA. KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION.						
3		ITEM-00001	MACHINING & ASSEMBLY OF PUMP IMPELLER WEAR RING WITH COMPLETE PUMP ASSEMBLY FOR DIP PH1 CLYDE UNION PUMP. SCOPE OF WORK 1. #MACHINING AND ASSEMBLY OF PUMP IMPELLER WEAR RING: THE CONTRACTOR WILL MACHINE AND ASSEMBLE THE PUMP IMPELLER WEAR RING, USING THE MATERIAL PROVIDED BY DEWA. 2. #COMPLIANCE WITH SPECIFICATIONS: MATERIAL AND DIMENSIONS MUST STRICTLY FOLLOW THE PROVIDED SAMPLE. 3. #ROTOR ASSEMBLY TESTING: AFTER INSTALLING THE IMPELLER WEAR RING, THE ROTOR ASSEMBLY MUST UNDERGO TESTING TO ENSURE PROPER FUNCTIONING. 4. #PAYMENT TERMS: PAYMENTS WILL BE PROCESSED UPON APPROVAL	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FROM THEDEWA ENGINEER.5.#WARRANTY: A ONE-YEAR WARRANTY WILL APPLY FOLLOWING THE INSTALLATION AND SUCCESSFUL TESTING OF THE PUMP.6.#RESPONSIBILITY FOR ERRORS: IN THE EVENT OF ANY MACHINING ERRORS, THE CONTRACTOR WILL BE HELD RESPONSIBLE AND MUST PROVIDE NEW MATERIALS AT NO ADDITIONAL COST. THESE REPLACEMENT MATERIALS MUST MEET THE SAME SPECIFICATIONS AS THOSE ORIGINALLY SUPPLIED BY DEWA.KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION.						
4		ITEM-00001	MACHINING AND ASSEMBLY OF SHAFT SLEEVES FOR DIP PH1 CLYDE UNION PUMP SCOPE OF WORK:1.#MACHINING: MACHINE THE SHAFT SLEEVES ACCORDING TO THE SPECIFIED DIMENSIONS PROVIDED BY DEWA.2.#ASSEMBLY: ASSEMBLE THE SHAFT SLEEVES ONTO THE PUMP'S ROTOR AS PER THE REQUIRED STANDARD.3.#TESTING: PERFORM A COMPREHENSIVE	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TEST ON THE ROTOR ASSEMBLY TO ENSURE THE PROPER FITTING AND ALIGNMENT OF THE SHAFT SLEEVES.4.# RESPONSIBILITY FOR ERRORS: IN THE EVENT OF ANY MACHINING ERRORS, THE CONTRACTOR WILL BE HELD RESPONSIBLE AND MUST PROVIDE NEW MATERIALS AT NO ADDITIONAL COST. THESE REPLACEMENT MATERIALS MUST MEET THE SAME SPECIFICATIONS AS THOSE ORIGINALLY SUPPLIED BY DEWA. KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION.						
5		ITEM-00001	MODIFICATION OF MECHANICAL SEAL COOLING LINE FOR DIP PH1 CLYDE UNION PUMP SCOPE OF WORK: 1.# FABRICATION AND MODIFICATION: FABRICATE OR MODIFY THE MECHANICAL SEAL COOLING LINE TO MEET THE SPECIFIC REQUIREMENTS OF THE PUMP. 2.# ASSEMBLY AND TESTING: ASSEMBLE THE COOLING LINE TO THE PUMP ROTOR ASSEMBLY, ENSURING IT ADHERES TO THE ORIGINAL DESIGN	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SPECIFICATIONS.TEST THE COOLING LINE THOROUGHLY TO CONFIRM THERE ARE NO ISSUES ORLEAKS.3.#CONTRACTOR RESPONSIBILITY: THE CONTRACTOR WILL BE FULLY RESPONSIBLEFOR ANY ERRORS OR MISHANDLING DURING THE MODIFICATION OR ASSEMBLYPROCESS. ALL NECESSARY CORRECTIONS MUST BE MADE AT NO ADDITIONAL COST.KINDLY CONTACT MR. SUHAIL (050 -4515989) FOR FURTHER CLARIFICATION.						
6		ITEM-00001	MACHINING AND REBUILDING OF SHAFT FOR DIP PH1 CLYDE UNION PUMPSCOPE OF WORK:1.#SHAFT REBUILDING AND MACHINING: REBUILD AND MACHINE T HE PUMP SHAFTON BOTH THE DRIVE END (DE) AND NON-DRIVE END (NDE), FOCUSING ON THEMECHANICAL SEAL AND BEARING AREAS.2.#ASSEMBLY AND TE STING: REASSEMBLE THE PUMP AND ROTOR, FOLLOWED BYTHOROUGH TESTING TO ENSURE PROPER FUNCTIONALITY.3.#CONTRACTOR RESPONSIBILITY: THE C	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ONTRACTOR WILL ASSUME FULLRESPONSIBILITY FOR ANY ERRORS OR MISHANDLING DURING THE PROCESS. ALLNECESSARY CORRECTIONS MUST BE MADE AT NO ADDITIONAL COST.KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION.						
7		ITEM-00002	FULL BLASTING AND RECOATING OF DIP PH1 CLYDE UNION PUMPSPECIFICATION FOR INTERNAL COATING OF PUMPS AND VALVESTHESE PUMPS AND VALVES ARE UTILIZED IN WATER BOOSTER PUMPING STATIONS,HANDLING POTABLE WATER WITH TEMPERATURES UP TO 50°C. WHILE THE WATER ISTYPICALLY CLEA N, OCCASIONAL SAND OR SOLIDS MAY BE PRESENT IN THE STREAMFROM THE PIPELINE. THE PUMPS HAVE BEEN IN OPERATION SINCE THE STATION'SCOMM ISSIONING.SCOPE OF WORK1.#COLLECTION AND TRANSPORTATION: THE CONTRACTOR IS RESPONSIBLE FORCOLLECTING THE PUMP CASING USING A SUITABL	1	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			E PICKUP OR CRANE-MOUNTEDTRUCK TO TRANSPORT IT TO DEWA'S WORKSHOP. THE CONTRACTOR MUST ENSURETHE USE OF APPROPRIATE LIFTING SLINGS/ BELTS WITH SUFFICIENT LOADCAPACITY FOR SAFE LOADING AND UNLOADING.2.#SURFACE PREPARATION: BEFORE APPLYING ANY COATING, THE CONTRACTO RMUST PERFORM SURFACE PREPARATION USING SAND OR GRIT BLASTING, OR OTHERSUITABLE MECHANICAL METHODS TO REMOVE RUST AND LOOSE MATERIAL S. AFTERTHE BLASTING, DEWA ENGINEERS MUST INSPECT THE SURFACE BEFORE COATING.ALL MACHINED SURFACES AND CRITICAL AREAS MUST BE ADEQUA TELY PROTECTEDDURING SANDBLASTING TO AVOID DAMAGE. CLEAR PHOTOS MUST BE TAKEN AND BEATTACHED IN THE COMPLETION REPORT.3.#REBUILDING ERODED/PITTED SURFACES: THE CONTRACTOR MUST RESTOREERODED SURFACES USING A SUITABLE COMPOSITE MATERIAL BEFORE						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			APPLYING ANYCOATING. THE COMPOSITE MATERIAL MUST HAVE THE FOLLOWING PROPERTIES:O#SUITABLE FOR CONTINUOUS IMMERSION IN VARIOUS CHEMICALS (E.G., FERRICCHLORIDE, HYDROCHLORIC ACID, SULFURIC ACID, SODIUM HYDROXIDE, AMMONIUMHYDROXIDE) AT 21°C.O#MUST PASS THE ASTM C868 CORROSION TEST FOR DEMINERALIZED WATERIMMERSION AT 43°C FOR AT LEAST SIX MONTHS.O#ADHESION (ASTM D1002) GREATER THAN 183 KG/CM² (2,600 PSI).O#MEET OR EXCEED COMPRESSIVE, TENSILE, AND FLEXURAL STRENGTH STANDARDS.ENVIRONMENTAL CONDITIONS DURING SURFACE PREPARATION, APPLICATION, ANDCURING MUST BE MONITORED TO ENSURE PROPER EXECUTION.4.#INTERNAL AND EXTERNAL COATING:O#APPLY CERAMIC-REINFORCED COMPOSITE MATERIALS FOR THE FINAL COATINGAFTER SURFACE PREPARATION AND REBUILDING.O#THE COMPOSITE MUST						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			WITHSTAND CONTINUOUS IMMERSION IN CHEMICALS ANDPASS THE ASTM B117 SALT FOG AND ASTM G8 CATHODIC DISBANDMENT TESTS.O#THE COATING MUST BE 800-1000 MICRONS THICK AND FINISHED WITH ASMMOOTH, A BRASION-RESISTANT GLASS-LIKE SURFACE.O#THE COMPOSITE MATERIAL MUST BE AUTHORIZED FOR USDA INCIDENTAL FOODCONTACT APPLICATIONS AND HO LD POTABLE WATER CERTIFICATION FROM WRAS OREQUIVALENT AUTHORITIES.O#EXTERNAL COATING SHOULD BE AN EPOXY COATING, 300-400 MICRONS THI CK,IN BLUE COLOR FOR BOTH PUMPS AND VALVES.5.#WARRANTY: THE SUPPLIER MUST PROVIDE A 24-MONTH SERVICE WARRANTYAGAINST ANY DEFECTS IN THE COATING. IF THE COATING FAILS WITHIN THISPERIOD, THE SUPPLIER WILL RECOAT THE EQUIPMENT FREE OF CHARGE.6.#METHOD STATEMENT: THE SUPPLIER MUST SUBMIT A DETAILED						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			METHOD STATEMENT FOR THE COATING PROCESS, INCLUDING MATERIAL SPECIFICATIONS, FOR REVIEW AND APPROVAL.7 .#INSPECTION: PRIOR TO DELIVERY, THE COATING WORK MUST BE INSPECTED BY DEWA ENGINEERS AT THE SUPPLIER'S WORKSHOP FOR FINAL ACCEPTANCE . THE CONTRACTOR MUST PROVIDE ALL NECESSARY INSPECTION TOOLS.8.#REPORTS AND DOCUMENTATION: UPON DELIVERY, THE CONTRACTOR MUST SUBMIT THE FOLLOWING: O# MATERIAL DATA SHEETS BEFORE AND AFTER COATING. O# WRAS CERTIFICATION FOR COATING MATERIALS. O# ALL RELEVANT TEST REPORTS. O# PROPER COMPLETION REPORT INCLUDING THE INTERNAL CONDITION BEFORE AND AFTER THE BLASTING AND THE COATING. KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION.						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2332502733
DATE	: 27.10.2025
REQ No	: 1032505198
REQ TITLE	: DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION	
CLOSING DATE	: 07.11.2025
CLOSING TIME	: 10:00:00

DIP PH1 - CLYDE UNION pump complete overhauling and recoating.

Kindly contact Mr. Suhail (050-4515989) for further clarification.

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
 - 2) Quotation to be submitted only in local currency U.A.E Dirhams
 - 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
 - 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
 - 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
 - 6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.
- If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332502733
DATE : 27.10.2025
REQ No : 1032505198
REQ TITLE : DIP PH1 - CLYDE UNION pump
DELIVERY LOCATION
CLOSING DATE : 07.11.2025
CLOSING TIME : 10:00:00

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP