

RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
| 1 | | ITEM-00001 | COMPLETE OVERHAULING OF BOOSTER PUMP | 1 | SET | | | | |
| | | | FOR JA HABAB PH2 PUMPING STATION.PUMP | | | | | | |
| | | | DETAILS: EQUIPMENT NO. 50437330, TORISHIMA | | | | | | |
| | | | PUMP MODEL: DV | | | | | | |
| | | | L-350X300,HEAD-140M, FLOW-263L/S, RPM-1475, | | | | | | |
| | | | 630KW.SCOPE OF WORKTHE FOLLOWING | | | | | | |
| | | | OUTLINES THE MANDATORY AND OPTIONAL | | | | | | |
| | | | SCOPE OF WORK FOR T | | | | | | |
| | | | HEOVERHAUL OF BOOSTER PUMPS AND THEIR | | | | | | |
| | | | ACCESSORIES AT THE BOOSTER | | | | | | |
| | | | PUMPINGSTATION.1.0 MANDATORY SCOPE OF | | | | | | |
| | | | WORK:A) THE CONTRACTOR IS RES PONSIBLE FOR TRANSPORTING THE PUMP | | | | | | |
| | | | ASSEMBLY TOAND FROM THE DEWA SITE TO THEIR | | | | | | |
| | | | WORKSHOP, DEWA WILL NOT | | | | | | |
| | | | PROVIDETRANSPORTATION, FOR LOA | | | | | | |
| | | | DING AND UNLOADING, THE CONTRACTOR MAY | | | | | | |
| | | | USE DEWA#SOVERHEAD CRANE AT THE PUMPING | | | | | | |
| | | | STATION, WITH PROPER COORDINATION | | | | | | |
| | | | WITHDEWA REPRESENTA | | | | | | |
| | | | TIVES. B) REPLACEMENT OF THE MECHANICAL | | | | | | |
| | | | SEAL, COUPLINGBUSH RENEWAL, GLAND PACKING | | | | | | |
| | | | RENEWAL, AND BEARING REPLACEMENT | | | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
| | | | ASREQUIRED. C) OV | | | | | | |
| | | | ERHAULING OF THE PUMP (REFER TO ANNEXURE I | | | | | | |
| | | | FOR MANDATORYAND ANNEXURE II FOR OPTIONAL | | | | | | |
| | | | WORK). D) EXTERNAL PAINTING OF THE PUMP. | | | | | | |
| | | | E)RECT | | | | | | |
| | | | IFICATION OF ANY ISSUES THAT ARISE AFTER | | | | | | |
| | | | INSTALLATION/LOAD TESTING.THIS SHALL BE | | | | | | |
| | | | DONE ON SITE IF POSSIBLE, AND IF NOT, THE | | | | | | |
| | | | CONTRACTO | | | | | | |
| | | | R ISRESPONSIBLE IN COLLECTING THE PUMP AND | | | | | | |
| | | | MOVED IT BACK TO THEIR FACILITY.F) IF ANY PART | | | | | | |
| | | | IS FOUND DEFECTIVE, THE CONTRACTOR IS RESP | | | | | | |
| | | | ONSIBLE FORREPAIRING OR REPLACING IT. DEWA | | | | | | |
| | | | WILL PROVIDE AVAILABLE SPARES. IF ANYSPARE | | | | | | |
| | | | PARTS ARE UNAVAILABLE, THE CONTRACTOR | | | | | | |
| | | | MUST ARR | | | | | | |
| | | | ANGE THEM AND SUBMITTHE COST FOR DEWA | | | | | | |
| | | | APPROVAL BEFORE PLACING AN ORDER. G) ONCE | | | | | | |
| | | | THE PUMP ISFULLY ASSEMBLED, THE PUMP MUST | | | | | | |
| | | | BE PRESSUR | | | | | | |
| | | | E HYDRO TESTED IN THECONTRACTOR FACILITY | | | | | | |
| | | | TO MAKE SURE THE PUMP IS WELL ASSEMBLED | | | | | | |
| | | | AND THATTHERE ARE NO LEAKS.2.0 | | 1 | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | REQUIREMENTS PRIOR T | | | | | | |
| | | | O QUOTATION SUBMISSION:A) THE CONTRACTOR | | | | | | |
| | | | MUST VISIT THE SITE TO FAMILIARIZE | | | | | | |
| | | | THEMSELVES WITH THESCOPE OF WORK AND | | | | | | |
| | | | POTENTIAL COMPLEXIT | | | | | | |
| | | | IES BEFORE SUBMITTING A QUOTATION.B) DEWA | | | | | | |
| | | | WILL NOT ACCEPT ANY CLAIMS FOR ADDITIONAL | | | | | | |
| | | | CHARGES BEYOND THEAGREED RATES OR PRICES | | | | | | |
| | | | DURING | | | | | | |
| | | | OR AFTER THE EXECUTION OF THE WORK. C) | | | | | | |
| | | | THECONTRACTOR WILL BE PROVIDED WITH AN | | | | | | |
| | | | EQUIPMENT SHUTDOWN SCHEDULE | | | | | | |
| | | | INCOORDINATION WITH THE OP | | | | | | |
| | | | ERATIONS & MAINTENANCE DEPARTMENT OF THE | | | | | | |
| | | | WATERDIVISION. D) A TIME SCHEDULE OR BAR | | | | | | |
| | | | CHART SHOWING EACH ACTIVITY MUST | | | | | | |
| | | | BESUBMITTED. E) U | | | | | | |
| | | | PON COMPLETION, AN INSPECTION CHECKLIST | | | | | | |
| | | | AND QUALITYPROCEDURE DOCUMENTATION, | | | | | | |
| | | | WHERE APPLICABLE, MUST BE SUBMITTED. F) | | | | | | |
| | | | THECONTRACTOR IS | | | | | | |
| | | | RESPONSIBLE FOR SITE SUPERVISION, | | | | | | |
| | | | COORDINATION OF FIELDACTIVITIES, AND THE | | | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | SUPPLY OF REQUIRED TECHNICIANS, TOOLS, | | | | | | |
| | | | EQUIPMENT,AND RES | | | | | | |
| | | | OURCES NECESSARY TO EXECUTE THE | | | | | | |
| | | | CONTRACT.3.0 TAKEOVER:UPON COMPLETION OF | | | | | | |
| | | | ALL WORK WITHIN THE SCOPE OF THE CONTRACT, | | | | | | |
| | | | THECONTRACTOR MU | | | | | | |
| | | | ST NOTIFY DEWA IN WRITING. A CERTIFICATE OF | | | | | | |
| | | | COMPLETION WILLBE ISSUED AFTER A FINAL | | | | | | |
| | | | INSPECTION, CONFIRMING THAT THE WORK HAS | | | | | | |
| | | | BEENACCE | | | | | | |
| | | | PTED AND TAKEN OVER BY DEWA FOLLOWING THE | | | | | | |
| | | | NECESSARY CONDITIONMONITORING CHECKS.4.0 | | | | | | |
| | | | WARRANTY:A) ALL WORK WILL CARRY A | | | | | | |
| | | | WARRANTY OF 8,0 | | | | | | |
| | | | 00 HOURS OF OPERATION OR ONEYEAR, | | | | | | |
| | | | WHICHEVER COMES FIRST. B) THE WARRANTY | | | | | | |
| | | | WILL TAKE EFFECT FROM THEDATE OF DEWA'S | | | | | | |
| | | | OFFICIAL TAKEOVER O | | | | | | |
| | | | F THE COMPLETED JOB. C) IF ANY DEFECTSARE | | | | | | |
| | | | IDENTIFIED DURING THE WARRANTY PERIOD, THE | | | | | | |
| | | | CONTRACTOR MUST RECTIFYTHEM WITHIN THE | | | | | | |
| | | | TIMEFRAM | | | | | | |
| | | | E SET BY DEWA WITHOUT ADDITIONAL COST | | | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | ORCOMPENSATION.5.0 DOCUMENTATION:UPON | | | | | | |
| | | | SATISFACTORY COMPLETION OF THE WORK AND | | | | | | |
| | | | HANDOVER, THE CO | | | | | | |
| | | | NTRACTORMUST SUBMIT THE FOLLOWING | | | | | | |
| | | | DOCUMENTS TO DEWA: #INITIAL INSPECTION | | | | | | |
| | | | REPORT (MENTIONING THE REQUIRED SPARES | | | | | | |
| | | | ANDREQUIRED ACTIONS) | | | | | | |
| | | | -#JOB COMPLETION REPORT (INCLUDING ALL | | | | | | |
| | | | OVERHAULING ACTIONS DONE)-#INCLUDING ALL | | | | | | |
| | | | PROPER PHOTOS, EQUIPMENT SERIAL NUMBER, | | | | | | |
| | | | AND EQUIPMEN | | | | | | |
| | | | TTAGGING.#REQUISITION FOR SPARE PARTS | | | | | | |
| | | | PLANNING BASED ON THE CURRENT CONDITIONOF | | | | | | |
| | | | THE EQUIPMENTANNEXURE I # DETAILED | | | | | | |
| | | | MANDATORY SCOPE O | | | | | | |
| | | | F WORK FOR BOOSTER PUMP | | | | | | |
| | | | OVERHAUL1.#DISMANTLING: THE CONTRACTOR | | | | | | |
| | | | SHALL DISMANTLE THE PUMP ACCORDING | | | | | | |
| | | | TODEWA ENGINEER#S INSTRUCTIONS. SK | | | | | | |
| | | | ILLED WORKMANSHIP AND CARE MUST BEAPPLIED | | | | | | |
| | | | DURING REMOVAL.2.#OVERHAULING: THE | | | | | | |
| | | | CONTRACTOR SHALL DISMANTLE THE ROTATING | | | | | | |
| | | | ASSEMBLY INTHEI | | | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
| | | | R WORKSHOP AND RECORD ALL FINDINGS, | | | | | | |
| | | | INCLUDING PHOTOGRAPHS OFDETERIORATED | | | | | | |
| | | | COMPONENTS. THE SHAFT MUST BE INSPECTED | | | | | | |
| | | | FOR STRAIGHTNESS,AN | | | | | | |
| | | | D WORN AREAS SHOULD BE RECONDITIONED. | | | | | | |
| | | | IMPELLER, BEARINGS, MECHANICALSEAL, GLAND | | | | | | |
| | | | SLEEVE, AND WEAR RINGS MUST BE THOROUGHLY | | | | | | |
| | | | CHECKED AN | | | | | | |
| | | | DREPLACED IF NECESSARY. ALL PARTS FOUND | | | | | | |
| | | | DEFECTIVE MUST BE REPAIRED ORREPLACED, | | | | | | |
| | | | WITH AVAILABLE SPARES SUPPLIED BY DEWA. IF | | | | | | |
| | | | SPARES ARE | | | | | | |
| | | | UNAVAILABLE, THE CONTRACTOR MUST ARRANGE | | | | | | |
| | | | THEM AND SEEK APPROVAL FROMDEWA FOR | | | | | | |
| | | | ADDITIONAL COSTS. THE PUMP CASING MUST BE | | | | | | |
| | | | CLEANED AND I | | | | | | |
| | | | NSPECTEDFOR DAMAGE, AND ANY NECESSARY | | | | | | |
| | | | REPAIRS MUST BE CARRIED OUT | | | | | | |
| | | | USINGSANDBLASTING AND FOOD-GRADE EPOXY | | | | | | |
| | | | COATING.3.#ASSEMBLY: REASSE | | | | | | |
| | | | MBLY OF THE EQUIPMENT MUST FOLLOW | | | | | | |
| | | | STANDARDPROCEDURES, ENSURING THE PROPER | | | | | | |
| | | | FIT AND CLEARANCES. THE ROTOR | | | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | ASSEMBLYSHOULD BE DYNAMICALL | | | | | | |
| | | | Y BALANCED PER ISO 1940/1 STANDARDS. A | | | | | | |
| | | | DETAILEDRECORD OF ALL ACTIVITIES MUST BE | | | | | | |
| | | | MAINTAINED, AND ANY DEVIATIONS FROM | | | | | | |
| | | | SETVALUES WILL B | | | | | | |
| | | | E DETERMINED BY DEWA.4.#CONSUMABLES & | | | | | | |
| | | | ACCESSORIES: MANUFACTURING OF MECHANICAL | | | | | | |
| | | | SEAL COOLINGPIPE FITTINGS, SHAFT LOCK NUTS, | | | | | | |
| | | | LOCK WASH | | | | | | |
| | | | ERS, DOWEL PINS, BEARINGSPACERS, HOLDING | | | | | | |
| | | | DOWN BOLTS, AND VARIOUS GASKETS, INCLUDING | | | | | | |
| | | | THE SUPPLYOF O-RINGS.ANNEXURE II # OPTIONAL | | | | | | |
| | | | MACH | | | | | | |
| | | | INING WORKS1.#IMPELLER MACHINING: THIS | | | | | | |
| | | | INCLUDES GRIT BLASTING AND | | | | | | |
| | | | NON-DESTRUCTIVETESTING (NDT) TO IDENTIFY | | | | | | |
| | | | CRACKS, SKIMMING THE WEAR | | | | | | |
| | | | RING AREAS, ANDFITTING NEW RINGS.2.#SHAFT | | | | | | |
| | | | MACHINING: THE SHAFT WILL UNDERGO CHROME | | | | | | |
| | | | PLATING ON BEARINGSEATING AREAS AND | | | | | | |
| | | | MECHANICAL S | | | | | | |
| | | | EAL SEATING AREAS, ALONG WITH | | | | | | |
| | | | METALREBUILDING AND STRAIGHTENING (UP TO A | | 1 | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
| | | | 4-THOU MAXIMUM BEND).3.#BEARING HOUSING MACHINING: MACHININ G AND RESLEEVING OF BOTH DE ANDNDE BEARING HOUSING BORES.4.#MECHANICAL SEAL FACE: MACHINING AND REPAIRING OF THE PUMP#S TOP ANDBOTTO M CASING HALVES AT THE MECHANICAL SEAL FACE.5.#PUMP CASINGS: SKIMMING AND GROOVING OF SUCTION AND DISCHARGE FLANGESON THE PUMP CASIN G.MACHINING WORKS MUST COMPLY WITH THE LATEST STANDARDS, AND PRIORAPPROVAL FROM THE DEWA ENGINEER IS REQUIRED BEFORE COMMENCING ANYM ACHINING TASKS. ANY DAMAGES DONE ON ANY PROVIDED SPARES FROM DEWA, THECONTRACTOR IS HELD RESPONSIBLE IN REPLACING THE DAMAGED MATERI AL AT NOADDITIONAL COST TO DEWA.KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION. | | | | | | |
| 2 | | ITEM-00001 | MACHINING AND ASSEMBLY OF PUMP CASE WEAR RING WITH COMPLETE PUMPASSEMBLY FOR | 2 | EA | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
| | | | HABAB PH2 TORISHIMA PUMP.SCOPE OF | | | | | | |
| | | | WORK1.#MACHINING AND | | | | | | |
| | | | ASSEMBLY OF PUMP CASE WEAR RING: THE | | | | | | |
| | | | CONTRACTOR WILLMACHINE AND ASSEMBLE THE | | | | | | |
| | | | PUMP CASE WEAR RING, USING THE | | | | | | |
| | | | MATERIALPROVIDED BY DEWA | | | | | | |
| | | | .2.#COMPLIANCE WITH SPECIFICATIONS: MATERIAL | | | | | | |
| | | | AND DIMENSIONS MUSTSTRICTLY FOLLOW THE | | | | | | |
| | | | PROVIDED SAMPLE.3.#ROTOR ASSEMBLY TESTING: | | | | | | |
| | | | AFTER | | | | | | |
| | | | INSTALLING THE CASE WEAR RING, THEROTOR | | | | | | |
| | | | ASSEMBLY MUST UNDERGO TESTING TO ENSURE | | | | | | |
| | | | PROPER FUNCTIONING.4.#PAYMENT TERMS: | | | | | | |
| | | | PAYMENTS WILL | | | | | | |
| | | | BE PROCESSED UPON APPROVAL FROM THEDEWA | | | | | | |
| | | | ENGINEER.5.#WARRANTY: A ONE-YEAR WARRANTY | | | | | | |
| | | | WILL APPLY FOLLOWING THE INSTALLATIONAND | | | | | | |
| | | | SUCCESSFU | | | | | | |
| | | | L TESTING OF THE PUMP.6.#RESPONSIBILITY FOR | | | | | | |
| | | | ERRORS: IN THE EVENT OF ANY MACHINING | | | | | | |
| | | | ERRORS, THECONTRACTOR WILL BE HELD | | | | | | |
| | | | RESPONSIBLE AND | | | | | | |
| 1 | | | MUST PROVIDE NEW MATERIALS AT | | 1 | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | NOADDITIONAL COST. THESE REPLACEMENT MATERIALS MUST MEET THE SAMESPECIFICATIONS AS THOSE ORIGINALLY S UPPLIED BY DEWA.KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION. | | | | | | |
| ο | | ITEM-00001 | MACHINING & ASSEMBLY OF PUMP IMPELLER WEAR RING WITH COMPLETE PUMPASSEMBLY FOR JA HABAB PH2 TORISHIMA PUMP.SCOPE OF WORK1.#MACHININ G AND ASSEMBLY OF PUMP IMPELLER WEAR RING: THE CONTRACTORWILL MACHINE AND ASSEMBLE THE PUMP IMPELLER WEAR RING, USING THEMATERIAL PR OVIDED BY DEWA.2.#COMPLIANCE WITH SPECIFICATIONS: MATERIAL AND DIMENSIONS MUSTSTRICTLY FOLLOW THE PROVIDED SAMPLE.3.#ROTOR ASSEMBLY TESTING: AFTER INSTALLING THE IMPELLER WEAR RING, THEROTOR ASSEMBLY MUST UNDERGO TESTING TO ENSURE PROPER FUNCTIONING.4.#PAYMENT TER MS: PAYMENTS WILL BE PROCESSED UPON APPROVAL FROM THEDEWA | 2 | EA | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
| | | | ENGINEER.5.#WARRANTY: A ONE-YEAR WARRANTY WILL APPLY FOLLOWING THE INSTALL ATIONAND SUCCESSFUL TESTING OF THE PUMP.6.#RESPONSIBILITY FOR ERRORS: IN THE EVENT OF ANY MACHINING ERRORS, THECONTRACTOR WILL BE HE LD RESPONSIBLE AND MUST PROVIDE NEW MATERIALS AT NOADDITIONAL COST. THESE REPLACEMENT MATERIALS MUST MEET THE SAMESPECIFICATIONS AS THOSE ORIGINALLY SUPPLIED BY DEWA.KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION. | | | | | | |
| 4 | | ITEM-00001 | MACHINING AND ASSEMBLY OF SHAFT SLEEVES FOR JA HABAB PH2 TORISHIMA PUMPSCOPE OF WORK:1.#MACHINING: MACHINE THE SHAFT SLEEVES ACCORDI NG TO THE SPECIFIEDDIMENSIONS PROVIDED BY DEWA.2.#ASSEMBLY: ASSEMBLE THE SHAFT SLEEVES ONTO THE PUMP'S ROTOR AS PERTHE REQUIRED STAN DARDS.3.#TESTING: PERFORM A COMPREHENSIVE TEST ON THE ROTOR ASSEMBLY TOENSURE THE | 2 | EA | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
| | | | PROPER FITTING AND ALIGNMENT OF THE SHAFT SLEEVES. 4.#RESPONSIBILITY FOR ERRORS: IN THE EVENT OF ANY MACHINING ERRORS, THECONTRACTOR WILL BE HELD RESPONSIBLE AND MUST PROVIDE NEW MATE RIALS AT NOADDITIONAL COST. THESE REPLACEMENT MATERIALS MUST MEET THE SAMESPECIFICATIONS AS THOSE ORIGINALLY SUPPLIED BY DEWA.KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION. | | | | | | |
| 5 | | ITEM-00001 | MACHINING AND REBUILDING OF SHAFT FOR JA HABAB PH2 TORISHIMA PUMPSCOPE OF WORK:1.#SHAFT REBUILDING AND MACHINING: REBUILD AND MACHIN E THE PUMP SHAFTON BOTH THE DRIVE END (DE) AND NON-DRIVE END (NDE), FOCUSING ON THEMECHANICAL SEAL AND BEARING AREAS.2.#ASSEMBLY AND TESTING: REASSEMBLE THE PUMP AND ROTOR, FOLLOWED BYTHOROUGH TESTING TO ENSURE PROPER FUNCTIONALITY.3.#CONTRACTOR | 1 | EA | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | RESPONSIBILITY: TH E CONTRACTOR WILL ASSUME FULLRESPONSIBILITY FOR ANY ERRORS OR MISHANDLING DURING THE PROCESS. ALLNECESSARY CORRECTIONS MUST BE MADE AT NO ADDITIONAL COST.KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION. | | | | | | |
| 6 | | ITEM-00001 | MODIFICATION OF MECHANICAL SEAL COOLING LINE FOR JA HABAB PH2 TORISHIMAPUMPSCOPE OF WORK:1.#FABRICATION AND MODIFICATION: FABRICATE OR MODIFY THE MECHANICALSEAL COOLING LINE TO MEET THE SPECIFIC REQUIREMENTS OF THE PUMP.2.#ASSEMBLY AND TESTING: ASSEMBLE THE COOLIN G LINE TO THE PUMP ROTORASSEMBLY, ENSURING IT ADHERES TO THE ORIGINAL DESIGN SPECIFICATIONS.TEST THE COOLING LINE THOROUGHLY TO CONF IRM THERE ARE NO ISSUES ORLEAKS.3.#CONTRACTOR RESPONSIBILITY: THE CONTRACTOR WILL BE FULLY RESPONSIBLEFOR | 1 | EA | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | ANY ERRORS OR MISHANDLING DURING THE MODIFICATION OR ASSEMBLYPROCESS. ALL NECESSARY CORRECTIONS MUST BE MADE AT NO ADDITIONAL COST.KINDLY CONTACT MR. SUHAIL (050-4515989) FOR FURTHER CLARIFICATION. | | | | | | |
| 7 | | ITEM-00002 | FULL BLASTING AND RECOATING OF JA HABAB PH2 TORISHIMA PUMPSPECIFICATION FOR INTERNAL COATING OF PUMPS AND VALVESTHESE PUMPS AND VALV ES ARE UTILIZED IN WATER BOOSTER PUMPING STATIONS, HANDLING POTABLE WATER WITH TEMPERATURES UP TO 50°C. WHILE THE WATER ISTYPICALLY C LEAN, OCCASIONAL SAND OR SOLIDS MAY BE PRESENT IN THE STREAMFROM THE PIPELINE. THE PUMPS HAVE BEEN IN OPERATION SINCE THE STATION'SC OMMISSIONING.SCOPE OF WORK1.#COLLECTION AND TRANSPORTATION: THE CONTRACTOR IS RESPONSIBLE FORCOLLECTING THE PUMP CASING USING A SUIT ABLE PICKUP OR CRANE-MOUNTEDTRUCK TO | | SET | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
| | | | TRANSPORT IT TO DEWA'S WORKSHOP. THE | | | | | | |
| | | | CONTRACTOR MUST ENSURETHE USE OF | | | | | | |
| | | | APPROPRIATE LIFTING SLIN | | | | | | |
| | | | GS/BELTS WITH SUFFICIENT LOADCAPACITY FOR | | | | | | |
| | | | SAFE LOADING AND UNLOADING.2.#SURFACE | | | | | | |
| | | | PREPARATION: BEFORE APPLYING ANY COATING, | | | | | | |
| | | | THE CONTRA | | | | | | |
| | | | CTORMUST PERFORM SURFACE PREPARATION | | | | | | |
| | | | USING SAND OR GRIT BLASTING, OR | | | | | | |
| | | | OTHERSUITABLE MECHANICAL METHODS TO | | | | | | |
| | | | REMOVE RUST AND LOOSE MATER | | | | | | |
| | | | IALS. AFTERTHE BLASTING, DEWA ENGINEERS | | | | | | |
| | | | MUST INSPECT THE SURFACE BEFORE | | | | | | |
| | | | COATING.ALL MACHINED SURFACES AND CRITICAL | | | | | | |
| | | | AREAS MUST BE ADE | | | | | | |
| | | | QUATELY PROTECTEDDURING SANDBLASTING TO | | | | | | |
| | | | AVOID DAMAGE. CLEAR PHOTOS MUST BE TAKEN | | | | | | |
| | | | AND BEATTACHED IN THE COMPLETION | | | | | | |
| | | | REPORT.3.#REBUILDI | | | | | | |
| | | | NG ERODED/PITTED SURFACES: THE | | | | | | |
| | | | CONTRACTOR MUST RESTOREERODED SURFACES | | | | | | |
| | | | USING A SUITABLE COMPOSITE MATERIAL BEFORE | | | | | | |
| | | | APPLYING ANYCOATING | | | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | . THE COMPOSITE MATERIAL MUST HAVE THE | | | | | | |
| | | | FOLLOWING PROPERTIES:O#SUITABLE FOR | | | | | | |
| | | | CONTINUOUS IMMERSION IN VARIOUS CHEMICALS | | | | | | |
| | | | (E.G., FERRICCH | | | | | | |
| | | | LORIDE, HYDROCHLORIC ACID, SULFURIC ACID, | | | | | | |
| | | | SODIUM HYDROXIDE, AMMONIUMHYDROXIDE) AT | | | | | | |
| | | | 21°C.O#MUST PASS THE ASTM C868 CORROSION | | | | | | |
| | | | TEST FOR | | | | | | |
| | | | DEMINERALIZED WATERIMMERSION AT 43°C FOR | | | | | | |
| | | | AT LEAST SIX MONTHS.O#ADHESION (ASTM D1002) | | | | | | |
| | | | GREATER THAN 183 KG/CM ² (2,600 PSI).O#MEET OR | | | | | | |
| | | | E | | | | | | |
| | | | XCEED COMPRESSIVE, TENSILE, AND FLEXURAL | | | | | | |
| | | | STRENGTH STANDARDS.ENVIRONMENTAL | | | | | | |
| | | | CONDITIONS DURING SURFACE PREPARATION, | | | | | | |
| | | | APPLICATION, ANDCUR | | | | | | |
| | | | ING MUST BE MONITORED TO ENSURE PROPER | | | | | | |
| | | | EXECUTION.4.#INTERNAL AND EXTERNAL | | | | | | |
| | | | COATING:O#APPLY CERAMIC-REINFORCED | | | | | | |
| | | | COMPOSITE MATERIALS FOR | | | | | | |
| | | | THE FINAL COATINGAFTER SURFACE | | | | | | |
| | | | PREPARATION AND REBUILDING.O#THE | | | | | | |
| | | | COMPOSITE MUST WITHSTAND CONTINUOUS | | 1 | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| | | | IMMERSION IN CHEMICALS ANDPASS | | | | | | |
| | | | THE ASTM B117 SALT FOG AND ASTM G8 | | | | | | |
| | | | CATHODIC DISBANDMENT TESTS.O#THE COATING | | | | | | |
| | | | MUST BE 800-1000 MICRONS THICK AND FINISHED | | | | | | |
| | | | WITH ASMOOTH | | | | | | |
| | | | , ABRASION-RESISTANT GLASS-LIKE | | | | | | |
| | | | SURFACE.O#THE COMPOSITE MATERIAL MUST BE | | | | | | |
| | | | AUTHORIZED FOR USDA INCIDENTAL | | | | | | |
| | | | FOODCONTACT APPLICATIONS AND | | | | | | |
| | | | HOLD POTABLE WATER CERTIFICATION FROM | | | | | | |
| | | | WRAS OREQUIVALENT AUTHORITIES.O#EXTERNAL | | | | | | |
| | | | COATING SHOULD BE AN EPOXY COATING, 300-400 | | | | | | |
| | | | MICRONS | | | | | | |
| | | | THICK,IN BLUE COLOR FOR BOTH PUMPS AND | | | | | | |
| | | | VALVES.5.#WARRANTY: THE SUPPLIER MUST | | | | | | |
| | | | PROVIDE A 24-MONTH SERVICE | | | | | | |
| | | | WARRANTYAGAINST ANY DEFECTS | | | | | | |
| | | | IN THE COATING. IF THE COATING FAILS WITHIN | | | | | | |
| | | | THISPERIOD, THE SUPPLIER WILL RECOAT THE | | | | | | |
| | | | EQUIPMENT FREE OF CHARGE.6.#METHOD | | | | | | |
| | | | STATEMENT: T | | | | | | |
| | | | HE SUPPLIER MUST SUBMIT A DETAILED | | | | | | |
| | | | METHODSTATEMENT FOR THE COATING PROCESS, | | | | | | |



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL PRICE |
|-------|-----------|------------|--|-----|-----|--------------|----------|------------|----------------|
| | | | INCLUDING MATERIAL SPECIFICATIONS,FOR | | | | | | |
| | | | REVIEW AND APPROVA | | | | | | |
| | | | L.7.#INSPECTION: PRIOR TO DELIVERY, THE | | | | | | |
| | | | COATING WORK MUST BE INSPECTED BYDEWA | | | | | | |
| | | | ENGINEERS AT THE SUPPLIER'S WORKSHOP FOR | | | | | | |
| | | | FINAL ACCEPTA | | | | | | |
| | | | NCE. THECONTRACTOR MUST PROVIDE ALL | | | | | | |
| | | | NECESSARY INSPECTION TOOLS.8.#REPORTS AND | | | | | | |
| | | | DOCUMENTATION: UPON DELIVERY, THE | | | | | | |
| | | | CONTRACTOR MUST SUBM | | | | | | |
| | | | ITTHE FOLLOWING:O#MATERIAL DATA SHEETS | | | | | | |
| | | | BEFORE AND AFTER COATING.O#WRAS | | | | | | |
| | | | CERTIFICATION FOR COATING MATERIALS.O#ALL | | | | | | |
| | | | RELEVANT TEST REPOR | | | | | | |
| | | | TS.O#PROPER COMPLETION REPORT INCLUDING | | | | | | |
| | | | THE INTERNAL CONDITION BEFORE ANDAFTER | | | | | | |
| | | | THE BLASTING AND THE COATING.KINDLY | | | | | | |
| | | | CONTACT MR. SUHAI | | | | | | |
| | | | L (050-4515989) FOR FURTHER CLARIFICATION. | | | | | | |

TOTAL AMOUNT IN WORDS: TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

1-JA Habab PH2 Torishima pump complete overhauling and recoating



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

CLOSING DATE : 26.11.2025

CLOSING TIME : 10:00:00

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 6)Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.



RFQ NUMBER : 2332503003

DATE : 20.11.2025

REQ No : 1032505658

REQ TITLE : 1-JA Habab PH2 Torishima

DELIVERY LOCATION

SUPPLIER'S REMARKS:

SUPPLIER'S SIGNATURE AND STAMP