

**RFQ NUMBER** : 2332503072

**DATE** : 27.11.2025

**REQ No** : 1032505742

**REQ TITLE** : Fabrication and installation

**DELIVERY LOCATION** 

**CLOSING DATE** : 03.12.2025

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1		ITEM-00001	BOM # BPST 7 GLAND STEAM FAN1.#FOR THE	4	JOB				
			6-INCH LINE, PROVIDE A TOTAL PIPE LENGTH OF 10						
			METERS, WITHTWO 45-DEGREE BENDS AND ONE						
			90-DEG						
			REE BEND. PROVIDE TWO FLANGES, TYPE 6"RF,						
			EACH WITH 8 HOLES AND A PCD OF 240 MM.2.#FOR						
			THE 1-INCH LINE, PROVIDE A TOTAL PIPE LENGTH						
			OF 8 METERS, ALONGWITH FOUR 90-DEGREE						
			BENDS, TWO TEES, AND TWO UNIONS.3.#FOR THE						
			4-INCH LINE, PROVIDE TWO 90-DEGREE BENDS						
			AND TWO FL						
			ANGES,TYPE DN 100 # 4" SCHEDULE 40 RF, EACH						
			WITH 8 HOLES AND A PCD OF 180 MM.PROVIDE A						
			SPOOL PIPE OF 50 MM (2 NOS.).4.#PROVIDE A 1-I						
			NCH THREADED BLIND PLUG AT THE TOP OF THE						
			6-INCH PIPE.#SCOPE OF WORK # FABRICATION &						
			INSTALLATION OF PIPELINE FOR BPST-7						
			GLANDSTEAM						
			FAN1.#SITE SURVEY & MEASUREMENTO#ALL						
			DIMENSIONS PROVIDED IN THE BOM ARE						
			APPROXIMATE.O#THE VENDOR SHALL VISIT THE						
			SITE TO CONDUCT A C						
			OMPLETE SURVEY AND TAKEACCURATE						



**RFQ NUMBER** : 2332503072

**DATE** : 27.11.2025

**REQ No** : 1032505742

**REQ TITLE** : Fabrication and installation

**DELIVERY LOCATION** 

**CLOSING DATE** : 03.12.2025

MEASUREMENTS BEFORE STARTING FABRICATION.O#ANY DISCREPANCIES FOUND DURING THE SITE VISIT MUST BE REP ORTEDIMMEDIATELY FOR APPROVAL.2.#MATERIAL SPECIFICATIONSO#ALL PIPING MATERIALS SHALL BE CARBON STEEL # SCHEDULE 40.0#FLANGES SHALL B E PROVIDED AS PER THE BOM (6° RF FLANGES, DN100/4°SCHEDULE 40 RF FLANGES, ETC.).0#ALL FITTINGS INCLUDING BENDS, TEES, UNIONS, THREAD ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6°, 4°, AND 1° LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.0#FABRICATION TO INCLUDE: \$#45° AND 90° BENDS\$#TEES AND UNIONS\$#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION\$#SPOOL PIPES (50 MM × 2 NOS.)\$#1" THREADED BLIND PLUG AT THE TOP OF THE 6° PIPEO#CUTTING, BEVELING, EDGE	SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
DURING THE SITE VISIT MUST BE REP ORTEDIMMEDIATELY FOR APPROVAL 2.#MATERIAL SPECIFICATIONSO#ALL PIPING MATERIALS SHALL BE CARBON STEEL # SCHEDULE 40.0#FLANGES SHALL B E PROVIDED AS PER THE BOM (6" RF FLANGES, DN100/4"SCHEDULE 40 RF FLANGES, ETC.).0#ALL FITTINGS INCLUDING BENDS, TEES, UNIONS, THREAD ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.0#FABRICATION TO INCLUDE:\$#45" AND 90" BENDS\$#TEES AND UNIONS\$#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION\$#SPOOL PIPES (50 MM × 2 NOS.)\$#1" THREADED BLIND PLUG AT THE TOP OF				MEASUREMENTS BEFORE STARTING						
ORTEDIMMEDIATELY FOR APPROVAL.2.#MATERIAL SPECIFICATIONSO#ALL PIPING MATERIALS SHALL BE CARBON STEEL # SCHEDULE 40.0#FLANGES SHALL B E PROVIDED AS PER THE BOM (6" RF FLANGES, DN100/4"SCHEDULE 40 RF FLANGES, ETC.).0#ALL FITTINGS INCLUDING BENDS, TEES, UNIONS, THREAD ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.0#FABRICATION TO INCLUDE:\$#45° AND 90° BENDS\$#TEES AND UNIONS\$#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION\$#SPOOL PIPES (50 MM × 2 NOS.)\$#1" THREADED BLIND PLUG AT THE TOP OF				FABRICATION.O#ANY DISCREPANCIES FOUND						
SPECIFICATIONSO#ALL PIPING MATERIALS SHALL BE CARBON STEEL # SCHEDULE 40.0#FLANGES SHALL B E PROVIDED AS PER THE BOM (6" RF FLANGES, DN100/4"SCHEDULE 40 RF FLANGES, ETC.).O#ALL FITTINGS INCLUDING BENDS, TEES, UNIONS, THREAD ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.O#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF				DURING THE SITE VISIT MUST BE REP						
BE CARBON STEEL # SCHEDULE 40.0#FLANGES SHALL B E PROVIDED AS PER THE BOM (6" RF FLANGES, DN100/4"SCHEDULE 40 RF FLANGES, ETC.).0#ALL FITTINGS INCLUDING BENDS, TEES, UNIONS, THREAD ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.0#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF				ORTEDIMMEDIATELY FOR APPROVAL.2.#MATERIAL						
SHALL B E PROVIDED AS PER THE BOM (6" RF FLANGES, DN100/4"SCHEDULE 40 RF FLANGES, ETC.).O#ALL FITTINGS INCLUDING BENDS, TEES, UNIONS, THREAD ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.O#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS\$#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF				SPECIFICATIONSO#ALL PIPING MATERIALS SHALL						
E PROVIDED AS PER THE BOM (6" RF FLANGES, DN100/4"SCHEDULE 40 RF FLANGES, ETC.).O#ALL FITTINGS INCLUDING BENDS, TEES, UNIONS, THREAD ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.O#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
DN100/4"SCHEDULE 40 RF FLANGES, ETC.).O#ALL FITTINGS INCLUDING BENDS, TEES, UNIONS, THREAD ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.O#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
FITTINGS INCLUDING BENDS, TEES, UNIONS, THREAD ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.O#FABRICATION TO INCLUDE: §#45° AND 90° BENDS§*TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.) §#1" THREADED BLIND PLUG AT THE TOP OF				E PROVIDED AS PER THE BOM (6" RF FLANGES,						
THREAD ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.O#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF				· · · · · · · · · · · · · · · · · · ·						
ED PLUGS, AND SPOOLPIPES SHALL COMPLY WITH APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.O#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
APPLICABLE STANDARDS.3.#FABRICATION SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.O#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
SCOPEO#FABRICATION OF PIPING FOR 6", 4", AND 1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.O#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
1" LINES AS PER FINAL APPROVEDSITE MEASUREMENTS.O#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
AS PER FINAL APPROVEDSITE  MEASUREMENTS.O#FABRICATION TO  INCLUDE:§#45° AND 90° BENDS§#TEES AND  UNIONS§#FLANGES WITH CORRECT PCD AND  HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2  NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
MEASUREMENTS.O#FABRICATION TO INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF				1						
INCLUDE:§#45° AND 90° BENDS§#TEES AND UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
UNIONS§#FLANGES WITH CORRECT PCD AND HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
HOLE CONFIGURATION§#SPOOL PIPES (50 MM × 2 NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
NOS.)§#1" THREADED BLIND PLUG AT THE TOP OF										
				•						
I I I I I I I I I I I I I I I I I I I				, -						
PREPARAT										



**RFQ NUMBER** : 2332503072

**DATE** : 27.11.2025

**REQ No** : 1032505742

**REQ TITLE** : Fabrication and installation

**DELIVERY LOCATION** 

**CLOSING DATE** : 03.12.2025

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ION, AND WELDING SHALL FOLLOWINDUSTRY						
			STANDARDS FOR CARBON STEEL						
			PIPELINES.4.#INSTALLATION						
			SCOPEO#INSTALLATION OF ALL FABRICATED PIP						
			ELINES IN THE DESIGNATED AREA OFTHE BPST-7						
			GLAND STEAM FAN SYSTEM.O#PROPER						
			ALIGNMENT, LEVELING, AND SUPPORT						
			INSTALLATION ARE REQUIRE						
			D.O#ALL WELDED JOINTS MUST BE VISUALLY						
			INSPECTED AND TESTED AS REQUIRED.O#FIT-UP						
			AND BOLTING OF FLANGES TO BE COMPLETED						
			WITH APPROPR						
			IATEGASKETS AND HARDWARE.5.#SURFACE						
			PREPARATION AND COATINGO#INTERNAL AND						
			EXTERNAL BLASTING SHALL BE CARRIED OUT AS						
			REQUIRED.O#SURFA						
			CE PREPARATION MUST MEET THE APPLICABLE						
			STANDARDS (MINIMUM SA2.5 OR						
			EQUIVALENT).O#APPLICATION OF						
			CORROSION-RESISTANT PAINTING/COATIN						
			G SYSTEM AFTERBLASTING.6.#QUALITY CONTROL						
			& DOCUMENTATIONO#VENDOR SHALL PROVIDE						
1			MATERIAL TEST CERTIFICATES (MTCS) FOR ALL						



**RFQ NUMBER** : 2332503072

**DATE** : 27.11.2025

**REQ No** : 1032505742

**REQ TITLE** : Fabrication and installation

**DELIVERY LOCATION** 

**CLOSING DATE** : 03.12.2025

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAI PRICE
			PIPES,FLAN						
			GES, FITTINGS, AND RELATED						
			MATERIALS.O#FABRICATION AND INSTALLATION						
			WORKS MUST FOLLOW ALL RELEVANT CODES						
			ANDSAFETY STANDARDS.O#INSPE						
			CTION RECORDS, WELDING LOGS, AND COATING						
			REPORTS SHALL BESUBMITTED IF						
			REQUIRED.7.#COMMISSIONING &						
			HANDOVERO#THE VENDOR SHALL ENSURE						
			THE ENTIRE PIPELINE IS READY FOR						
			OPERATION,LEAK-TESTED (IF REQUIRED), AND						
			CLEANED.O#FINAL INSPECTION WILL BE CARRIED						
			OUT JOINTLY WIT						
			H THE CLIENT.8.#WARRANTY PERIODO#THE						
			VENDOR SHALL PROVIDE A MINIMUM WARRANTY						
			OF 12 MONTHS FROM THEDATE OF						
			COMMISSIONING OR 18 MONTHS						
			FROM DELIVERY, WHICHEVER						
			OCCURSFIRST.O#WARRANTY COVERS DEFECTS IN						
			MATERIALS, FABRICATION QUALITY, INSTALLATION						
			WORKMANSHIP, AND COAT						
			ING FAILURE.						





**RFQ NUMBER** : 2332503072

**DATE** : 27.11.2025

**REQ No** : 1032505742

**REQ TITLE** : Fabrication and installation

**DELIVERY LOCATION** 

CLOSING DATE : 03.12.2025

CLOSING TIME : 10:00:00

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

### **SPECIAL NOTES / INSTRUCTIONS:**

Fabrication and installation of gland steam fan pipeline

Contact mahmood.mohammad@dewa.gov.ae

#### **STANDARD TERMS & CONDITIONS**

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 6)Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements





**RFQ NUMBER** : 2332503072

**DATE** : 27.11.2025

**REQ No** : 1032505742

**REQ TITLE** : Fabrication and installation

**DELIVERY LOCATION** 

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

**SUPPLIER'S REMARKS:** 

SUPPLIER'S SIGNATURE AND STAMP