

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1		ITEM-00001	<p>EACH WHB UNIT CONSISTS OF #THREE (3) NORMALLY CLOSE POPPET VALVE , #THREE (3) NORMALLY OPEN POPPET VALVE, #TWO (2) PROPORTIONAL VALVE AND #ONE (1) DIRECTIONAL VALVE. CONSIDERING UNDER THIS SERVICE FOR TESTING. VALVE SPECIFICATIONS1. POPPET VALVE (NORMALLY OPENED) - THREE (3) NOS :VALVE_SPOOL; CONFIGURATION: 3/2-WAY; SIZE: 6; CONNECTION: 1/2IN NPT; ORIFICE DIAMETER: 7MM; DESIGN RATING: 630BAR; OPERATED: SOLENOID; BODY MATERIAL: SS; TYPE: DIRECTIONAL CONTROL, POPPET/SEAT; PRESSURE/TEMPERATURE RATING: -30 TO 80DEG C; FLOW CAPACITY: 25L/MIN; ELECTRICAL RATING: 24VDC; MOUNT: VALVE MOUNTING FACE; SOFTGOODS: NBRSEAL; PROCESS FLUID: HYD FLUID, MINERAL OIL; MFR: BOSC H REXROTH AG; MPN:M-3 SEW6U 3X/630M G24N9K4, ADDITIONAL INFO: OPERATION: NO2. POPPET VALVE (NORMALLY CLOSED)- THREE (3) NOS:VALVE_SP</p>	1	AU				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			OOL; CONFIGURATION: 3/2-WAY; SIZE: 6; CONNECTION: 1/2IN NPT;ORIFICE DIAMETER: 7MM; DESIGN RATING: 630BAR; OPERATED: SOLENOID; BODYMA TERIAL: SS; TYPE: DIRECTIONAL CONTROL, POPPET/SEAT;PRESSURE/TEMPERATURE RATING: -30 TO 80DEG C; FLOW CAPACITY: 25L/MIN;ELECTRICAL RA TING: 24VDC; MOUNT: VALVE MOUNTING FACE; SOFTGOODS: NBRSEAL; PROCESS FLUID: HYD FLUID, MINERAL OIL; MFR: BOSCH REXROTH AG; MPN:M-3 S EW6C 3X/630M G24N9K4, MFR: BOSCH REXROTH AG; MPN: M-3 SEW6C3X/630MG245/V/5, ADDITIONAL INFO: OPERATION: NC3.PROPORTIONAL VALVE- TWO (2) NOS:VALVE_SPOOL; CONFIGURATION: 4-WAY; SIZE: 10; DESIGN RATING: 315BAR;OPERATED: SOLENOID; TYPE: DIRECTIONAL CONTROL, PROPORTION AL;PRESSURE/TEMPERATURE RATING: -4 TO 158DEG F; FLOW CAPACITY: 12L/MIN;ELECTRICAL RATING: 24VDC; MOUNT: SUB PLATE; SOFTGOODS:						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			NBR SE AL; PROCESSFLUID: HYD OIL; MFR: BOSCH REXROTH AG: MPN: 4WRA10E10-10/24NZ/M:ADDITIONAL INFO: W/PUSH BUTTON MANUAL OVERRIDE4. DIRECTIONAL VALVE- ONE (1) NOS: VALVE_SPOOL; CONFIGURATION: 4-WAY;SIZE: 10; DESIGN RATING: 315BAR; OPERATED: SOLENOID; TYPE: DIRECTIONALCONT ROL; PRESSURE/TEMPERATURE RATING: -15 TO 80DEG C; FLOW CAPACITY:120L/MIN; ELECTRICAL RATING: 24VDC; MOUNT: SUB PLATE; SOFTGOODS: FKM SEAL; PROCESS FLUID: HYD FLUID; MFR: BOSCH REXROTH AG: MPN:4WE10E3X/CG24NZ4V: ADDITIONAL INFO: W/BOLT KITTERMS AND CONDITIONS.#SERVI CE & TESTING CENTER ACCREDITATION: THE SERVICE AND TESTINGCENTER MUST HOLD REXROTH-BOSCH APPROVAL. PROOF OF ACCREDITATION SHOULD ACCOMPANY THE QUOTATION..#TEST CERTIFICATE: A COMPREHENSIVE TEST CERTIFICATE MUST BE						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>PROVIDED, CLEARLY INDICATING THE SERIAL NUMBER OF EACH TESTED VALVE. # TESTING PROCEDURE: ALL TESTING PROCEDURES SHALL ADHERE STRICTLY TO THE OEM RECOMMENDED TEST PARAMETERS.</p> <p>THE TESTING PROCEDURE DOCUMENTATION SHOULD BE INCLUDED WITH THE QUOTATION. # RECOMMENDATION IN CASE OF TEST FAILURE: THE TESTING CERTIFICATE SHALL INCLUDE DETAILED RECOMMENDATIONS FROM THE TESTING AGENCY REGARDING THE SCOPE AND FEASIBILITY OF REPAIR IN THE EVENT OF A TEST FAILURE.</p> <p>E. WHERE REPAIR IS FEASIBLE, THE CERTIFICATE SHALL ALSO PROVIDE AN ASSESSMENT OF THE VALVE'S CONDITION, HEALTH STATUS, AND USABILITY.</p> <p>CONSIDERING THE REQUIREMENT FOR A SHORT SHUTDOWN PERIOD AND THE NECESSITY TO RESTORE THE UNIT TO OPERATION WITHIN THE DEFINED TIMEFRAME, USING HEALTHY VALVES, THE SERVICE</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>PROVIDER SHALL TEST A SPARE VALVE SUPPLIED BY DEWA IN PLACE OF THE FAILED VALVE, UNDER THE SAME SCOPE AND CONDITIONS OF SERVICE. # TESTING EQUIPMENT AND ENVIRONMENT: THE LIST OF TESTING EQUIPMENT, TESTING ENVIRONMENT SPECIFICATIONS, AND OIL SPECIFICATIONS USED DURING TESTING MUST BE DOCUMENTED AND PROVIDED. # VALVE REMOVAL, COLLECTION, TESTING, AND RE-INSTALLATION : THE SERVICE PROVIDER SHALL BE FULLY RESPONSIBLE FOR THE REMOVAL OF VALVES FROM THE SKID, COLLECTION AND TRANSPORTATION FOR TESTING, AND THEIR RETURN AFTER TESTING. THIS SCOPE INCLUDES RE-INSTALLATION OF THE VALVES ON THE SKID AND ENSURING ZERO LEAKAGE DURING OPERATION AT THE REXROTH SKID, WHBS, E-STATION, AND DEWA JAPS. ALL ACTIVITIES SHALL BE COMPLETED WITHIN THE SHORTEST POSSIBLE UNIT SHUTDOWN PERIOD.</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>ERIOD, CONSIDERING 5#7 CALENDAR DAYS.THE SERVICE PROVIDER SHALL ENSURE THAT ALL O-RINGS ARE IN GOOD CONDITIONAND SHALL REPLACE THEM WITH NEW ONES WHERE NECESSARY TO PREVENT ANYLEAKAGE..#PREVIOUS EXPERIENCE: IT IS PREFERRED THAT THE QUOTATION INCLUDESDETAILS OF SIMILAR TYPES OF TESTING PREVIOUSLY CONDUCTED BY THE SERVICE PROVIDER..#SERVICE CENTRE VISIT: THE SERVICE PROVIDER SHALL FACILITATE AND ACCOMMODATE AN ON-SITE VISIT BY DEWA PERSONNEL TO THE SERVICE CENTRE,EITHER BEFORE OR DURING TESTING, FOR THE PURPOSE OF CAPACITY ANALYSISAND WITNESSING THE TESTING PROCEDURES.</p>						
2		ITEM-00001	EACH WHB UNIT CONSISTS OF:#THREE (3) NORMALLY CLOSE POPPET VALVE ,#THREE (3) NORMALLY OPEN POPPET VALVE,#TWO (2) PROPORTIONAL VALVE AND.#ONE (1) DIRECTIONAL VALVE CONSIDERING	1	AU				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			UNDER THIS SERVICE FOR TESTING. VALVE SPECIFICATIONS 1. POPPET VALVE (NORMALLY OPENED) - THREE (3) NOS : VALVE_SPOOL; CONFIGURATION: 3/2-WAY; SIZE: 6; CONNECTION: 1/2IN NPT; ORIFICE DIAMETER: 7MM; DESIGN RATING: 630BAR; OPERATED: SOLENOID; BODY MATERIAL: SS; TYPE: DIRECTIONAL CONTROL, POPPET/SEAT; PRESSURE/TEMPERATURE RATING: -30 TO 80DEG C; FLOW CAPACITY : 25L/MIN; ELECTRICAL RATING: 24VDC; MOUNT: VALVE MOUNTING FACE; SOFTGOODS: NBRSEAL; PROCESS FLUID: HYD FLUID, MINERAL OIL; MFR: BOSC H REXROTH AG; MPN: M-3 SEW6U 3X/630M G24N9K4, ADDITIONAL INFO: OPERATION: NO2. POPPET VALVE (NORMALLY CLOSED)- THREE (3) NOS: VALVE_SPOOL; CONFIGURATION: 3/2-WAY; SIZE: 6; CONNECTION: 1/2IN NPT; ORIFICE DIAMETER: 7MM; DESIGN RATING: 630BAR; OPERATED: SOLENOID; BODY MATERIAL: SS; TYPE: DIRECTIONAL CONTROL,						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			POPPET/SEAT;PRESSURE/TEMPERATURE RATING: -30 TO 80DEG C; FLOW CAPACITY: 25L/MIN;ELECTRICAL RATING: 24VDC; MOUNT: VALVE MOUNTING FACE; SOFTGOODS: NBRSEAL; PROCESS FLUID: HYD FLUID, MINERAL OIL; MFR: BOSCH REXROTH AG; MPN:M-3 S EW6C 3X/630M G24N9K4, MFR: BOSCH REXROTH AG; MPN: M-3 SEW6C3X/630MG245/V/5, ADDITIONAL INFO: OPERATION: NC3.PROPORTIONAL VALVE-TWO (2) NOS:VALVE_SPOOL; CONFIGURATION: 4-WAY; SIZE: 10; DESIGN RATING: 315BAR;OPERATED: SOLENOID; TYPE: DIRECTIONAL CONTROL, PROPORTION AL;PRESSURE/TEMPERATURE RATING: -4 TO 158DEG F; FLOW CAPACITY: 12L/MIN;ELECTRICAL RATING: 24VDC; MOUNT: SUB PLATE; SOFTGOODS: NBR SE AL; PROCESSFLUID: HYD OIL; MFR: BOSCH REXROTH AG; MPN: 4WRA10E10-10/24NZ/M;ADDITIONAL INFO: W/PUSH BUTTON MANUAL OVERRIDE4. DIRECTIO						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			NAL VALVE- ONE (1) NOS: VALVE_SPOOL; CONFIGURATION: 4-WAY;SIZE: 10; DESIGN RATING: 315BAR; OPERATED: SOLENOID; TYPE: DIRECTIONALCONT ROL; PRESSURE/TEMPERATURE RATING: -15 TO 80DEG C; FLOW CAPACITY:120L/MIN; ELECTRICAL RATING: 24VDC; MOUNT: SUB PLATE; SOFTGOODS: FKM SEAL; PROCESS FLUID: HYD FLUID; MFR: BOSCH REXROTH AG; MPN:4WE10E3X/CG24NZ4V; ADDITIONAL INFO: W/BOLT KITTERMS AND CONDITIONS.#SERVI CE & TESTING CENTER ACCREDITATION: THE SERVICE AND TESTINGCENTER MUST HOLD REXROTH-BOSCH APPROVAL. PROOF OF ACCREDITATION SHOULDACCO MPANY THE QUOTATION.#TEST CERTIFICATE: A COMPREHENSIVE TEST CERTIFICATE MUST BE PROVIDED,CLEARLY INDICATING THE SERIAL NUMBER OF EA CH TESTED VALVE.#TESTING PROCEDURE: ALL TESTING PROCEDURES SHALL ADHERE STRICTLY TO THE OEM RECOMMENDED TEST PARAMETERS.						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>THE TESTING PROCEDURE DOCUMENTATION SHOULD BE INCLUDED WITH THE QUOTATION. #RECOMMENDATION IN CASE OF TEST FAILURE: THE TESTING CERTIFICATE SHALL INCLUDE DETAILED RECOMMENDATIONS FROM THE TESTING AGENCY REGARDING THE SCOPE AND FEASIBILITY OF REPAIR IN THE EVENT OF A TEST FAILURE.</p> <p>E. WHERE REPAIR IS FEASIBLE, THE CERTIFICATE SHALL ALSO PROVIDE AN ASSESSMENT OF THE VALVE'S CONDITION, HEALTH STATUS, AND USABILITY.</p> <p>CONSIDERING THE REQUIREMENT FOR A SHORT SHUTDOWN PERIOD AND THE NECESSITY TO RESTORE THE UNIT TO OPERATION WITHIN THE DEFINED TIMEFRAM</p> <p>E USING HEALTHY VALVES, THE SERVICE PROVIDER SHALL TEST A SPARE VALVE SUPPLIED BY DEWA IN PLACE OF THE FAILED VALVE, UNDER THE SAME SPECIFICATIONS AND CONDITIONS OF SERVICE. #TESTING EQUIPMENT AND ENVIRONMENT: THE LIST OF</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>TESTING EQUIPMENT, TESTING ENVIRONMENT SPECIFICATIONS, AND OIL SPECIFICATIONS USED DURING TESTING MUST BE DOCUMENTED AND PROVIDED. #VALVE REMOVAL, COLLECTION, TESTING, AND RE-INSTALLATION</p> <p>: THE SERVICE PROVIDER SHALL BE FULLY RESPONSIBLE FOR THE REMOVAL OF VALVES FROM THE SKID, COLLECTION AND TRANSPORTATION FOR TESTING, AND THEIR RETURN AFTER TESTING. THIS SCOPE INCLUDES RE-INSTALLATION OF THE VALVES ON THE SKID AND ENSURING ZERO LEAKAGE DURING OPERATION AT THE REXROTH SKID, WHBS, E-STATION, AND DEWA JAPS. ALL ACTIVITIES SHALL BE COMPLETED WITHIN THE SHORTEST POSSIBLE UNIT SHUTDOWN PERIOD, CONSIDERING 5#7 CALENDAR DAYS. THE SERVICE PROVIDER SHALL ENSURE THAT ALL O-RINGS ARE IN GOOD CONDITION AND SHALL REPLACE THEM WITH NEW ONES WHERE NECESSARY TO PREVENT</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ANY LEAKAGE. # PREVIOUS EXPERIENCE: IT IS PREFERRED THAT THE QUOTATION INCLUDES DETAILS OF SIMILAR TYPES OF TESTING PREVIOUSLY CONDUCTED BY THE SERVICE PROVIDER. # SERVICE CENTRE VISIT: THE SERVICE PROVIDER SHALL FACILITATE AND ACCOMMODATE AN ON-SITE VISIT BY DEWA PERSONNEL TO THE SERVICE CENTRE, EITHER BEFORE OR DURING TESTING, FOR THE PURPOSE OF CAPACITY ANALYSIS AND WITNESSING THE TESTING PROCEDURES.						
3		ITEM-00001	EACH WHB UNIT CONSISTS OF # THREE (3) NORMALLY CLOSE POPPET VALVE, # THREE (3) NORMALLY OPEN POPPET VALVE, # TWO (2) PROPORTIONAL VALVE AND # ONE (1) DIRECTIONAL VALVE. CONSIDERING UNDER THIS SERVICE FOR TESTING. VALVE SPECIFICATIONS1. POPPET VALVE (NORMALLY OPENED) - THREE (3) NOS : VALVE_SPOOL; CONFIGURATION: 3/2-WAY; SIZE: 6; CONNECTION: 1/2IN NPT; ORIFICE	1	AU				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			DIAMETER: 7MM; DESIGN RATING: 630BAR; OPERATED: SOLENOID; BODY MATERIAL: SS; TYPE: DIRECTIONAL CONTROL, POPPET/SEAT; PRESSURE/TEMPERATURE RATING: -30 TO 80DEG C; FLOW CAPACITY: 25L/MIN; ELECTRICAL RATING: 24VDC; MOUNT: VALVE MOUNTING FACE; SOFTGOODS: NBRSEAL; PROCESS FLUID: HYD FLUID, MINERAL OIL; MFR: BOSC H REXROTH AG; MPN: M-3 SEW6U 3X/630M G24N9K4, ADDITIONAL INFO: OPERATION: NO2. POPPET VALVE (NORMALLY CLOSED)- THREE (3) NOS: VALVE_SP OOL; CONFIGURATION: 3/2-WAY; SIZE: 6; CONNECTION: 1/2IN NPT; ORIFICE DIAMETER: 7MM; DESIGN RATING: 630BAR; OPERATED: SOLENOID; BODY MATERIAL: SS; TYPE: DIRECTIONAL CONTROL, POPPET/SEAT; PRESSURE/TEMPERATURE RATING: -30 TO 80DEG C; FLOW CAPACITY: 25L/MIN; ELECTRICAL RATING: 24VDC; MOUNT: VALVE MOUNTING FACE; SOFTGOODS: NBRSEAL; PROCESS FLUID: HYD						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FLUID, MINERAL OIL; MFR: BOSCH REXROTH AG; MPN:M-3 S EW6C 3X/630M G24N9K4, MFR: BOSCH REXROTH AG; MPN: M-3 SEW6C3X/630MG245/V/5, ADDITIONAL INFO: OPERATION: NC3.PROPORTIONAL VALVE-TWO (2) NOS:VALVE_SPOOL; CONFIGURATION: 4-WAY; SIZE: 10; DESIGN RATING: 315BAR;OPERATED: SOLENOID; TYPE: DIRECTIONAL CONTROL, PROPORTION AL;PRESSURE/TEMPERATURE RATING: -4 TO 158DEG F; FLOW CAPACITY: 12L/MIN;ELECTRICAL RATING: 24VDC; MOUNT: SUB PLATE; SOFTGOODS: NBR SE AL; PROCESSFLUID: HYD OIL; MFR: BOSCH REXROTH AG; MPN: 4WRA10E10-10/24NZ/M;ADDITIONAL INFO: W/PUSH BUTTON MANUAL OVERRIDE4. DIRECTIONAL VALVE- ONE (1) NOS: VALVE_SPOOL; CONFIGURATION: 4-WAY;SIZE: 10; DESIGN RATING: 315BAR; OPERATED: SOLENOID; TYPE: DIRECTIONAL CONTROL; PRESSURE/TEMPERATURE RATING: -15 TO						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			80DEG C; FLOW CAPACITY:120L/MIN; ELECTRICAL RATING: 24VDC; MOUNT: SUB PLATE; SOFTGOODS: FKM SEAL; PROCESS FLUID: HYD FLUID; MFR: BOSCH REXROTH AG; MPN:4WE10E3X/CG24NZ4V; ADDITIONAL INFO: W/BOLT KITTERMS AND CONDITIONS.#SERVI CE & TESTING CENTER ACCREDITATION: THE SERVICE AND TESTINGCENTER MUST HOLD REXROTH-BOSCH APPROVAL. PROOF OF ACCREDITATION SHOULDACCO MPANY THE QUOTATION..#TEST CERTIFICATE: A COMPREHENSIVE TEST CERTIFICATE MUST BE PROVIDED,CLEARLY INDICATING THE SERIAL NUMBER OF EA CH TESTED VALVE..#TESTING PROCEDURE: ALL TESTING PROCEDURES SHALL ADHERE STRICTLY TOTHE OEM RECOMMENDED TEST PARAMETERS. THE TESTING PROCEDURE DOCUMENTATIONSHOULD BE INCLUDED WITH THE QUOTATION..#RECOMMENDATION IN CASE OF TEST FAILURE: THE TESTING CERTIFICATE SHAL						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>LINCLUDE DETAILED RECOMMENDATIONS FROM THE TESTING AGENCY REGARDING THESCOPE AND FEASIBILITY OF REPAIR IN THE EVENT OF A TEST FAILUR</p> <p>E. WHERE REPAIR IS FEASIBLE, THE CERTIFICATE SHALL ALSO PROVIDE AN ASSESSMENT OF THE VALVE#S CONDITION, HEALTH STATUS, AND USABILITY.</p> <p>CONSIDERING THEREQUIREMENT FOR A SHORT SHUTDOWN PERIOD AND THE NECESSITY TO RESTORE THEUNIT TO OPERATION WITHIN THE DEFINED TIMEFRAM</p> <p>E USING HEALTHY VALVES, THE SERVICE PROVIDER SHALL TEST A SPARE VALVE SUPPLIED BY DEWA IN PLACE OF THE FAILED VALVE, UNDER THE SAME SC</p> <p>OPE AND CONDITIONS OF SERVICE..#TESTING EQUIPMENT AND ENVIRONMENT: THE LIST OF TESTING EQUIPMENT, TESTING ENVIRONMENT SPECIFICATIONS, AND OIL SPECIFICATIONS USED DURING TESTING MUST BE DOCUMENTED AND PROVIDED..#VALVE REMOVAL, COLLECTION, TESTING, AND</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			RE-INSTALLATION : THE SERVICE PROVIDER SHALL BE FULLY RESPONSIBLE FOR THE REMOVAL OF VALVES FROM THE SKID, COLLECTION AND TRANSPORTATION FOR TESTING, AND THEIR RETURN AFTER TESTING. THIS SCOPE INCLUDES RE-INSTALLATION OF THE VALVES ON THE SKID AND ENSURING ZERO LEAKAGE DURING OPERATION AT THE REXROTH SKID, WHBS, E-STATION, AND DEWA JAPS. ALL ACTIVITIES SHALL BE COMPLETED WITHIN THE SHORTEST POSSIBLE UNIT SHUTDOWN PERIOD, CONSIDERING 5#7 CALENDAR DAYS. THE SERVICE PROVIDER SHALL ENSURE THAT ALL O-RINGS ARE IN GOOD CONDITION AND SHALL REPLACE THEM WITH NEW ONES WHERE NECESSARY TO PREVENT ANY LEAKAGE. #PREVIOUS EXPERIENCE: IT IS PREFERRED THAT THE QUOTATION INCLUDES DETAILS OF SIMILAR TYPES OF TESTING PREVIOUSLY CONDUCTED BY THE SERVICE PROVIDER. #SERVICE CENTRE						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600115
DATE : 13.01.2026
REQ No : 1032600028
REQ TITLE : WHBs Rexroth Valve Testing Se
DELIVERY LOCATION
CLOSING DATE : 19.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			VISIT: THE SERVICE PROVIDER SHALL FACILITATE AND ACCOMMODATE AN ON-SITE VISIT BY DEWA PERSONNEL TO THE SERVICE CENTRE, EITHER BEFORE OR DURING TESTING, FOR THE PURPOSE OF CAPACITY ANALYSIS AND WITNESSING THE TESTING PROCEDURES.						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

WHBs Rexroth Valve Testing Service

Contact Arun.Prakasan@dewa.gov.ae Tel: 04-80-44486 / 0555974656

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2332600115
DATE	: 13.01.2026
REQ No	: 1032600028
REQ TITLE	: WHBs Rexroth Valve Testing Se
DELIVERY LOCATION	
CLOSING DATE	: 19.01.2026
CLOSING TIME	: 10:00:00

3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material

4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP