

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERTER DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1		ITEM-00001	<p>TECHNICAL AND GENERAL SPECIFICATIONS FOR OUTSOURCING WORKM STATION, JEBEL ALI POWER PLANTTITLE:RECTIFICATION OF CRACKS ON HINGE BRAC</p> <p>KET TO LOAD BEARINGSTRUCTURE/CENTERING DEVICE AND EXISTING CASING AND INSTALLATION OF NEWREINFORCEMENT PLATES ON EXISTING CASING PLA</p> <p>TEDURATION:6 DAYS</p> <p>SCHEDULE##WORK WILL BE EXECUTED DURING THE HRSG UNIT OUTAGE.##THE SCHEDULE SHALL BE ADJUSTED BASED ON OPERATIONAL NEEDS; ANYCHANGES WILL BE COMMUNICATED ACCORDINGLY.##CONTRACTOR MOBILIZATION MUST BE COMPLETE</p> <p>D WITHIN ONE DAY OF RECEIVINGADVANCE NOTICE.</p> <p>__PRE BID SITE INSPECTION##CONTRACTORS MUST VISIT</p> <p>THE SITE TO FULLY UNDERSTAND THE WORK SCOPE,SITE CONDITIONS, ACCESS REQUIREMENTS, AND COMPLEXITIES BEFORE</p>	1	LS				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERTER DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>SUBMITTING THEIR BID.##DEWA WILL NOT ACCEPT CLAIMS FOR ADDITIONAL COSTS BEYOND QUOTED PRICES.##THE OUTLINED SCOPE REPRESENTS A GENERAL DESCRIPTION; BIDDERS MUST ASSESS REQUIREMENTS AND PROPOSE ANY ADDITIONAL WORK NEEDED TO COMPLETE THE PROJECT.##SITE VISIT CONTACTS: O#SHABBIR AHMAD ENULHAQUE # SHABBIR.ENULHAQUE@DEWA.GOV.AE /+971-4322-5969 O#ASHIL PRABHAKAR # ASHIL.PRABHAKAR@DEWA.GOV.AE / +971-4322-6179</p> <p>BIDDER QUALIFICATION REQUIREMENTS##PROVEN EXPERIENCE IN DIVERTER DAMPER MAINTENANCE AND REPAIR, WITH EVIDENCE PROVIDED.##A QUALIFIED DIVERTER DAMPER SPECIALIST MUST SUPERVISE ALL WORK; CV TO BE SUBMITTED.</p> <p>SCOPE OF WORK 1.#OBTAIN THE REQUIRED PERMIT TO WORK (PTW), LINE CLEARANCE (LC), AND HOT</p>						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERTER DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>WORK PERMIT FROM DEWA PRIOR TO COMMENCING ANY ACTIVITIES.2.#SUBMIT THE FOLLOWING DOCUMENTS TO FACILITATE THE PTW PROCESS:3.#COMPREHENSIVE METHOD STATEMENT4.#DETAILED RISK ASSESSMENT FOR THE PROPOSED WORK5.#DAILY TOOLBOX TALK REPORTS FOR BOTH DAY AND NIGHT SHIFTS.6.#ENSURE PROPER ISOLATION OF ALL RELEVANT EQUIPMENT AND CONFIRM THEAVAILABILITY OF VALID CONFINED SPACE ENTRY (CSE) AND HOT WORK PERMITS(HWP).7.#REMOVE ALL FLAMMABLE MATERIALS FROM THE VICINITY OF THE HOT WORKAREA.8.#VERIFY THAT THE WORK AREA IS FULLY SECURED AND SAFE IN ALL ASPECTSBFORE COMMENCING WORK.9.#CONDUCT A THOROUGH SITE SURVEY AND SAFETY INSPECTION TO ASSESS THEWORKING ENVIRONMENT.10.#INSTALL BARRICADES AND APPROPRIATE SIGNAGE TO DEMARCATE THE WORKAREA.11.#CHECK THAT ALL</p>						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERTER DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>SCAFFOLDS ARE SAFE FOR USE AND DISPLAY VALIDSCAFFOLDING TAGS PRIOR TO COMMENCEMENT OF WORK.1</p> <p>2.#PROCEED WITH THE FOLLOWING STEPS ONLY AFTER CONFIRMING THE SAFETYOF THE WORKING ENVIRONMENT.13.#ALL WORK ACTIVITIES MUST FOLLOW T</p> <p>HE RECOMMENDATIONS AND UNDER THESUPERVISION OF THE DD SPECIALIST.14.#EXECUTE THE WORK IN TWO CONTINUOUS SHIFTS (DAY AND NIGHT),OPERA TING 24/7 WITHOUT INTERRUPTION.15.#ERECT SCAFFOLDING TO ACCESS THE WORK LOCATION ABOVE THE DD BLADE(DEWA SCOPE).16.#MARK AND REMOVE</p> <p>THE LINER PLATE AND INSULATION FROM THE ENTIRECASING IN THE DD PIVOT AREA (APPROXIMATELY 7M LENGTH X 1.6M WIDTH,L-SHAPED).17.#SECURE</p> <p>ALL REMOVED LINER PLATES AND WASHERS FOR REINSTALLATION.PLACE THE REMOVED INSULATION, PROPERLY IDENTIFIED, INTO HAZARDOUSMATERIAL C</p>						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERTER DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>OVERS PROVIDED BY DEWA AND TRANSFER TO THE DESIGNATED AREA ASDIRECTED BY DEWA STAFF.18.#CLEAN ALL WELDING JOINTS IN THE CASING, INCL</p> <p>UDING EXISTING WELDS OF15 MM THICK PADS (OVERHEAD AND VERTICAL) ON LHS/RHS HINGE BRACKETS ANDCENTERING DEVICE, BOTH INSIDE AND OUTSI</p> <p>DE, FOR DYE PENETRANT TESTING(DPT) AS PER DEWA SCOPE.19.#UPON IDENTIFICATION OF CRACKS, DRILL HOLES AT THE CRACK ENDS TOPREVENT PROP</p> <p>AGATION AND PERFORM RECTIFICATION BY REWELDING WITHAPPROPRIATE ELECTRODES ON THE EXISTING CARBON STEEL CASING PLATE ANDHINGE BRACKET</p> <p>PADS (SS321 TO CS) AS REQUIRED.20.#DRILL HOLES IN THE DD CARBON STEEL CASING PLATE PER DD SPECIALISTRECOMMENDATIONS FOR FUTURE USE</p> <p>AND WELD NEWLY PROPOSED SS321 PLATES TOTHE EXISTING CARBON STEEL PLATE, AS NECESSARY.21.#COLLECT NEW SS321</p>						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERTER DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>REINFORCEMENT PLATES (APP ROX. 10 MM THICK,QUANTITY: 3) FROM DEWA, SEND THEM FOR BENDING AS PER SITE MEASUREMENTS TO CONTACTOR FACILITY/ WORKSHOP, AND RETURN T HEM TO THE STATION FOR INSTALLATION ON THE FOLLOWING DAY.22.#CUT, BEVEL, ERECT, AND FIT UP THE NEW SS 321H REINFORCEMENT PLATE TO THE EXISTING COVER PLATE NEAR THE PIVOT AREA IN THREE SEGMENTS (LEFT,CENTRE, AND RIGHT).23.#IF REQUIRED, CUT POCKETS IN THE EXISTING CAR BON STEEL CASING PLATE TO FACILITATE PULLING THE NEWLY INSTALLED SS321 PLATE WITH HOOKS TOWARDSTHE STACK SIDE, ENSURING NO GAPS BETWE EN PLATES. WELD THE POCKETS BACK TO THEIR ORIGINAL SHAPE AFTER HOOK REMOVAL.24.#REWELD ALL DRILLED HOLES IN THE CARBON STEEL CASING P LATE TO JOIN THE NEWLY INSTALLED SS321H PLATE.25.#FABRICATE AND INSTALL ANY</p>						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERter DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			NECESSARY GAPS BETWEEN HINGE BRACKET PADSAND EXISTING RIB S.26.#COMPLETE ALL WELDING USING SUITABLE ELECTRODES.27.#ADD ANY ADDITIONAL REINFORCEMENT RIBS OR STRIPS AS ADVISED BY THESPECIALIST .28.#CONDUCT VISUAL INSPECTION AND DYE PENETRANT TESTING (DPT) OF ALLFINAL WELDS.29.#REINSTALL ALL REMOVED LINER PLATES AND INSULATI ON TO THEIR ORIGINALPOSITIONS.30.#REQUEST NEW INSULATION FROM DEWA, SUBMITTING THE REQUIRED QUANTITYONCE REMOVAL IS COMPLETE TO FACI LITATE ISSUANCE FROM THE DEWA STORE.31.#INFORM DEWA IN ADVANCE OF ANY ADDITIONAL MATERIAL REQUIREMENTS(SUCH AS NUTS OR BOLTS) IN CAS E OF UNAVOIDABLE DAMAGES, FOR VERIFICATIONAND ISSUANCE.32.#COLLECT ANY NEWLY ISSUED MATERIALS FROM THE DEWA STORES UNDER DEWASUPERVI SION.33.#UPON COMPLETION OF INSULATION AND						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERter DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>LINER PLATE INSTALLATION, PROVIDETACK WELDS FOR INSULATION PINS/LINER PLATE PINS TO NUTS FOR SECUREFASTENING.34.#REMOVE ALL TEMPORARY ARRANGEMENTS, INCLUDING CHAIN BLOCKS, BELTS,OR LIFTING HOOKS FROM THE BLADE, T-BOX, AND CASING AREA. PERFORMHOUSEKEEPING USING VACUUM CLEANING ON ALL AREAS INSIDE AND OUTSIDE THECASING PLATE AND BENEATH THE T-BOX.35.#AF TER REMOVAL OF SCAFFOLDING, PERFORM FINAL HOUSEKEEPING UNDER DEWASUPERVISION PRIOR TO DEMOBILIZATION.</p> <p>— GENERAL REQUIREMENTS##PROVIDE QUALIFIED SUPERVISORS, FABRICATORS, WELDERS, AND CERTIFIEDRIGGERS.##ALL WELDING MUST COMPLY WITH APPROVED WPS AND ASME STANDARDS (PQR,WPS, CERTIFICATES REQUIRED).##ALL PQR, WPS, WQR, METHOD STATEMENT AND RISK ASSESSMENT TO BE</p>						



## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERTER DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>SUBMITTED IN ADVANCE TO DEWA FOR VERIFICATION.##CONTRACTOR IS RESPONSIBLE FOR TOOLS, ALL CONSUMABLES, WASTE DISPOSAL,AND DAILY HOUSE KEEPING.##ALL LIFTING AND POWER TOOLS MUST HAVE VALID THIRD PARTY CERTIFICATES.##SUBMIT A COMPLETE WORK REPORT#INCLUDING PHOTOS, REP AIR RECORDS, ANDMATERIAL CERTIFICATES#WITHIN TWO DAYS OF COMPLETION.</p> <p>DEWA SCOPE##SCAFFOLDING#</p> <p>#SUPPLY OF SS321H PLATES, INSULATION STUDS, NUTS, AND INSULATIONMATERIALS (AS REQUIRED)##DPT 3RD PARTY SERVICES</p> <p>WARRANTY##WORKMANSHIP</p> <p>WARRANTY: 1 YEAR FROM DEWA CERTIFIED COMPLETION DATE.##ANY DEFECTS WITHIN THE WARRANTY PERIOD MUST BE RECTIFIED PROMPTLY BYTHE CONTRACTOR.</p> <p>GENERAL TERMS &amp;</p>						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERTER DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>CONDITIONS##CONTRACTOR MUST HAVE PRIOR EXPERIENCE IN SIMILAR WORK.##METHOD STATEMENT AND EXECUTION SCHEDULE TO BE SUBMITTED UPON RECEIPT OF PO/ORDER CONFIRMATION.</p> <p>##ALL EQUIPMENT USED MUST BE CERTIFIED BY THIRD PARTY</p> <p>INSPECTION AGENCIES.##COMPLIANCE WITH DEWA SAFETY, ENVIRONMENTAL, AND SITE PROCEDURES IS MANDATORY.##ALL MATERIALS/TOOLS MUST BE DECLARED AT THE SECURITY GATE FOR GATE PASS CLEARANCE UPON JOB COMPLETION.##ALL MATERIAL, EQUIPMENT, MANPOWER GATE PASSES REQUEST AND EXTENDED HOURS/HOLIDAY/NIGHT WORK PERMIT REQUEST TO BE PREPARED AND SUBMITTED IN PRESCRIBED PDF/EXCEL FORMATS OF DEWA TO BOILER.P2@DEWA.GOV.AE /+971-043225912 WITH ALL VALID RELEVANT DOCUMENTS IN ATTACHMENTS.##DEWA WILL PROVIDE AIR, WATER, AND ELECTRICITY. HOWEVER, CONTRACTOR MUST ARRANGE THEIR</p>						

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERTER DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			OWN EXTENSIONS FOR SERVICE AIR, ELECTRICITY, AND WATER AS NEEDED.						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

### **SPECIAL NOTES / INSTRUCTIONS:**

DIVERTER DAMPER HINGE SIDE CASING PLATE CRACK RECTIFICATION AND NEW REINFORCEMENT PLATE INSTALLATION

[ NOTE : FOR DETAILS FIND THE ATTACHED SCOPE OF WORK ]

CONTACT : ASHIL.PRABHAKAR@DEWA.GOV.AE / +971-4322-6179

### **STANDARD TERMS & CONDITIONS**

- Prices should be 'DDP' delivery duty paid at DEWA stores.
- Quotation to be submitted only in local currency U.A.E Dirhams
- DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

**MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.**

Page11 of 12

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2332600352  
**DATE** : 06.02.2026  
**REQ No** : 1032600462  
**REQ TITLE** : DIVERTER DAMPER HINGE  
**DELIVERY LOCATION**  
**CLOSING DATE** : 12.02.2026  
**CLOSING TIME** : 10:00:00

5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements. The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**