

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1		ITEM-00001	<p>SITE MOBILIZATION AND DEMOBILIZATION, SITE STORAGE FACILITIES,SCAFFOLDING, STAGING AND SAFETY GEARS APPLICABLE FOR THE WHOLE WORKS,T</p> <p>RANSPORT OF LABOUR & TEMPORARY MATERIALS TO AND FROM THE SITE,PROVISION OF TEMPORARY WORKS, LIGHTS, POWER SOCKETS WITH DISTRIBUTIONB</p> <p>OADRS AND TOOLS SAFEGUARDING EXISTING SERVICES/ FACILITIES, SITECLEANING AND DISPOSE OF CONCRETE DEBRIS OUTSIDE JAPS TO DM YARD.PAGE</p> <p>1 OF 15DEWA-CONFIDENTIALBLENDING PLANT AND SEA WATER INTAKE DISCHARGE CONCRETE STRUCTURE PITREPAIR AT "E" STATIONGENERAL:THE EXISTI</p> <p>NG CONCRETE FOUNDATION, FLOOR, WALL, FOUNDATIONS ARE DAMAGEDDUE TO AGING AND SALINE WATER CORROSION. REPAIR TO DAMAGED CONCRETE,APPL</p> <p>Y SALINE WATER-RESISTANT PROTECTIVE COATING AT BLENDING PLANT #E#STATION IS PROPOSED.THE TENDERER SHALL ASSESS THE</p>	1	LS				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>SITE AND SURROUND INGS BEFORE SUBMITTING HIS OFFER. THE QUANTITIES CONTAINED IN THE BILL OF QUANTITIES ARE PROVIDED ONLY TO ASSIST THE TENDERER IN THE P REPARATION OF THE TENDER. HOWEVER, HE HAS TO SATISFY HIMSELF AS TO THEIR ACCURACY AND INCREASE OR DECREASE IN THE SAID QUANTITIES AND TO ASK ANY FURTHER ITEM THAT HE FEELS NECESSARY. NO SUBSEQUENT CLAIM FOR EXTRA MONEYS DUE TO INCORRECT QUANTITIES OR INCLUDED IN THE S PECIFICATION OF QUANTITIES/ITEMS REQUIRED DUE TO SITE CONDITIONS BUT NOT INCLUDED IN THE BILL OF QUANTITIES SHALL BE ENTERTAINED. THE P RICES SHALL INCLUDE ALL COSTS ASSOCIATED WITH THE REPAIR WORK E.G. PRELIMINARIES, INSURANCE, TRANSPORT OF LABOURERS, MATERIALS TO AND FROM THE SITE, WELFARE FACILITIES, TEMPORARY WORKS, COMMUNICATION,</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>MEDICALAND OTHER SERVICES AND PROTECTION MEASURES REQUIRED TO AVOID ANY DAMAGE TO THE EXISTING SERVICES. ONLY APPROVED LIGHT HAND TOOLS SHALL BE USED FOR BREAKING CONCRETE. HEAVY MACHINES AND EQUIPMENT SHALL NOT BE USED UNDER ANY CIRCUMSTANCES. SCOPE OF WORK: 1. REMOVE STEEL HAND RAIL TO REPAIR CONCRETE AND REPAIR INCLUDES PAINTING FIXING WITH NEW SS BOLT TO THE APPROVAL OF ENGINEER IN CHARGE. 2. REMOVE INTERLOCK PAVEMENT, EXCAVATE TO REPAIR CONCRETE TO THE APPROVAL OF ENGINEER IN CHARGE. 3. MARK THE DELAMINATED / AFFECTED AREA IN RECTANGULAR SHAPE AND CUT THE BOUNDARIES EDGES BY A GRINDER MIN. 10MM DEPTH. 4. REMOVE THE DELAMINATED CONCRETE BY CHIPPING GUN. REMOVAL SHALL BE DONE TILL THE SOUND CONCRETE IS REACHED AND MINIMUM BELOW (AROUND) EXPOSED REINFORCEMENT. 5. OLD</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>CONCRETE SURFACES SHALL BE CHECKED FOR STRUCTURALLY SOUND.UNSOUND AREAS MUST BE REPAIRED PRIOR TO PROCEEDING WITH THE PROTECTIVE SALINE WATER RESISTANT COATING. FOR PROPER PATCHING AND REPAIRING,REMOVE EXISTING PAINT, SCALE AND LOOSE CONCRETE BY ROUGH SANDING OR GRINDING TO REMOVE EXCESSIVE BUILD-UP OF PAINTS OR SEALERS.6. STRUCTURALLY SOUND CONCRETE SHOULD BE MECHANICALLY PREPARED TO REMOVE ANY CONTAMINATION FOR ACHIEVING A GOOD PROFILE FOR BONDING AND SHOULD BE USED WHERE POSSIBLE.7. CLEAN THE REBAR AND CONCRETE TO THE APPROVED METHOD OF ENGINEER IN CHARGE.PAGE 2 OF 15 DEWA-CONFIDENTIAL8. REPLACEMENT OF REINFORCEMENT IF CROSS SECTION AFFECTED MORE THAN 10% OF THE ORIGINAL SIZE, ANCHORING OF THE REINFORCEMENT WHEREVER REQUIRED, BY EPOXY RESIN SIKAN</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>CHORFIX-3001(PURE EPOXY ANCHORING MATERIAL),FOSROC OR EQUIVALENT.9. APPLY CORROSION PROTECTION ON THE REBAR, RECOMMENDED MATERIAL IS SIKATOP ARMATEC-110 EPOCEM (CEMENTITIOUS, EPOXY RESIN COMPENSATED 3COMPONENT COATING MATERIAL WITH CORROSION INHIBITOR), FOSROC ORE EQUIVALENT. MATERIAL SHOULD BE ALLOWED TO CURE FOR MIN 24 HOURS.10. PRE-WETTING OF THE PREPARED SUBSTRATE TO SATURATED SURFACE DRYCONDITION (SSD) IS REQUIRED. SHALL BE ACHIEVED BY KEEPING THE PREPARED CONCRETE SURFACE PERMANENTLY WET FOR MIN 2 HOURS BY USING CLEAN WATER.REMOVAL OF STANDING WATER BY COMPRESSED AIR.11. APPLICATION OF BONDING AGENT SIKATOP ARMATEC-110 EPOCEM ON THE CONCRETE SURFACE , FOSROC OR EQUIVALENT.12. APPLICATION OF SIKACRETE-115HPF (CEMENTITIOUS MICRO CONCRETE).APPLICATION OF MICRO CONCRETE (</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>SIKACRETE-1 15 HPF) SHALL BE DONE WITH IN THE OPEN TIME OF THE BONDING AGENT (SIKA TOP ARMATEC-110 EPOCEM), FOSROC OR EQUIVALENT WET ON WET METHOD . THE PROPOSED WORK SHALL BE CARRIED OUT DURING ANY STRUCTURE VIBRATION AND SHALL BE ALLOWED TO CURE 24 HRS FOR PROPER SETTING. 13. AFTER SIKACRETE # 115 HPF APPLICATION, TREAT THE EXPOSED SURFACE WITH CURING COMPOUND SIKA ANTISOL WB , FOSROC OR EQUIVALENT IMMEDIATELY AFTER SURFACE WATER HAS EVAPORATED (1-2 HOURS AFTER APPLICATION, DEPENDING ON THE TEMPERATURE AND RELATIVE HUMIDITY). 14. PATCH REPAIR MORTAR MONOTOP HSF (HIGH STRENGTH STRUCTURAL REPAIR MORTAR) IS RECOMMENDED, FOSROC OR EQUIVALENT. 15. SIKA -704 S ONE COMPONENT, LOW VISCOSITY, REACTIVE IMPREGNATION FOR CONCRETE AND CEMENTITIOUS SUBSTRATES</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>BASED ON A MIXTURE OF HIGHLY ACTIVE SILANES & SILOXANES) SHALL BE APPLIED TO THE WHOLE CONCRETE STRUCTURE IN ORDER TO INCREASE THE LIFE OF REPAIR SYSTEM AND IMPROVE THE CONCRETE DURABILITY. 16. REPAIR THE MINOR AND MAJOR CRACKS BY CRACK INJECTION SYSTEM WITH THE EPOXY INJECTION RESINS BY HIGH-PRESSURE INJECTION MACHINE AS PER THE APPROVED METHOD STATEMENT OF DEWA. WORK SHALL BE CARRIED OUT BY A SPECIALIST AGENCY AND DETAILED METHOD STATEMENT AND MATERIAL SHALL BE SUBMITTED FOR APPROVAL. 17. CONCRETE REPAIR MATERIAL SHALL BE HIGH PERFORMANCE, SOLVENT FREE EPOXY RESIN GROUTING MATERIAL. CONCRETE EPOXY MATERIAL SHALL BE THREE-COMPONENT SYSTEM THAT INCLUDES A TWO-PART EPOXY RESIN AND CAREFULLY BLENDED AGGREGATE EPOXY RESIN APPLICATIONS THE QUALITY OF SURFACE</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>PREPARATION HAS A DIRECT EFFECT ON THE PERFORMANCE AND DURABILITY OF THE SYSTEM.18. CONCRETE SCREEDING SHALL BE AS PER THE APPROVED METHOD STATEMENT OF DEWA.19. BEFORE APPLYING PROTECTIVE SALINE WATER RESISTANT COATING THE SURFACE MUST BE EXAMINED AND APPROVED BY ENGINEER IN CHARGE. PAGE 3 OF 15 DEWA-CONFIDENTIAL.20. A CLEAN SURFACE IS NECESSARY TO ESTABLISH A STRONG BOND BETWEEN THE RESINOUS FLOORING AND CONCRETE. ANY OIL, GREASE, LANTANCE, OR OTHER FOREIGN MATERIAL MUST BE REMOVED WITH A STRONG DEGREASER.21. APPLY BONDING AGENT AS PER APPROVED METHOD STATEMENT OF ENGINEER IN CHARGE.22. PREPARE THE SURFACE FOR BASE COATING.23. APPLY TWO COATS OF HIGH SALINE WATER RESISTANT COATING MATERIALS TO APPROVAL OF ENGINEER IN CHARGE.24. THE THICKNESS OF COATING SHALL BE</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>E NOT LESS THAN 450 # 500 MICRONDF.T.SPECIFICATION FOR CONCRETE REPAIR WORK:SECTION OF SPALLED, HOLLOW OR SIGNIFICANTLY CRACKED CONCR ETE SHALL BEREMOVED TO REACH A CLEAN HARD SOLID SUBSTRATE. CONCRETE SHALL BE REMOVEDTO A MINIMUM OF 25MM BEYOND CORROSION. WASH THE AREA THOROUGHLY TOREMOVE SALT INGRESS IN THE CONCRETE.THE CORRODED STEEL SHALL BE CLEANED BY WIRE BRUSH. WHEREVER DIAMETER OFREINFOR CEMENT HAS REDUCED BY 25% OR MORE, THE REINFORCEMENT SHALL BEREPLACED. IMMEDIATELY AFTER CLEANING, ZINC RICH PRIMER SHALL BE APPLIED .SHUTTERING SHALL BE DONE PROPERLY TO GET A SMOOTH FINISH CONCRETING.REPAIR CONCRETE SHALL BE HIGH STRENGTH NON #SHRINK, CEMENTITIOU SPREMIXED MORTAR/ CONCRETE MIXED WITH MAXIMUM PERMISSIBLE SIZE OF 10MMAGGREGATE. FOR ALL MAJOR CONCRETE</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>REPAIR AREA USE LATEX ADDITIVES TO THE CONCRETE / MORTAR. AGGREGATE FOR THE MIX SHALL BE PRE WEIGHED AND PREPACKED BY THE MANUFACTURER OF THE CONCRETE / MORTAR, READY FOR USE. THE SURFACE SHALL BE APPLIED WITH BONDING AGENT PRIOR TO CONCRETE. ALL CEMENTITIOUS REPAIR MORTAR / CONCRETE SHALL HAVE THE FOLLOWING CUBE STRENGTHS. COMPRESSIVE STRENGTH # 60N/MM² BOND STRENGTH - 15N/MM² FLEXURAL STRENGTH - 7N/MM² THE MORTAR SHALL BE CHLORIDE AND SULPHATE FREE AND SHALL BE RESISTANT TO WEATHER AND CHEMICAL ATTACKS. THE REPAIR MORTAR SHALL HAVE GOOD ADHESION AND RESIST CRACKING AND SHRINKING. MECHANICAL MIXING OF CONCRETE SHALL BE DONE AND NO HAND MIXING SHALL BE ALLOWED ON SITE. CURING SHALL BE CARRIED OUT AS INSTRUCTED BY THE MANUFACTURER. CONCRETE WITH HIGH WEARING</p>						

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			RESISTANCE CONCRETE WHICH IS EXPOSED TO SEVERE MECHANICAL ACTION, E.G., DUE TO SLIDING OF BULK MATERIALS, FREQUENT IMPACT BLOWS OR MOVEMENTS OF HEAVY OBJECTS, FLOWING WATER CARRYING SOLIDS SHALL POSSESS HIGH WEARING RESISTANCE TO STRENGTH CLASS C 35. THE CEMENT CONTENT SHALL NOT BE TOO HIGH, E.G., IT SHALL NOT EXCEED 370 KG/M ³ . CONCRETE IN WHICH WATER SEGREGATION IS NOT ALLOWED.						
2		ITEM-00001	BLENDING PLANT AREA: BREAK DAMAGED SLAB & FLOOR CONCRETE, REPAIRS TO CONCRETE WALL & FLOOR, CLEANING OF RUSTED STEEL, REPLACE DAMAGED STEEL, EPOXY PAINTING TO STEEL AS DETAILED IN SPECIFICATION TO THE APPROVAL OF ENGINEER IN CHARGE	228	M2				
3		ITEM-00001	BREAK DAMAGED FOUNDATIONS, REPAIRS TO CONCRETE FOUNDATIONS, CLEANING OF RUSTED STEEL, REPLACE DAMAGED STEEL, EPOXY PAINTING TO STEEL AS DETAILED IN SPECIFICATION TO THE	252	M2				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			APPROVAL OF ENGINEER IN CHARGE.						
4		ITEM-00001	REMOVE STEEL HAND RAIL TO REPAIR CONCRETE AND REFIX INCLUDES PAINTING FIXING WITH NEW SS BOLT TO THE APPROVAL OF ENGINEER IN CHARGE	50	M2				
5		ITEM-00001	REMOVE AND REINSTATE INTERLOCK PAVEMENT TO REPAIR CONCRETE WALL TO THE APPROVAL OF ENGINEER IN CHARGE	6	M2				
6		ITEM-00001	EXCAVATE ROAD BASE, SOIL AND BACKFILL TO REPAIR CONCRETE AS PER APPROVED METHOD STATEMENT.	9	M3				
7		ITEM-00001	BREAK DAMAGED WALL & FLOOR CONCRETE, REPAIRS TO CONCRETE WALL & FLOOR, CLEANING OF RUSTED STEEL, REPLACE DAMAGED STEEL, EPOXY PAINTING TO STEEL AS DETAILED IN SPECIFICATION TO THE APPROVAL OF ENGINEER IN CHARGE	297	M2				
8		ITEM-00001	BREAK DAMAGED PIPE FOUNDATION CONCRETE, RECONSTRUCT PIPE FOUNDATION, CLEANING OF RUSTED STEEL, REPLACE DAMAGED STEEL, EPOXY PAINTING TO STEEL AS DETAILED IN SPECIFICATION TO	14	M3				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			THEAPPROVAL OF ENGINEER IN CHARGE						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Intake Discharge Concrete
 Blending Plant and Sea water Intake Discharge Concrete Structure Pit
 Repair at "E" station

for more infomation contact Sankaranarayanan - Phone : 050-8662748

Site visit date : 27.02.2025

Payment Terms 100 % on completion of work. - Retention Condition 5%

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2332600519
DATE : 25.02.2026
REQ No : 1032600799
REQ TITLE : Intake Discharge Concrete
DELIVERY LOCATION
CLOSING DATE : 03.03.2026
CLOSING TIME : 10:00:00

perceived Conflict of Interest.

5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP