

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3600084914		WEAR RING; CASING; SUCTION SIDE; PART NUMBER: 1510; ARTICLE NUMBER :505351150104Q01; SECTIONAL DRAWING : 1243175; REQUIRED FOR PUMP ;HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIALNUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50X P N16 RF;DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD:62.2 METER; PUMP SPEED: 2930 RPM; DISCHARGE PRESSURE: 7 .3 BAR; PUMP ASPER DATA SHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE:JOHN CRANE 5610; SEAL ARRANGEMENT: CIRCULATI ON OF PUMPED MEDIUM; TESTPRESSURE: 24 BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER:SULZER ENSIVAL - MORET FRANCE S.A. S; A PPLICATION: DEMINRALIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
2	3600084915		IMPELLER RING; PART NUMBER : 2450; ARTICLE NUMBER: 505351099104Q01;SECTIONAL DRAWING : 1243175; REQUIRED FOR PUMP; HORIZONTAL; SING LESTAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIAL NUMBERS:T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50XPN16 RF; DISCHARGE F LANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD: 62.2 METER;PUMP SPEED: 2930 RPM; DISCHARGE PRESSURE: 7.3 BAR; PUMP AS PER DATASHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE: JOHN CRANE5610; SEAL ARRANGEMENT: CIRCULATION OF PUMPED MEDIU M; T EST PRESSURE: 24BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER: SULZERENSIVAL - MORET FRANCE S.A.S; APPLICATION: DE MINRA LIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.	1	EA				
3	3600084916		IMPELLER NUT; PART NUMBER : 2912; ARTICLE NUMBER: 505351295104;SECTIONAL DRAWING : 1243175; REQUIRED FOR PUMP; HORIZONTAL;	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SINGLE ST AGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIAL NUMBERS:T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50XPN16 RF; DISCHARGEFLA NG E: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD: 62.2 METER;PUMP SPEED: 2930 RPM; DISCHARGE PRESSURE: 7.3 BAR; PUMP AS PER DAT ASHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE: JOHN CRANE5610; SEAL ARRANGEMENT: CIRCULATION OF PUMPED MEDIUM; T EST PRESSURE: 24BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER: SULZERENSIVAL - MORET FRANCE S.A.S; APPLICATION: DEMINR ALIZE D WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
4	3600084917		BEARING; RADIAL BALL; ANTIFRICTION; PART NUMBER: 3011; ARTICLE NUMBER :G324007310; SECTIONAL DRAWING : 1243175; REQUIRED FOR PUMP; H	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ORIZONTAL;SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIAL NUMBERS:T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50XPN 16 RF; DISCHARGEFLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD: 62.2 METER;PUMP SPEED: 2930 RPM; DISCHARGE PRESSURE: 7 .3 BAR; PUMP AS PER DATASHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE: JOHN CRANE5610; SEAL ARRANGEMENT: CIRCULATION OF PUMPED MEDIUM; TEST PRESSURE: 24BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER: SULZERENSIVAL - MORET FRANCE S.A.S; APPL ICATION: DEMINRALIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
5	3600084918		BEARING; RADIAL ROLLER; ANTIFRICTION; PART NUMBER: 3012; ARTICLE NUMBER:G419000310; SECTIONAL DRAWING : 1243175; REQUIRED FOR PUMP;	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			HORIZONTAL;SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIAL NUMBERS:T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50XP N 16 RF; DISCHARGEFLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD: 62.2 METER;PUMP SPEED: 2930 RPM; DISCHARGE PRESSURE: 7.3 BAR; PUMP AS PER DATASHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE: JOHN CRANE5610; SEAL ARRANGEMENT: CIRCULATION OF PUMPED MEDIUM; TEST PRESSURE: 24BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER: SULZERENSIVAL - MORET FRANCE S.A.S ; APPLICATION: DEMINRALIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
6	3600084919		LABYRINTH DISC AT BEARING NDS; PART NUMBER: 3711.1; ARTICLE NUMBER:505351108104; SECTIONAL DRAWING : 1243175; REQUIRED FOR PUMP; HOR	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			IZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIALNUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50XPN16 RF;DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD:62.2 METER; PUMP SPEED: 2930 RPM; DISCHARGE PRESSURE: 7.3 B AR; PUMP ASPER DATA SHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE:JOHN CRANE 5610; SEAL ARRANGEMENT: CIRCULATION O F P UMPED MEDIUM; TESTPRESSURE: 24 BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER:SULZER ENSIVAL - MORET FRANCE S.A.S; A PPLI CATION: DEMINRALIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
7	3600084920		LABYRINTH DISC AT BEARING DS; PART NUMBER: 3711.2; ARTICLE NUMBER:505351107104; SECTIONAL DRAWING : 1243175; REQUIRED FOR PUMP; HORI	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIALNUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50XPN16 RF ;DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD:62.2 METER; PUMP SPEED: 2930 RPM; DISCHARGE PRESSURE: 7.3 BAR; PUMP ASPER DATA SHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE:JOHN CRANE 5610; SEAL ARRANGEMENT: CIRCULATION OF PUMP ED MEDIUM; TESTPRESSURE: 24 BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER:SULZER ENSIVAL - MORET FRANCE S.A.S; AP PLICAT ION: DEMINRALIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
8	3600084981		NUT; BEARING;PART NUMBER: 3712; ARTICLE NUMBER: GA11001010; SECTIONALDRAWING: 1243175; REQUIRED FOR PUMP; HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIAL NUMBERS: T471900004/30/20/1TO 2; PUMP SUCTION	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FLANGE: DN 50XPN16 RF; DISCHARGE FLANGE: DN 32XPN16RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD: 62.2 METER; PUMP SPEED: 2930RPM; DISCHARGE PRESSURE: 7.3 BAR; PUMP AS PER DATA SHEET T: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE: JOHN CRANE 5610; SEALARRANGEMENT: CIRCULATION OF PUMPED MEDIUM; TEST PRESSURE: 24 BAR; FLUID HANDLED: DEMINERALIZED WATER; PUMP MANUFACTURER: SULZER ENSIVAL - MORET FRANCE S.A.S; APPLICATION: DEMINERALIZED WATER DISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
9	3600084982		WASHER; LOCK NUT; BEARING; PART NUMBER: 3713; ARTICLE NUMBER: GC10001010; SECTIONAL DRAWING: 1243175; REQUIRED FOR PUMP; HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIAL NUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50XPN16 RF; DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			M3/HR; TOTAL HEAD: 62.2 METER;PUMP SPEED: 2930 RPM; DISCHARGE PRESSURE: 7.3 BAR; PUM P AS PER DATASHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE: JOHN CRANE5610; SEAL ARRANGEMENT: CIRCULATION OF PUMPED MEDI UM; TEST PRESSURE: 24BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER: SULZERENSIVAL - MORET FRANCE S.A.S; APPLICATIO N: DE MINRALIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
10	3600084983		O-RING; FOR IMPELLER NUT; PART NUMBER: 4552; MATERIAL: FKM; ARTICLENUMBER: E129032993; SECTIONAL DRAWING: 1243175; REQUIRED FOR PUM P;HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIALNUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50 X PN16 RF;DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD:62.2 METER; PUMP SPEED: 2930 RPM; DISCHARGE	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PRESSURE : 7.3 BAR; PUMP ASPER DATA SHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE:JOHN CRANE 5610; SEAL ARRANGEMENT: CIRCULAT ION OF PUMPED MEDIUM; TESTPRESSURE: 24 BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER:SULZER ENSIVAL - MORET FRANCE S.A .S; APPLICATION: DEMINRALIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
11	3600084984		GASKET; FOR VOLUTE CASING; PART NUMBER: 4590.1; MATERIAL: PTFE; ARTICLENUMBER: 505351523601; SECTIONAL DRAWING: 1243175; REQUIRED F OR PUMP;HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIALNUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50XPN16 RF;DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD:62.2 METER; PUMP SPEED: 2930 RPM; DISCHARGE PR	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ES SURE: 7.3 BAR; PUMP ASPER DATA SHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE:JOHN CRANE 5610; SEAL ARRANGEMENT: CI RCU LATION OF PUMPED MEDIUM; TESTPRESSURE: 24 BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER:SULZER ENSIVAL - MORET FRAN CE S .A.S; APPLICATION: DEMINRALIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
12	3600084985		FLAT GASKET; FOR BEARING COVER NDS; PART NUMBER: 4590.2; MATERIAL: NBR;ARTICLE NUMBER: E810284V94; SECTIONAL DRAWING: 1243175; REQU IRED FORPUMP; HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMPSERIAL NUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTION F L ANGE: DN50XPN16 RF; DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR;TOTAL HEAD: 62.2 METER; PUMP SPEED: 2930 RPM;	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			DISCHARGE E PRESSURE: 7.3BAR; PUMP AS PER DATA SHEET: T471900004; SHAFT SEAL: SINGLE MECHANICALSEAL; MAKE: JOHN CRANE 5610; SEAL ARRANGEMENT: CIRCULATION OF PUMPEDMEDIUM; TEST PRESSURE: 24 BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMPMANUFACTURER: SULZER ENSIVAL - MORE T FR ANCE S.A.S; APPLICATION:DEMINRALIZED WATER DISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FORPHASE-IV, H-STATION.						
13	3600084986		O-RING; FOR BEARING COVER DS; PART NUMBER: 4610.2; MATERIAL: NBR;ARTICLE NUMBER: SP-A001474; SECTIONAL DRAWING: 1243175; REQUIRED F ORPUMP; HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMPSERIAL NUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN50XPN16 RF; DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR;TOTAL HEAD: 62.2 METER; PUMP SPEED: 2930 RPM; DISCHARGE PR	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ES SURE: 7.3BAR; PUMP AS PER DATA SHEET: T471900004; SHAFT SEAL: SINGLE MECHANICALSEAL; MAKE: JOHN CRANE 5610; SEAL ARRANGEMENT: CI RCU LATION OF PUMPEDMEDIUM; TEST PRESSURE: 24 BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMPMANUFACTURER: SULZER ENSIVAL - MORET FRAN CE S .A.S; APPLICATION:DEMINRALIZED WATER DISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FORPHASE-IV, H-STATION.						
14	3600084987		O-RING; FOR BACK DEFLECTOR; PART NUMBER: 4610.3; MATERIAL: NBR; ARTICLENUMBER: E129050591; SECTIONAL DRAWING: 1243175; REQUIRED FOR PUMP;HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIALNUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: D N 50XPN16 RF;DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD:62.2 METER; PUMP SPEED: 2930 RPM; DISCHARGE PRES	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SU RE: 7.3 BAR; PUMP ASPER DATA SHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE:JOHN CRANE 5610; SEAL ARRANGEMENT: CIRC ULA TION OF PUMPED MEDIUM; TESTPRESSURE: 24 BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER:SULZER ENSIVAL - MORET FRANCE S.A .S; APPLICATION: DEMINRALIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
15	3600084988		O-RING; FOR FRONT DEFLECTOR; PART NUMBER: 4610.4; MATERIAL: NBR; ARTICLENUMBER: E129039391; SECTIONAL DRAWING: 1243175; REQUIRED FO R PUMP;HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIALNUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTION FLANGE: DN 50XPN16 RF;DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD:62.2 METER; PUMP SPEED: 2930 RPM; DISCHARGE PRE	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SSU RE: 7.3 BAR; PUMP AS PER DATA SHEET: T471900004; SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE:JOHN CRANE 5610; SEAL ARRANGEMENT: CIR CULA TION OF PUMPED MEDIUM; TESTPRESSURE: 24 BAR; FLUID HANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER:SULZER ENSIVAL - MORET FRANC E S.A .S; APPLICATION: DEMINRALIZED WATERDISTRIBUTION PUMP; KKS: 60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
16	3600084989		COUPLING KEY; PART NUMBER: 6700; ARTICLE NUMBER: B8607075H2; SECTIONALDRAWING: 1243175; REQUIRED FOR PUMP; HORIZONTAL; SINGLE STAGE ;CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIAL NUMBERS: T471900004/30/20/1TO 2; PUMP SUCTION FLANGE: DN 50XPN16 RF; DISCHARGE FLANGE: DN 32XPN16RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD: 62.2 METER; PUMP SPEED: 2930RPM; DISCHARGE PRESSURE: 7.3 BAR; PUMP AS PER DATA S	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			HEET: T471900004;SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE: JOHN CRANE 5610; SEALARRANGEMENT: CIRCULATION OF PUMPED MEDIUM; TEST PRES SURE: 24 BAR; FLUIDHANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER: SULZER ENSIVAL - MORETFRANCE S.A.S; APPLICATION: DEMINRALIZED WA TER DISTRIBUTION PUMP; KKS:60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
17	3600084990		IMPELLER KEY; PART NUMBER: 6710; ARTICLE NUMBER: 505351519101; SECTIONALDRAWING: 1243175; REQUIRED FOR PUMP; HORIZONTAL; SINGLE STA GE;CENTRIFUGAL; TYPE: MFR 32-250; PUMP SERIAL NUMBERS: T471900004/30/20/1TO 2; PUMP SUCTION FLANGE: DN 50XPN16 RF; DISCHARGE FLANG E : DN 32XPN16RF; PUMP CAPACITY: 12 M3/HR; TOTAL HEAD: 62.2 METER; PUMP SPEED: 2930RPM; DISCHARGE PRESSURE: 7.3 BAR; PUMP AS PER DA TA SHEET: T471900004;SHAFT SEAL: SINGLE MECHANICAL SEAL; MAKE: JOHN CRANE 5610;	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SEALARRANGEMENT: CIRCULATION OF PUMPED MEDIUM; TES T P RESSURE: 24 BAR; FLUIDHANDLED: DEMINRALIZED WATER; PUMP MANUFACTURER: SULZER ENSIVAL - MORETFRANCE S.A.S; APPLICATION: DEMINRAL IZED WATER DISTRIBUTION PUMP; KKS:60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
18	2300049537		COUPLING; RADEX N38 NANA/ DBSE 100 MM; SPACER: RADEX N38; PUMP SIDEBORE: 32H7; MOTOR SIDE BORE: 42H7; MAKE: KTR; MATERIAL: STAINLES SSTEEL; REQUIRED FOR PUMP; HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE:MFR 32-250; PUMP SERIAL NUMBERS: T471900004/30/20/1 TO 2; P U MP SUCTIONFLANGE: DN 50XPN16 RF; DISCHARGE FLANGE: DN 32XPN16 RF; PUMP CAPACITY:12 M3/HR; TOTAL HEAD: 62.2 METER; PUMP SPEED: 293 0 RPM; DISCHARGE PRESSURE: 7.3 BAR; PUMP AS PER DATA SHEET: T471900004; SHAFT SEAL:SINGLE MECHANICAL SEAL; MAKE: JOHN CRANE 5610; S	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			EAL ARRANGEMENT:CIRCULATION OF PUMPED MEDIUM; TEST PRESSURE: 24 BAR; FLUID HANDLED:DEMINRALIZED WATER; PUMP MANUFACTURER: SULZER E NSIV AL - MORET FRANCES.A.S; APPLICATION: DEMINRALIZED WATER DISTRIBUTION PUMP; KKS:60GHC11/12AP001, FOR PHASE-IV, H-STATION.						
19	2300049538		SEAL; MECHANICAL; SULZER PART NUMBER: 4200; MANUFACTURER: JOHN CRANE;REQUIRED FOR PUMP; HORIZONTAL; SINGLE STAGE; CENTRIFUGAL; TYPE : MFR32-250; PUMP SERIAL NUMBERS: T471900004/30/20/1 TO 2; PUMP SUCTIONFLANGE: DN 50XPN16 RF; DISCHARGE FLANGE: DN 32XPN16 RF; PUM P CAPACITY:12 M3/HR; TOTAL HEAD: 62.2 METER; PUMP SPEED: 2930 RPM; DISCHARGE PRESSURE: 7.3 BAR; PUMP AS PER DATA SHEET: T471900004; S HAFT SEAL:SINGLE MECHANICAL SEAL; MAKE: JOHN CRANE 5610; SEAL ARRANGEMENT:CIRCULATION OF PUMPED MEDIUM; TEST PRESSURE: 24 BAR; F LUI	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			D HANDLED:DEMINRALIZED WATER; PUMP MANUFACTURER: SULZER ENSIVAL - MORET FRANCES.A.S; APPLICATION: DEMINRALIZED WATER DISTRIBUTION P UMP; KKS:60GHC11/12AP001, FOR PHASE-IV, H-STATION.						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Procurement of Demin Water Distribution pump spare parts for phase-IV,
H-station, Al Aweer plant.

For any inquiries related this item
Kindly contact:

Mohamed Safik: 04-81-40306/mohamed.sait@dewa.gov.ae;
Zamir Usman Bhai Alware: 04-81-40304/Zamir.Alware@dewa.gov.ae

STANDARD TERMS & CONDITIONS

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412500200
DATE : 29.01.2025
REQ No : 1012406474
REQ TITLE : Procurement of Demin Water Di
DELIVERY LOCATION : 0026 - H4 STORE - AWEER
CLOSING DATE : 05.02.2025
CLOSING TIME : 10:00:00

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP