

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	7000000052		04 LBS NORMAL STEEL HAMMER WITH FIBER GLASS HANDLE - 04 NOS	4	EA				
2	7000000052		04 LBS BRASS HAMMER WITH FIBER GLASS HANDLE - 04 NOS	4	EA				
3	7000000052		2 LBS NORMAL STEEL HAMMER WITH FIBER GLASS HANDLE - 04 NOS	4	EA				
4	7000000052		2 LBS BRASS HAMMER WITH FIBER GLASS HANDLE - 04 NOS	4	EA				
5	7000000052		HEAVY DUTY BENCH VISE WITH 360° SWIVEL BASE - 02 NOS JAW WIDTH: 4" TO 6" MATERIAL: CAST IRON OR DUCTILE IRON FOR STRENGTH SWIVEL BASE: 360° SWIVEL WITH LOCKING MECHANISM PREFERRED JAW TYPE: SERRATED JAWS; REPLACEABLE OR SOFT COVERS OPTIONAL ANVIL SURFACE: YES, FOR HAMMERING IF NEEDED HANDLE: STURDY, LONG HANDLE FOR STRONG GRIP MOUNTING: BOLT-ON BASE FOR STABILITY WEIGHT: HEAVY ENOUGH FOR STABILITY, BUT FITS YOUR WORKSPACE	2	EA				
6	7000000052		UNIVERSAL BEARING PULLER KIT - 04 NOS SIZE RANGE: 1.5" TO 12" (40 MM TO 300 MM) TYPE:	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			THREE-JAW OR TWO-JAW PULLER SETS WITH EXTENSIONS AND ADAPTERSMATERIAL: HIGH-STRENGTH ALLOY STEEL FOR DURABILITYUSE: SUITABLE FOR REMOVING BEARINGS, GEARS, PULLEYS, AND OTHERPRESS-FITTED PARTSINCLUDES: VARIOUS ARMS, CENTER SCREWS, FORCING SCREWS, AND ATTACHMENTSFOR VERSATILITY						
7	7000000052		NYLON BELT (4 METER X 4 INCH)- 10 PCS MATERIAL: HIGH-STRENGTH NYLON FABRIC, ABRASION-RESISTANT USE: INDUSTRIAL LIFTING, SECURING LOADS , CONVEYOR BELTS, SAFETY HARNESS COMPONENTS LOAD TEST CERTIFICATE TO BE PROVIDED	10	EA				
8	7000000052		NYLON BELT (3 METER X 3 INCH)- 10 PCS MATERIAL: HIGH-STRENGTH NYLON FABRIC, ABRASION-RESISTANT USE: INDUSTRIAL LIFTING, SECURING LOADS , CONVEYOR BELTS, SAFETY HARNESS COMPONENTS LOAD TEST CERTIFICATE TO BE PROVIDED	10	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
9	7000000052		NYLON BELT (2 METER X 2 INCH)- 10 PCS MATERIAL: HIGH-STRENGTH NYLON FABRIC, ABRASION-RESISTANT USE: INDUSTRIAL LIFTING, SECURING LOADS , CONVEYOR BELTS, SAFETY HARNESS COMPONENTS LOAD TEST CERTIFICATE TO BE PROVIDED	10	EA				
10	7000000052		NYLON BELT (1 METER X 2 INCH)- 10 PCS MATERIAL: HIGH-STRENGTH NYLON FABRIC, ABRASION-RESISTANT USE: INDUSTRIAL LIFTING, SECURING LOADS , CONVEYOR BELTS, SAFETY HARNESS COMPONENTS LOAD TEST CERTIFICATE TO BE PROVIDED	10	EA				
11	7000000052		HEAVY DUTY CHAIN WRENCH; SIZE RANGE 20" TO 24" (500-600 MM) - 03 SET MADE OF FORGED STEEL OR ALLOY STEEL FOR HIGH STRENGTH HEAVY-DUTY CHAIN WITH HARDENED LINKS FOR SECURE GRIPPING USED FOR TURNING LARGE PIPES, DRUMS, AND IRREGULAR-SHAPED OBJECTS SUITABLE FOR INDUSTRIAL, PLUMBING, OIL & GAS, AND CONSTRUCTION USE	3	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
12	7000000052		HEAVY DUTY CHAIN WRENCH;SIZE RANGE 16" TO 18" (400-450 MM) - 03 SETMADE OF FORGED STEEL OR ALLOY STEEL FOR HIGH STRENGTHHEAVY-DUTY C HAIN WITH HARDENED LINKS FOR SECURE GRIPPINGUSED FOR TURNING LARGE PIPES, DRUMS, AND IRREGULAR-SHAPED OBJECTSSUITABLE FOR INDUSTRIAL , PLUMBING, OIL & GAS, AND CONSTRUCTION USE	3	EA				
13	7000000052		MANUAL ROTARY BARREL PUMP # HEAVY DUTY - 04 NOSUSE: TRANSFER OF OIL, DIESEL, CHEMICALS, AND LUBRICANTS FROMBARRELS/DRUMSMATERIAL: HEAVY-DUTY STEEL OR STAINLESS STEEL CONSTRUCTION FORDURABILITY AND CORROSION RESISTANCE.CAPACITY: TYPICALLY 40 TO 120 LITERS PER MINUTEBARREL COMPATIBILITY: STANDARD 200-LITER DRUMS	4	EA				
14	7000000052		HEAVY-DUTY ALLEN KEY SET (UP TO 16MM)- 05 SETMATERIAL: CHROME VANADIUM STEEL OR S2 TOOL STEEL FOR HIGH STRENGTH ANDDURABILITYFINISH:	5	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			BLACK OXIDE OR SATIN FINISH TO RESIST CORROSION AND WEAR DESIGN: BALL-END OR STRAIGHT-END KEYS FOR EASY ACCESS AND VERSATILITY STORAGE: COMES IN A STURDY HOLDER OR CASE FOR ORGANIZED STORAGE AND PORTABILITY USE: INDUSTRIAL MACHINERY, AUTOMOTIVE REPAIR, HEAVY EQUIPMENT MAINTENANCE						
15	7000000052		HEAVY-DUTY BOX SPANNER SET - 03 SET MATERIAL: CHROME VANADIUM (CR-V) STEEL, FORGED & HEAT TREATED FOR STRENGTH AND DURABILITY FINISH: POLISHED CHROME OR BLACK OXIDE FINISH FOR CORROSION RESISTANCE DESIGN: DEEP RECESSED SOCKETS FOR HARD-TO-REACH FASTENERS, HEXAGONAL PROFILE FOR MAXIMUM GRIP SIZES: USUALLY COMES IN SETS RANGING FROM 8MM TO 32MM OR HIGHER (METRIC), OR EQUIVALENT SAE SIZES USE: INDUSTRIAL MAINTENANCE, MACHINERY REPAIR, PLUMBING, AUTOMOTIVE, HEAVY EQUIPMENT A STURDY CASE	3	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FOR ORGANIZED STORAGE						
16	7000000052		HEAVY-DUTY ADJUSTABLE SPANNER # 12 INCH (300 MM) - 05 NOS MATERIAL: CHROME VANADIUM OR CHROME MOLYBDENUM STEEL (DROP-FORGED) FINISH: C ORROSION-RESISTANT CHROME OR PHOSPHATE FINISH JAW CAPACITY: ~38 MM (WIDE MOUTH FOR LARGER NUTS/BOLTS) DESIGN: PRECISION-MACHINED JAWS, NON-SLIP KNURLED ADJUSTMENT APPLICATION: INDUSTRIAL, MECHANICAL MAINTENANCE, OIL & GAS, HEAVY MACHINERY	5	EA				
17	7000000052		HEAVY-DUTY 12" ADJUSTABLE PIPE WRENCH - 05 NOS MATERIAL: FORGED CHROME VANADIUM STEEL OR HEAT-TREATED ALLOY STEEL FOR MAXIMUM STRENGTH FINISH: RUST-RESISTANT POLISHED OR BLACK OXIDE FINISH JAW: HARDENED, SERRATED STEEL JAWS FOR SUPERIOR GRIP ON PIPES AND FITTINGS HANDLE : EXTRA-THICK, ERGONOMIC DESIGN FOR HEAVY-DUTY USE AND BETTER LEVERAGE USE: IDEAL FOR INDUSTRIAL PLUMBING, MECHANICAL,	5	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			AND MAINTENANCE WORKUNDER HIGH TORQUE						
18	7000000052		HEAVY-DUTY INDUSTRIAL HAMMERING RING SPANNERS (STRIKING WRENCHES)SIZE: 55 MM - 04 NOSMATERIAL: CHROME VANADIUM STEEL (CR-V) FORGED & HEAT TREATED FOR MAXSTRENGTHFINISH: POLISHED CHROME OR BLACK OXIDE FOR CORROSION RESISTANCEDESIGN: RING SPANNER SIDE DESIGNED TO WI THSTAND HAMMER IMPACTSPRECISION: TIGHT TOLERANCES FOR EXCELLENT GRIP ON NUTS/BOLTS TO AVOIDROUNDINGSTANDARDS: OFTEN COMPLIANT WITH D IN 3113 OR ISO 3318 FOR STRIKINGWRENCHESHANDLE: ERGONOMIC, SOMETIMES LONGER HANDLES FOR BETTER LEVERAGE INBIGGER SIZES	4	EA				
19	7000000052		HEAVY-DUTY INDUSTRIAL HAMMERING RING SPANNERS (STRIKING WRENCHES)SIZE: 50 MM - 04 NOSMATERIAL: CHROME VANADIUM STEEL (CR-V) FORGED & HEAT TREATED FOR MAXSTRENGTHFINISH:	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			POLISHED CHROME OR BLACK OXIDE FOR CORROSION RESISTANCE DESIGN: RING SPANNER SIDE DESIGNED TO WITHSTAND HAMMER IMPACTS PRECISION: TIGHT TOLERANCES FOR EXCELLENT GRIP ON NUTS/BOLTS TO AVOID ROUNDING STANDARDS: OFTEN COMPLIANT WITH DIN 3113 OR ISO 3318 FOR STRIKING WRENCHES HANDLE: ERGONOMIC, SOMETIMES LONGER HANDLES FOR BETTER LEVERAGE IN BIGGER SIZES						
20	7000000052		HEAVY-DUTY INDUSTRIAL HAMMERING RING SPANNERS (STRIKING WRENCHES) SIZE: 46 MM - 04 NOS MATERIAL: CHROME VANADIUM STEEL (CR-V) FORGED & HEAT TREATED FOR MAX STRENGTH FINISH: POLISHED CHROME OR BLACK OXIDE FOR CORROSION RESISTANCE DESIGN: RING SPANNER SIDE DESIGNED TO WITHSTAND HAMMER IMPACTS PRECISION: TIGHT TOLERANCES FOR EXCELLENT GRIP ON NUTS/BOLTS TO AVOID ROUNDING STANDARDS: OFTEN COMPLIANT WITH DIN	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			IN 3113 OR ISO 3318 FOR STRIKINGWRENCHESHANDLE: ERGONOMIC, SOMETIMES LONGER HANDLES FOR BETTER LEVERAGE INBIGGER SIZES						
21	7000000052		HEAVY-DUTY INDUSTRIAL HAMMERING RING SPANNERS (STRIKING WRENCHES)SIZE: 41 MM - 04 NOSMATERIAL: CHROME VANADIUM STEEL (CR-V) FORGED & HEAT TREATED FOR MAXSTRENGTHFINISH: POLISHED CHROME OR BLACK OXIDE FOR CORROSION RESISTANCEDESIGN: RING SPANNER SIDE DESIGNED TO WI THSTAND HAMMER IMPACTSPRECISION: TIGHT TOLERANCES FOR EXCELLENT GRIP ON NUTS/BOLTS TO AVOIDROUNDINGSTANDARDS: OFTEN COMPLIANT WITH D IN 3113 OR ISO 3318 FOR STRIKINGWRENCHESHANDLE: ERGONOMIC, SOMETIMES LONGER HANDLES FOR BETTER LEVERAGE INBIGGER SIZES	4	EA				
22	7000000052		HEAVY-DUTY INDUSTRIAL HAMMERING RING SPANNERS (STRIKING WRENCHES)SIZE: 36 MM - 04 NOSMATERIAL: CHROME VANADIUM STEEL (CR-V)	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			FORGED & HEAT TREATED FOR MAXSTRENGTHFINISH: POLISHED CHROME OR BLACK OXIDE FOR CORROSION RESISTANCEDESIGN: RING SPANNER SIDE DESIGNED TO WI THSTAND HAMMER IMPACTSPRECISION: TIGHT TOLERANCES FOR EXCELLENT GRIP ON NUTS/BOLTS TO AVOIDROUNDINGSTANDARDS: OFTEN COMPLIANT WITH D IN 3113 OR ISO 3318 FOR STRIKINGWRENCHESHANDLE: ERGONOMIC, SOMETIMES LONGER HANDLES FOR BETTER LEVERAGE INBIGGER SIZES						
23	7000000052		HEAVY-DUTY INDUSTRIAL HAMMERING RING SPANNERS (STRIKING WRENCHES)SIZE: 32 MM - 04 NOSMATERIAL: CHROME VANADIUM STEEL (CR-V) FORGED & HEAT TREATED FOR MAXSTRENGTHFINISH: POLISHED CHROME OR BLACK OXIDE FOR CORROSION RESISTANCEDESIGN: RING SPANNER SIDE DESIGNED TO WI THSTAND HAMMER IMPACTSPRECISION: TIGHT TOLERANCES FOR EXCELLENT GRIP ON	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			NUTS/BOLTS TO AVOID ROUNDING STANDARDS: OFTEN COMPLIANT WITH D IN 3113 OR ISO 3318 FOR STRIKING WRENCHES HANDLE: ERGONOMIC, SOMETIMES LONGER HANDLES FOR BETTER LEVERAGE IN BIGGER SIZES						
24	7000000052		HEAVY-DUTY INDUSTRIAL HAMMERING RING SPANNERS (STRIKING WRENCHES) SIZE: 30 MM - 04 NO MATERIAL: CHROME VANADIUM STEEL (CR-V) FORGED & HEAT TREATED FOR MAX STRENGTH FINISH: POLISHED CHROME OR BLACK OXIDE FOR CORROSION RESISTANCE DESIGN: RING SPANNER SIDE DESIGNED TO WITH STAND HAMMER IMPACTS PRECISION: TIGHT TOLERANCES FOR EXCELLENT GRIP ON NUTS/BOLTS TO AVOID ROUNDING STANDARDS: OFTEN COMPLIANT WITH D IN 3113 OR ISO 3318 FOR STRIKING WRENCHES HANDLE: ERGONOMIC, SOMETIMES LONGER HANDLES FOR BETTER LEVERAGE IN BIGGER SIZES	4	EA				
25	7000000052		HEAVY-DUTY INDUSTRIAL HAMMERING RING	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			<p>SPANNERS (STRIKING WRENCHES)SIZE: 27 MM - 04 NOSMATERIAL: CHROME VANADIUM STEEL (CR-V) FORGED & HEAT TREATED FOR MAXSTRENGTHFINISH: POLISHED CHROME OR BLACK OXIDE FOR CORROSION RESISTANCEDESIGN: RING SPANNER SIDE DESIGNED TO WI THSTAND HAMMER IMPACTSPRECISION: TIGHT TOLERANCES FOR EXCELLENT GRIP ON NUTS/BOLTS TO AVOIDROUNDINGSTANDARDS: OFTEN COMPLIANT WITH D IN 3113 OR ISO 3318 FOR STRIKINGWRENCHESHANDLE: ERGONOMIC, SOMETIMES LONGER HANDLES FOR BETTER LEVERAGE INBIGGER SIZES</p>						
26	7000000052		<p>HEAVY-DUTY INDUSTRIAL HAMMERING RING SPANNERS (STRIKING WRENCHES)SIZE: 24 MM - 04 NOSMATERIAL: CHROME VANADIUM STEEL (CR-V) FORGED & HEAT TREATED FOR MAXSTRENGTHFINISH: POLISHED CHROME OR BLACK OXIDE FOR CORROSION RESISTANCEDESIGN: RING SPANNER SIDE DESIGNED TO WI</p>	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			THSTAND HAMMER IMPACTSPRECISION: TIGHT TOLERANCES FOR EXCELLENT GRIP ON NUTS/BOLTS TO AVOIDROUNDINGSTANDARDS: OFTEN COMPLIANT WITH D IN 3113 OR ISO 3318 FOR STRIKINGWRENCHESHANDLE: ERGONOMIC, SOMETIMES LONGER HANDLES FOR BETTER LEVERAGE INBIGGER SIZES						
27	7000000052		TYPE: COMBINATION SPANNER SET (ONE SIDE OPEN-ENDED, OTHER SIDE RING)SIZE: 06 MM TO 32 MM (COMPLETE SET - 04 NOS)MATERIAL: CHROME VAN ADIUM STEEL (CR-V), FORGED & HEAT TREATED FORSTRENGTH & DURABILITYFINISH: POLISHED CHROME FINISH FOR CORROSION RESISTANCEUSAGE: HEAV Y-DUTY, INDUSTRIAL GRADE FOR WORKSHOPS, MAINTENANCE,MECHANICAL WORKSTANDARDS: DIN 3113, ISO 3318 COMPLIANT	4	EA				
28	7000000052		MITUTOYO DIGITAL VERNIER CALIPER 500-196-30 WITH CALIBRATION CERTIFICATETO BE PROVIDED - 03 NOS.MEASURING RANGE: 0#150 MM (0#6 INCHES)RESOLUTION: 0.01 MM (0.0005	3	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			INCHES)ACCURACY: ± 0.02 MM (± 0.001 INCHES)DISPLAY: LARGE LCD SCREEN FOR CLEAR READINGSMATERIAL: HARDENED STAINLESS STEEL BODY FOR DURABILITYFEATURES:ABSOLUTE AOS (ADVANCED ONSITE SENSOR) TECHNOLOGY FOR IMPROVEDMEASUREMENT RELIABILITY, SPLASH WATER, OIL, AND DUST RESISTANTZERO SETTING AT ANY POSITIONBATTERY LIFE OF APPROXIMATELY 3.5 YEARS UNDER AVERAGE USAGE						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Tools for KSWRO Contact: sidharth.prakash@dewa.gov.ae

STANDARD TERMS & CONDITIONS

- Prices should be 'DDP' delivery duty paid at DEWA stores.
- Quotation to be submitted only in local currency U.A.E Dirhams
- DEWA Standard payment terms is '30 days credit' from the date of acceptance of material

MATERIAL AND OR SERVICE PROVIDED TO DEWA SHOULD PREFERABLY BE ENERGY EFFICIENT AND ENVIRONMENT FRIENDLY.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412501372
DATE : 26.08.2025
REQ No : 1172500796
REQ TITLE : Tools for KSWRO 1172500796
DELIVERY LOCATION : 0015 - K STORE-SPAR&CHE
CLOSING DATE : 29.08.2025
CLOSING TIME : 10:00:00

4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.

5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP