

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	3600081325		STEM NUT A (WITHOUT THREAD); PART NO.: 575.1; FOR ACTUATOR; HP ECON 4B/P INCHING-V; ACTUATOR SPECIFICATION - MODEL: SA 07.6-F10; OR DER NO.:13353803; SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE RANGE CLOSEDIRECTION: 20-60 NM; TORQUE RANGE OPEN DIRECTION: 20-60 NM; LUBRICANTTYPE: F15; ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012, 72HAC10AA012;MAKE: AUMA	2	EA				
2	3600081323		LOCKING PLATE; PART NO.: 025.0; FOR ACTUATOR; HP ECON 4 B/P INCHING-V;ACTUATOR SPECIFICATION - MODEL: SA 07.6-F10; ORDER NO.: 13353 803;SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE RANGE CLOSE DIRECTION:20-60 NM; TORQUE RANGE OPEN DIRECTION: 20-60 NM; LUBRICANT TYPE: F15;ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012, 72HAC10AA012; MAKE: AUMA	2	EA				
3	3600081322		DRIVE WHEEL FOR LIMIT SWITCHING; PART NO.: 024.0; FOR ACTUATOR; HP ECON4 B/P INCHING-V; ACTUATOR SPECIFICATION - MODEL: SA 07.6-F10	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			; ORDERNO.: 13353803; SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE RANGE CLOSEDIRECTION: 20-60 NM; TORQUE RANGE OPEN DIRECTION: 2 0 -60 NM; LUBRICANTTYPE: F15; ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012, 72HAC10AA012;MAKE: AUMA						
4	3600081321		OUTPUT DRIVE WHEEL FOR LIMIT SWITCHING; PART NO.: 023.0; FOR ACTUATOR;HP ECON 4 B/P INCHING-V; ACTUATOR SPECIFICATION - MODEL: SA 0 7.6-F10;ORDER NO.: 13353803; SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE RANGECLOSE DIRECTION: 20-60 NM; TORQUE RANGE OPEN DIREC TION: 20-60 NM;LUBRICANT TYPE: F15; ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012,72HAC10AA012; MAKE: AUMA	2	EA				
5	3600081320		DRIVE PINION II FOR TORQUE SWITCHING; PART NO.: 022.0; FOR ACTUATOR; HPECON 4 B/P INCHING-V; ACTUATOR SPECIFICATION - MODEL: SA 07. 6-F10;ORDER NO.: 13353803; SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			RANGECLOSE DIRECTION: 20-60 NM; TORQUE RANGE OPEN DIRECTI O N: 20-60 NM;LUBRICANT TYPE: F15; ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012,72HAC10AA012; MAKE: AUMA						
6	3600081319		CROWN WHEEL; PART NO.: 019.0; FOR ACTUATOR; HP ECON 4 B/P INCHING-V;ACTUATOR SPECIFICATION - MODEL: SA 07.6-F10; ORDER NO.: 1335380 3;SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE RANGE CLOSE DIRECTION:20-60 NM; TORQUE RANGE OPEN DIRECTION: 20-60 NM; LUBRICANT T Y PE: F15;ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012, 72HAC10AA012; MAKE: AUMA	2	EA				
7	3600081318		GEAR SEGMENT; PART NO.: 018.0; FOR ACTUATOR; HP ECON 4 B/P INCHING-V;ACTUATOR SPECIFICATION - MODEL: SA 07.6-F10; ORDER NO.: 133538 03;SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE RANGE CLOSE DIRECTION:20-60 NM; TORQUE RANGE OPEN DIRECTION: 20-60 NM; LUBRICANT TY	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			PE: F15;ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012, 72HAC10AA012; MAKE: AUMA						
8	3600081317		TORQUE LEVER; PART NO.: 017.0; FOR ACTUATOR; HP ECON 4 B/P INCHING-V;ACTUATOR SPECIFICATION - MODEL: SA 07.6-F10; ORDER NO.: 133538 03;SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE RANGE CLOSE DIRECTION:20-60 NM; TORQUE RANGE OPEN DIRECTION: 20-60 NM; LUBRICANT TY PE: F15;ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012, 72HAC10AA012; MAKE: AUMA	2	EA				
9	3600081316		MANUAL GEARING; PART NO.: 009.0; FOR ACTUATOR; HP ECON 4 B/P INCHING-V;ACTUATOR SPECIFICATION - MODEL: SA 07.6-F10; ORDER NO.: 1335 3803;SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE RANGE CLOSE DIRECTION:20-60 NM; TORQUE RANGE OPEN DIRECTION: 20-60 NM; LUBRICAN T TYPE: F15;ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012, 72HAC10AA012; MAKE: AUMA	2	EA				
10	3600081314		MANUAL DRIVE COUPLING; PART NO.: 005.3; FOR	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ACTUATOR; HP ECON 4 B/PINCHING-V; ACTUATOR SPECIFICATION - MODEL: SA 07.6-F10; ORDER NO :.13353803; SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE RANGE CLOSEDIRECTION: 20-60 NM; TORQUE RANGE OPEN DIRECTION: 20-60 NM; L U BRICANTTYPE: F15; ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012, 72HAC10AA012;MAKE: AUMA						
11	3600081313		MOTOR COUPLING; PART NO.: 005.1; FOR ACTUATOR; HP ECON 4 B/P INCHING-V;ACTUATOR SPECIFICATION - MODEL: SA 07.6-F10; ORDER NO.: 1335 3803;SERIAL NO.: 1616MD56914; SPEED: 4 RPM; TORQUE RANGE CLOSE DIRECTION:20-60 NM; TORQUE RANGE OPEN DIRECTION: 20-60 NM; LUBRICAN T TYPE: F15;ENCLOSURE PROTECTION: IP68; KKS: 71HAC10AA012, 72HAC10AA012; MAKE: AUMA	2	EA				
12	3600081259		CROWN WHEEL; PART NO.: 019.0; FOR ACTUATOR; AUX STM B/P I-V; ACTUATORMODEL: SA 07.6-F10; ORDER NO.: 13347925, 13347929, 13348573, 1 3362403,13359082; SERIAL NO.: 0816MD44128, 0916MD44919, 1016MD47460,2716MD77593,	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			2416MD71526; SPEED: 16 RPM; TORQUE RANGE CLOSE DI R ECTION:20-60 NM; OUTPUT DRIVE: A-UN; POSITION TRANSMITTER: NO POSITIONTRANSMITTER; TORQUE RANGE OPEN DIRECTION: 20-60 NM; LUBRICA NT TYPE:F15; ENCLOSURE PROTECTION: IP68; KKS: 70LCM20AA505, 71LCA46AA011,72LCA46AA011, 71LBA80AA404, 72LBA80AA404, 71LBG15AA013, 7 2LB G15AA013,71/72HAC10AA006; MAKE: AUMA						
13	3600081226		MANUAL GEARING; PART NO.: 009.0; FOR ACTUATOR; HP MS HDR B/P S/O-V,ACTUATOR MODEL: SA 10.2-F10; ORDER NO.: 13347921, 13347922, 1334 7924,13348568; SERIAL NO.: 0916MD44964, 0916MD44965, 0916MD44966,0916MD45054, 0916MD45053, 1016MD47338; SPEED: 16 RPM; TORQUE RANG E CLOSE DIRECTION: 40-120 NM; TORQUE RANGE OPEN DIRECTION: 40-120 NM;OUTPUT DRIVE: A-UN; POSITION TRANSMITTER: NO POSITION TRANSMIT TE	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			R;LUBRICANT TYPE: F15; ENCLOSURE PROTECTION: IP68; KKS: 71LBA15AA015,72LBA15AA015, 70NAA60AA412, 72LBA10AA012, 71LBA10AA012, 71H AD1 5AA001,72HAD15AA001; MAKE: AUMA						
14	3600081222		DRIVESHAFT; PART NO.: 005.0; FOR ACTUATOR; HP MS HDR B/P S/O-V, ACTUATORMODEL: SA 10.2-F10; ORDER NO.: 13347921, 13347922, 13347924 , 13348568;SERIAL NO.: 0916MD44964, 0916MD44965, 0916MD44966, 0916MD45054,0916MD45053, 1016MD47338; SPEED: 16 RPM; TORQUE RANGE CLO SE DIRECTION:40-120 NM; TORQUE RANGE OPEN DIRECTION: 40-120 NM; OUTPUT DRIVE: A-UN;POSITION TRANSMITTER: NO POSITION TRANSMITTER; L UBRICANT TYPE: F15;ENCLOSURE PROTECTION: IP68; KKS: 71LBA15AA015, 72LBA15AA015,70NAA60AA412, 72LBA10AA012, 71LBA10AA012, 71HAD15 AA0 01, 72HAD15AA001;MAKE: AUMA	2	EA				
15	3600076272		MANUAL DRIVE COUPLING; PN NO.: 005.3; FOR ACTUATOR COMPLETE ASSEMBLY; FGP REG INL	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			I-V; ACTUATOR SPECIFICATIONS- MODEL: SAEX 07.6-F1 0/A3A1;ORDER NO.: 13345779; SERIAL NO.: 0416MD36962, 0416MD36963, 0416MD36961,0416MD36960; SPEED: 45 RPM; TORQUE RANGE CLOSE DIREC TION: 20-60 NM;TORQUE RANGE OPEN DIRECTION: 20-60 NM; LUBRICANT TYPE: F11; ENCLOSUREPROTECTION: IP68; KKS: 72EKD11AA002, 72EKD12AA 00 2, 71EKD11AA002,71EKD12AA002; MAKE: AUMA						
16	3600076271		MOTOR COUPLING; PN NO.: 005.1; FOR ACTUATOR COMPLETE ASSEMBLY; FG P REGINL I-V; ACTUATOR SPECIFICATIONS- MODEL: SAEX 07.6-F10/A3A1; ORDER NO.:13345779; SERIAL NO.: 0416MD36962, 0416MD36963, 0416MD36961,0416MD36960; SPEED: 45 RPM; TORQUE RANGE CLOSE DIRECTION: 2 0 -60 NM;TORQUE RANGE OPEN DIRECTION: 20-60 NM; LUBRICANT TYPE: F11; ENCLOSUREPROTECTION: IP68; KKS: 72EKD11AA002, 72EKD12AA002, 71 EK D11AA002,71EKD12AA002; MAKE: AUMA	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
17	3600074784		SEAL KIT (SMALL & LARGE); PART NO.: S1 & S2; HP FW CTRL-V; ACTUATOR SPECIFICATION - MODEL: SAR 14.2-F14; ORDER NO.: 13353792, 13353806; SERIAL NO.: 1716MD57941, 1716MD57915, 1716MD57916; SPEED: 16 RPM; TORQUE RANGE CLOSE DIRECTION: 120-250 NM; TORQUE RANGE OPEN DIRECTION: 120-250NM; LUBRICANT TYPE: F15; ENCLOSURE PROTECTION: IP68; KKS: 71LBG30AA101, 72LBG30AA101, 71LAB30AA101, 72LAB30AA101, 7 1L AB31AA101, 72LAB31AA101; MAKE: AUMA	1	SET				
18	3600074740		TORQUE LEVER; PART NO.: 017.0; FOR: HP/LP PRDS1 W/U-V; ACTUATOR MODEL: SA 10.2-F10; ORDER NO.: 13379483; SERIAL NO.: 0417MD22692, 0417MD22693, 0417MD22691, 0417MD22690; SPEED: 11 RPM; TORQUE RANGE CLOSE DIRECTION: 40-120 NM; TORQUE RANGE OPEN DIRECTION: 40-120 NM; LUBRICANT TYPE: F15; ENCLOSURE PROTECTION: IP68; KKS: 70LBF31AA020, 70LBF32AA020, 70NAA51AA020, 70NAA52AA020; MAKE: AUMA	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
19	3600074726		DRIVE PINION II FOR TORQUE SWITCHING; PART NO.: 022.0; FOR: FWP2 W/U V; ACTUATOR MODEL: SA 10.2-F10; ORDER NO.: 13347920; SERIAL NO.: 0916MD44960, 0916MD44961; SPEED: 22 RPM; TORQUE RANGE CLOSE DIRECTION: 40-120 NM; TORQUE RANGE OPEN DIRECTION: 40-120 NM; LUBRICANT TYPE: F15; ENCLOSURE PROTECTION: IP68; KKS: 71LAB11AA027, 72LAB11AA027, 71LAB12A027, 721LAB12A027; MAKE: AUMA	2	EA				
20	3600074723		TORQUE LEVER; PART NO.: 017.0; FOR: FWP2 W/U V; ACTUATOR MODEL: SA10.2-F10; ORDER NO.: 13347920; SERIAL NO.: 0916MD44960, 0916MD44961; SPEED: 22 RPM; TORQUE RANGE CLOSE DIRECTION: 40-120 NM; TORQUE RANGE OPEN DIRECTION: 40-120 NM; LUBRICANT TYPE: F15; ENCLOSURE PROTECTION: IP68; KKS: 71LAB11AA027, 72LAB11AA027, 71LAB12A027, 721LAB12A027; MAKE: AUMA	2	EA				
21	3600074718		DRIVESHAFT; PART NO.: 005.0; FOR: FWP2 W/U V; ACTUATOR MODEL: SA10.2-F10; ORDER NO.: 13347920; SERIAL NO.: 0916MD44960, 0916MD44961	2	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			;SPEED: 22 RPM; TORQUE RANGE CLOSE DIRECTION: 40-120 NM; TORQUE RANGE OPEN DIRECTION: 40-120 NM; LUBRICANT TYPE: F15; ENCLOSURE PRO T ECTION:IP68; KKS: 71LAB11AA027, 72LAB11AA027, 71LAB12A027, 721LAB12A027; MAKE:AUMA						
22	3600067223		SWING LEVER, PN: 020.0 FOR ACTUATOR MODEL: SAR 07.5-F10, COM NO :13086880, MAKE: AUMA	2	SET				
23	3600067220		TORQUE LEVER, PN: 017.0 FOR ACTUATOR MODEL: SAR 07.5-F10, COM NO :13086880, MAKE: AUMA	2	SET				
24	3600067219		MANUAL GEARING, PN: 009.0 FOR ACTUATOR MODEL: SAR 07.5-F10, COM NO :13086880, MAKE: AUMA	2	SET				
25	3600067217		PULL ROPE, PN: 005.4 FOR ACTUATOR MODEL: SAR 07.5-F10, COM NO :13086880, MAKE: AUMA	2	SET				
26	3600067130		SWING LEVER, PN: 020.0 FOR ACTUATOR MODEL: SA 10.1-F10, COM NO :13085477, 13087497, 13081878, 13110058, 13087488, 13087500, 1308750 2,13087651, 13085380, 13088330, 13087909, 13088351, 13088338, 13081874,13099084, MAKE: AUMA	2	SET				
27	3600067121		DRIVESHAFT, PN: 005.0 FOR ACTUATOR MODEL: SA	2	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			10.1-F10, COM NO :13085477, 13087497, 13081878, 13110058, 13087488, 13087500, 13087502 ,13087651, 13085380, 13088330, 13087909, 13088351, 13088338, 13081874,13099084, MAKE: AUMA						
28	3600044537		ACTUATOR_ELECTRICAL; TYPE: MULTI-TURN; TORQUE: 20 TO 60NM; GEAR RATIO:11:1; ELECTRICAL RATING: 110 TO 250VAC/DC 3PH 50HZ 5 TO 20W; S PEED:32RPM; ENCLOSURE: IP67/68; TEMPERATURE RATING: -25 TO 80DEG C; MFR: AUMARIESTER GMBH & CO KG; MPN: SA 07.5-F10: ADDITIONAL I NF O: COMPLETE ASSY;APPLICATION: FW FROM L2 ATP HP STEAM VALVE; AUMA; COMM NO: 13089657; KKSCODE: 40LAB20AA002	1	EA				
29	3600043844		FLANGE_TYPE: RETAINING; MFR: AUMA RIESTER GMBH & CO KG; APPLICATION: HPDESUPERHEATER SPRAY CONTROL VALVE ACTUATOR; 11 1/MIN; 30 TO 6 0NM; -25 TO70DEG C; MODEL: SAR 07.5-F10; AUMA RIESTER GMBH & CO KG; POS: 010.0;COMM NO: 93008356; KKS CODE: 11/12/21/22/31/32LAF1 0A A151/152	6	SET				
30	3600043843		GEAR_TYPE: PLANETARY, MANUAL DRIVE; MFR:	6	SET				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			AUMA RIESTER GMBH & CO KG:APPLICATION: ACTUATOR OF HP DESUPERHEATER SPRAY CONTROL VALVE; N : 111/MIN; 30 TO 60NM T CLOSE/T OPEN; -25 TO 70DEG C TEMPERATURE; MODEL: SAR07.5-F10; AUMA RIESTER GMBH; POS: 009.0; COMM NO: 9300 8 356; KKS CODE:11/12/21/22/31/32LAF10AA151 /152						
31	3600042913		SEAL_TYPE: SMALL, LARGE; MFR: AUMA RIESTER GMBH & CO KG: ADDITIONALINFO: PACKAGE TYPE: SET; APPLICATION: HRSG BFP DISCHARGE MOV ACT UATOR;90L/MIN N; 1250 TO 4000NM T OPEN/T CLOSE;-25 TO 70DEG C TEMPERATURE;MODEL: SA 30.1-F30; AUMA; POS: S1; S2; COMM NO: 13088339 ; KKS CODE:11/12/21/22/31/32LAB21/22AA051	6	EA				

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

SUPPLY OF SPARES FOR ACTUATORS AT M <(>&<)> M EXT STATION, JABEL ALI

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
 - 2) Quotation to be submitted only in local currency U.A.E Dirhams
 - 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
 - 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
 - 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
 - 6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.
- If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements
- The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412502003
DATE : 08.12.2025
REQ No : 1012505179
REQ TITLE : SUPPLY OF SPARES FOR
DELIVERY LOCATION : 0022 - M STORES, JAPS
CLOSING DATE : 12.12.2025
CLOSING TIME : 10:00:00

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP