

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412600063
DATE : 11.01.2026
REQ No : 1012504974
REQ TITLE : Motor Protection Relays
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 23.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	2700056622		RELAY_DIFFERENTIAL; TYPE: MODULAR PROTECTION SYSTEM; POWER SUPPLY: 120TO 240VAC/DC; AMPERAGE: 0.5 TO 5KA; FREQUENCY RATING: 50HZ; MF R: ALLEN-BRADLEY; MPN: 825-PD, ADDITIONAL INFO: VA RATING 40VA 15W; INTERNALFUSE: T3.15A AT 250V; RATED IMPULSE VOLTAGE WITHSTAND UI MP: 4KV; INSULATION VOLTAGE:300V; OPERATIONAL VOLTAGE UE: 240VAC MAX; OPERATIONALCURRENT IE: 3A AT 120V, 1.5A AT240V; THERMAL CURRENT ITHE: 5A; UTILIZATION CATEGORY:AC-15; SHORT CIRCUIT RATING: 1KA AMPERAGE: 0.5 TO5KA; IP:65; TRIP CLASS :1-600SEC; TRIP RATING: SF SETTING X FLA SETTINGCOMPATIBLE TO USE WITH CURRENT CONVERTOR MODULE MPN: : 825-MCM630N, REGION: USA, SOFTWARE FOR COMMUNICATION TO BE PROVIDED; APPLICATION:PHASE-1 D5 CEP MOTORS; SER-B	1	EA				
2	2700056623		MODULE_TYPE: CURRENT CONVERTER; INPUT: 160 TO 630A; ELECTRICAL RATING:1KVAC 160 TO 630A 50/60HZ; MFR: ALLEN-BRADLEY; MPN: 825-MCM630	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412600063
DATE : 11.01.2026
REQ No : 1012504974
REQ TITLE : Motor Protection Relays
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 23.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			N,ADDITIONAL INFO: RATED CONTINOUS THERMAL CURRENT: 756 AMPS; RATEDSATURATION CURRENT : 4600 AMPS; COMPATIBLE TO USE WITH MPN-825PD SER.BMODULAR PROTECTION RELAY MAKE: ALLEN BRADELLY; REGION: USA; APPLICATION:PHASE-1 D5 CEP MOTORS						
3	2700056624		TRANSFORMER_KVA RATING: 0.4 VA (RATED BURDEN); PRIMARY CURRENT: 100;SECONDARY CURRENT: 1; TYPE: CORE BALANCE; PHASE: 1PH; MOUNT: 110 MMWINDOW OPENING; MFR: ALLEN-BRADLEY; MPN: 825-CBCT; ADDITIONAL INFO:MEASURE OF EARTH CURRENT RATING: 0.5 TO 10A, RATIO:100:1,REGION :USA/SWITZERLAND; COMPATIBLE TO USE WITH MPN: 825PD SER.B MODULARPROTECTION RELAY, MAKE: ALLEN BRADELLY; APPLICATION: PHASE-1 D5 CEP MOTORS	1	EA				
4	2700056625		BOARD_PRINTED CIRCUIT; FUNCTION: VOLTAGE INPUT; ELECTRICAL RATING: 67 TO300VAC, (LINE TO NEUTRAL). 50/60HZ. OPERATING RANGE: 0.80	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412600063
DATE : 11.01.2026
REQ No : 1012504974
REQ TITLE : Motor Protection Relays
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 23.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			TO 1.1 UE, RATED CONTINUOUS VOLTAGE: 300VAC, RATED IMPULSE STRENGTH UIMP:4KV.; MFR: ALLEN-BRADLEY; MPN: 825-PVS; ADDITIONAL INFO: COMPATIBLE TO USE WITH MPN-825PD SER.B MODULAR PROTECTION RELAY MAKE ALLEN BRADELLY, REGION: USA; APPLICATION: PHASE-1 D5 CEP MOTOR PROTECTION RELAY						
5	2700056626		BOARD_PRINTERED CIRCUIT; FUNCTION: INPUT/OUTPUT; ELECTRICAL RATING: 120VAC/DC (INPUT), OPERATING RANGE: 0.80 TO 1.1 UE, RATED CONTINUOUS USVOLTAGE: 300VAC, RATED IMPULSE STRENGTH UIMP:4KV; MFR: ALLEN-BRADLEY; MPN: 825-PIOD; ADDITIONAL INFO: COMPATIBLE TO USE WITH MPN-8 25PD SER.B MODULAR PROTECTION RELAY MAKE ALLEN BRADELLY, REGION: USA; APPLICATION: PHASE-1 D5 CEP MOTOR PROTECTION RELAY	1	EA				
6	2700056627		BOARD_PRINTERED CIRCUIT; FUNCTION: DEVICE NET	1	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412600063
DATE : 11.01.2026
REQ No : 1012504974
REQ TITLE : Motor Protection Relays
DELIVERY LOCATION : 0003 - D STORES, JAPS
CLOSING DATE : 23.01.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			COMMUNICATION; MFR: ALLEN-BRADLEY; MPN: 825-PDN; ADDITIONAL INFO: BRAND: COMPATIBALE TO USE WITHMPN-825PD SER.B MODULAR PROTECTION RELAY MAKE ALLEN BRADELLY,REGION:USA; APPLICATION: PHASE-1 D5 CEP MOTOR PROTECTION RELAY						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Motor Protection Relays

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2412600063
DATE	: 11.01.2026
REQ No	: 1012504974
REQ TITLE	: Motor Protection Relays
DELIVERY LOCATION	: 0003 - D STORES, JAPS
CLOSING DATE	: 23.01.2026
CLOSING TIME	: 10:00:00

6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP