

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412600312
DATE : 16.02.2026
REQ No : 1172501042
REQ TITLE : Earthing kit 1172501042
DELIVERY LOCATION : 0050 - CS(DIST)-WARSAN
CLOSING DATE : 23.02.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	7000000008		TEMPORARY SHORT-CIRCUITING AND GROUNDING EQUIPMENT FOR DIST.OHL UP TO 33 KV :EACH EARTHING SET COMPOSED OF AS FOLLOWS :- 03 NOS. #CT C 35 MM SQ. EXTRA FLEXIBLE COPPER CABLE CRYSTAL CLEAR(PVC) INSULATION EACH CABLE OF 12 METER LENGTH WITH FERRULES.- 03 NOS GROUNDING CLAMP. MODEL : RG3363-1, RITZ- 03 NOS CONDUCTOR CLAMP. MODEL : RG3403-8, RITZMANUFACTURER: RITZ /HUBBELL POWER SYSTEMS.	4	EA				
2	7000000008		SECTIONAL HOT STICK FOR DIST. OHL UP TO 33 KV :TOTAL LENGTH 6.45 METER# COMPOSED OF 5 SECTION (BASE + 3 INTERMEDIARY+TOP) WHICH ARE INTERCHANGEABLE AND ATTACHED WITH QUICK - SPRING ACTIONLOCKING PIN. TOP SECTION WITH UNIVERSAL HEAD CS-U.DIAMETER FOR BASE (HANDLE) AND MIDDLE SECTION IS Ø 32 MM ANDTOP SECTION IS Ø 25 MM.TEST CERTIFICATE SHOULD BE PROVIDE # SUBMITTED TO 100KV	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412600312
DATE : 16.02.2026
REQ No : 1172501042
REQ TITLE : Earthing kit 1172501042
DELIVERY LOCATION : 0050 - CS(DIST)-WARSAN
CLOSING DATE : 23.02.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ELECTRICALTEST IN EACH 300MM, ASSURING AN IDEAL INSULATION. TEST ARE MADEACCORDING TO ASTM F711, IEC855. WATERPROOF CARRY BAG AND TWO YEARS WARRANTY SHOULD BE PROVIDED. REF. MODEL: RITZ HOT STICK 6.45M FIVE SECTION IN BAG (1/EACH) VMR-90/L.						
3	7000000008		TREE TRIMMER : POLE WITH BRANCH PRUNER WITH UNIVERSAL HEAD, POLE LENGTH 0.66 METER AND DIAMETER IS Ø 32 MM. THE FIXED AND MOVABLEBLAD E IS MADE OF FORGED STEEL AND IS SHARP. THE PULLYSYSTEM WILL REPRESENT A 30LB FORCE ON THE BLADE. INCLUDING A Ø 1/4"CORD WITH A LENGTH OF 7.60 M. WITH EACH TRIMMER. TEST CERTIFICATE SHOULD BE PROVIDED # SUBMITTED TO 100KV ELECTRICALTEST IN EACH 300MM, ASSURING AN IDEAL INSULATION. TEST ARE MADEACCORDING TO ASTM F711, IEC855. TWO YEARS WARRANTY SHOULD BE PROVIDED. REF. MODEL: RH 2106-4 , RITZ, BRAZIL	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2412600312
DATE	: 16.02.2026
REQ No	: 1172501042
REQ TITLE	: Earthing kit 1172501042
DELIVERY LOCATION	: 0050 - CS(DIST)-WARSAN
CLOSING DATE	: 23.02.2026
CLOSING TIME	: 10:00:00

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Earthing kit

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements
The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2412600312
DATE	: 16.02.2026
REQ No	: 1172501042
REQ TITLE	: Earthing kit 1172501042
DELIVERY LOCATION	: 0050 - CS(DIST)-WARSAN
CLOSING DATE	: 23.02.2026
CLOSING TIME	: 10:00:00

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER : 2412600312
DATE : 16.02.2026
REQ No : 1172501042
REQ TITLE : Earthing kit 1172501042
DELIVERY LOCATION : 0050 - CS(DIST)-WARSAN
CLOSING DATE : 23.02.2026
CLOSING TIME : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			ELECTRICALTEST IN EACH 300MM, ASSURING AN IDEAL INSULATION. TEST ARE MADEACCORDING TO ASTM F711, IEC855. WATERPROOF CARRY BAG AND TWO YEARS WARRANTY SHOULD BE PROVIDED. REF. MODEL: RITZ HOT STICK 6.45M FIVE SECTION IN BAG (1/EACH) VMR-90/L.						
3	7000000008		TREE TRIMMER : POLE WITH BRANCH PRUNER WITH UNIVERSAL HEAD, POLE LENGTH 0.66 METER AND DIAMETER IS Ø 32 MM. THE FIXED AND MOVABLEBLAD E IS MADE OF FORGED STEEL AND IS SHARP. THE PULLYSYSTEM WILL REPRESENT A 30LB FORCE ON THE BLADE. INCLUDING A Ø 1/4"CORD WITH A LENGTH OF 7.60 M. WITH EACH TRIMMER. TEST CERTIFICATE SHOULD BE PROVIDED # SUBMITTED TO 100KV ELECTRICALTEST IN EACH 300MM, ASSURING AN IDEAL INSULATION. TEST ARE MADEACCORDING TO ASTM F711, IEC855. TWO YEARS WARRANTY SHOULD BE PROVIDED. REF. MODEL: RH 2106-4 , RITZ, BRAZIL	4	EA				

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2412600312
DATE	: 16.02.2026
REQ No	: 1172501042
REQ TITLE	: Earthing kit 1172501042
DELIVERY LOCATION	: 0050 - CS(DIST)-WARSAN
CLOSING DATE	: 23.02.2026
CLOSING TIME	: 10:00:00

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

SPECIAL NOTES / INSTRUCTIONS:

Earthing kit

STANDARD TERMS & CONDITIONS

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 6) Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements
The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

RFQ NUMBER	: 2412600312
DATE	: 16.02.2026
REQ No	: 1172501042
REQ TITLE	: Earthing kit 1172501042
DELIVERY LOCATION	: 0050 - CS(DIST)-WARSAN
CLOSING DATE	: 23.02.2026
CLOSING TIME	: 10:00:00

SUPPLIER'S REMARKS :

SUPPLIER'S SIGNATURE AND STAMP