

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492500553  
**DATE** : 17.09.2025  
**REQ No** : 1172500902  
**REQ TITLE** : Thermal Camera and Tower  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 23.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
1	7000000014		INFRARED THERMAL (IR) CAMERA FOR CONDITION MONITORING OF TRANSMISSIONOHL, MODEL FLIR T1020, MANUFACTURED BY FLIR SYSTEM AB, MADE IN SWEDEN1. 3 BATTERIES - (2 BATTERIES ARE STANDARD SUPPLY + 1 EXTRA BATTERY)2. HARD TRANSPORT CASE3. BATTERY CHARGER - ONE UNIT BAY 12 V CHARGER FROM CAR AND ONE UNITTWO-BAY INTELLIGENT CHARGER4. CALIBRATION CERTIFICATE VALID FOR AN YEAR5. FLIR TOOLS+ SOFTWARE FOR IN FRARED ANALYSIS, REPORTING AND PROFILING6. FIRE WIRE CABLE - ONE 4/6 AND ONE 6/6 - PLEASE NOTE. FIRE WIRE CABLEARE NOT SUITABLE FOR THIS MODEL USB CABLE SHALL BE PROVIDED7. ONE BLUETOOTH HEADSET8. LENS CAP FOR THE CAMERA & SEPARATE CASE FOR THE 12 DEGREE EXTRA LEN SSHALL BE PROVIDED9. MAINS CABLE SUCH AS USB CABLE, HDMI-HDMI CABLE, USB CABLE, STD A TOMICRO-B10. THERMAL CAMERA 12 DEG. LENS11. PO	1	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492500553  
**DATE** : 17.09.2025  
**REQ No** : 1172500902  
**REQ TITLE** : Thermal Camera and Tower  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 23.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			WER SUPPLY - FROM AC ONE UNIT12. INSTRUCTIONAL MANUAL GUIDE AND USER DOCUMENTATION CD ROM13. NECK STRAP14. TRIPOD FOR CAMERA15. CARD READER + MEMORY CARD						
2	7000000014		PRODUCT NAME: DIGITAL LOW RESISTANCE OHMMETERPRODUCT NAME: DLRO10HDXMANUFACTURER: MEGGERRESISTANCE RANGE: 0.1 ## TO 2500 #TEST CURRE NT: UP TO 10 ARESOLUTION: AS LOW AS 0.1 ## FOR CERTAIN RANGESACCURACY: TYPICALLY ±0.2%TEMPERATURE COEFFICIENT: < 0.01% PER °C, FROM 5 °C TO 40 °CMAXIMUM ALTITUDE: 2000 M (6562 FT) TO FULL SAFETY SPECIFICATIONSDISPLAY SIZE/TYPE: MAIN 5 DIGIT + 2 X 5 DIGIT SECONDARY DISPLAYSBATTERY TYPE: 6 V, 7AH SEALED LEAD ACIDVOLTAGE INPUT RANGE: 100 # 240 V, 50 / 60 HZ, 90 VACHARGE TIME: 8 HOURSBACKLIGHT: LE D BACKLIGHTBATTERY LIFE: >1000 AUTO (3 SEC) TESTSAUTO POWER DOWN: 300SMODE SELECTION: LEFT ROTARY SWITCHRANGE	2	EA				

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492500553  
**DATE** : 17.09.2025  
**REQ No** : 1172500902  
**REQ TITLE** : Thermal Camera and Tower  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 23.09.2025  
**CLOSING TIME** : 10:00:00

SL NO	ITEM CODE	SERVICE ID	DESCRIPTION	QTY	UOM	BRAND/ORIGIN	WARRANTY	UNIT PRICE	TOTAL PRICE
			SELECTION: RIGHT ROTAR Y SWITCHMEMORY FEATURES (HDX ONLY): RIGHT ROTARY SWITCHWEIGHT: 6.7 KG CASE DIMENSIONS: L315 MM X W285 MM X H181 MMPOUCH FOR TEST LEAD S: YES (LID MOUNTED)TEST LEADS: DH4C LEAD SETIP RATING: IP65 CASE CLOSED, IP54 BATTERY OPERATIONRECORD STORAGE (HDX ONLY): 200 TEST RECORDSSAFETY RATING: IN ACCORDANCE WITH IEC61010-1, CATIII 300V WHEN USED WITHOPTIONAL TERMINAL COVER (ORDER CODE: 1002-390)OPERATI NG TEMPERATURE AND HUMIDITY: -10 °C TO +50 °C (14 °F TO 122 °F),<90% RHREFERENCE CONDITIONS: 20 °C ±3 °CSTORAGE TEMPERATURE AND HUMI DITY: -25 °C TO +60 °C, <90% RH						

TOTAL AMOUNT IN WORDS:

TOTAL AMOUNT:

### SPECIAL NOTES / INSTRUCTIONS:

## REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492500553  
**DATE** : 17.09.2025  
**REQ No** : 1172500902  
**REQ TITLE** : Thermal Camera and Tower  
**DELIVERY LOCATION** : 0051 - CENTR STROE(TRN)  
**CLOSING DATE** : 23.09.2025  
**CLOSING TIME** : 10:00:00

Thermal Camera and Tower Footing Earth Resistance Tester

### **STANDARD TERMS & CONDITIONS**

- 1) Prices should be 'DDP' delivery duty paid at DEWA stores.
- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.

**SUPPLIER'S REMARKS :**

**SUPPLIER'S SIGNATURE AND STAMP**