

# REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492500832

**DATE** : 08.12.2025

**REQ No** : 1172501226

**REQ TITLE**: Thermal Transfer 1172501226

**DELIVERY LOCATION**: 0051 - CS WRSN, TRNSMSN

**CLOSING DATE** : 12.12.2025

CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION   | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAL<br>PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
| 1     | 700000007 |            | THERMAL TRANSFER WITH RIBBON CASSETTE   | 1   | EA  |              |          |            |                |
|       |           |            | FERRULE PRINTER# PRINTING METHOD: THERMAL   |     |     |              |          |            |                |
|       |           |            | TRANSFER# PRINT RESOLUTION: 300 DPI   |     |     |              |          |            |                |
|       |           |            | (HIGH-QUALITY, P  |     |     |              |          |            |                |
|       |           |            | RECISE PRINTING)# PRINT SPEED: UP TO 40   |     |     |              |          |            |                |
|       |           |            | MM/SEC (FAST OUTPUT)# POWER SUPPLY: AC  |     |     |              |          |            |                |
|       |           |            | ADAPTER (100-240V, 50/60 HZ) WITH OPTIONAL  |     |     |              |          |            |                |
|       |           |            | AARECHARGE  |     |     |              |          |            |                |
|       |           |            | ABLE BATTERIES (PANASONIC ENELOOP   |     |     |              |          |            |                |
|       |           |            | RECOMMENDED)# PRINT MEDIA SUPPORTED: PVC  |     |     |              |          |            |                |
|       |           |            | TUBES AND CLEAR TUBES WITH INNER  |     |     |              |          |            |                |
|       |           |            | DIAMETER1.5 MM TO 10 MM   |     |     |              |          |            |                |
|       |           |            | (UP TO 6.5 MM WITH TUBE WARMER), THICKNESS  |     |     |              |          |            |                |
|       |           |            | 0.4-0.6 MM;HEAT SHRINK TUBES 1.5 MM TO 10 MM  |     |     |              |          |            |                |
|       |           |            | INNER DIAMETER, THICKNESS 0.2-0.4 MM;LABEL T  |     |     |              |          |            |                |
|       |           |            | APES 6 MM, 9 MM, 12 MM WIDTH# AUTOMATIC   |     |     |              |          |            |                |
|       |           |            | CUTTING: FULL-CUT AND HALF-CUT OPTIONS#   |     |     |              |          |            |                |
|       |           |            | BUILT-IN MEMORY: APPROXIMATELY 2,500  |     |     |              |          |            |                |
|       |           |            | CHARACTERS FOR  |     |     |              |          |            |                |
|       |           |            | PRINT DATA, 7,500FOR FILES# CONNECTIVITY: USB   |     |     |              |          |            |                |
|       |           |            | 2.0, PC CONNECTION KIT INCLUDED# DISPLAY: LCD   |     |     |              |          |            |                |
|       |           |            | GRAPHIC WITH BACKLIGHT (160 X 64 DOTS)#<br>DIMENSIONS (W X D X H): 272 X 318 X 97 MM# |     |     |              |          |            |                |



# REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492500832

**DATE** : 08.12.2025

**REQ No** : 1172501226

**REQ TITLE** : Thermal Transfer 1172501226

**DELIVERY LOCATION**: 0051 - CS WRSN, TRNSMSN

**CLOSING DATE** : 12.12.2025

CLOSING TIME : 10:00:00

| SL NO | ITEM CODE | SERVICE ID | DESCRIPTION                                       | QTY | UOM | BRAND/ORIGIN | WARRANTY | UNIT PRICE | TOTAI<br>PRICE |
|-------|-----------|------------|---|-----|-----|--------------|----------|------------|----------------|
|       |           |            | WEIGHT: APPROXIMATELY 2.7 KG (EXCLUDING           |     |     |              |          |            |                |
|       |           |            | ACCESSORIES)# OPERATING ENVIRONMENT: 15 TO 32.5°C |     |     |              |          |            |                |
|       |           |            | (5 TO 18°C WITH OPTIONAL TUBEWARMER), 10-85%      |     |     |              |          |            |                |
|       |           |            | HUMIDITY (NO CONDENSATION)# STORAGE               |     |     |              |          |            |                |
|       |           |            | ENVIRONMENT: 5 TO 35°C, 10-90% HUMIDITY (NO       |     |     |              |          |            |                |
|       |           |            | CONDEN  |     |     |              |          |            |                |
|       |           |            | SATION)DESIGNED FOR PORTABILITY, FAST             |     |     |              |          |            |                |
|       |           |            | PRINTING, RELIABILITY, AND FLEXIBLE USEIN         |     |     |              |          |            |                |
|       |           |            | OFFICE OR FIELD ENVIRONMENTS WHERE                |     |     |              |          |            |                |
|       |           |            | DURABLE, CLEAR WI                                 |     |     |              |          |            |                |
|       |           |            | RE/FERRULEMARKING IS NEEDED.WITH EXTRA 5          |     |     |              |          |            |                |
|       |           |            | CARTRIDGES AND CARRY CASE                         |     |     |              |          |            |                |

TOTAL AMOUNT IN WORDS: TOTAL AMOUNT:

### **SPECIAL NOTES / INSTRUCTIONS:**

Thermal Transfer

#### **STANDARD TERMS & CONDITIONS**

1) Prices should be 'DDP' delivery duty paid at DEWA stores.



### REQUEST FOR QUOTATION LOCAL PURCHASE SECTION

**RFQ NUMBER** : 2492500832

**DATE** : 08.12.2025

**REQ No** : 1172501226

**REQ TITLE**: Thermal Transfer 1172501226

**DELIVERY LOCATION**: 0051 - CS WRSN, TRNSMSN

**CLOSING DATE** : 12.12.2025

CLOSING TIME : 10:00:00

- 2) Quotation to be submitted only in local currency U.A.E Dirhams
- 3) DEWA Standard payment terms is '30 days credit' from the date of acceptance of material
- 4) No DEWA staff or his or her relatives up to third degree should have ownership or partnership in your company, and your participation in DEWA tenders / RFQs should not constitute a Conflict or perceived Conflict of Interest.
- 5) The offered product and/ or services in the Quotation, shall be conforming and in accordance with DEWA Energy Management Policy & EnMS Manual.
- 6)Confidentiality Clause: The Supplier/Service Provider shall treat all information and data (excluding open data) contained in the Purchase Order or obtained by the Supplier/Service Provider in connection with the execution of Works as proprietary and strictly confidential. In particular, the Supplier/ Service Provider shall not publish or disclose any data or information including but not limited to personally identifiable information, government data, project details, specifications, drawings or photographs concerning the Works to any third parties without the prior written consent of the Employer.

If the Supplier/Service Provider is obligated to obtain NOCs / Permits /Permissions for the Project from Government agencies as per the terms and scope of the Contract, the Supplier/Service Provider shall submit only the specific data required for the purpose to the authorized team of the agency, through their prescribed channel / system, subject to information security requirements

The Supplier/Service Provider shall comply with all the applicable data protection laws and regulations.

| SUPPLIER'S REMARKS: |  |  |
|---------------------|--|--|
|                     |  |  |

SUPPLIER'S SIGNATURE AND STAMP